

Submission Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.0009				
EPA Site Specific Trigger Levels											N/A				
EMSL	FH-043007-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2007	1/Scaffold	2.880	030713416-0001	4/30/2007	5/1/2007	PCME	ASBESTOS	<0.00086	5/1/2007	No	No	
EMSL	FH-043007-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/30/2007	1/Scaffold	2.880	030713416-0002	4/30/2007	5/1/2007	PCME	ASBESTOS	<0.00086	5/1/2007	No	No	
EMSL	FH-043007-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/30/2007	1/Scaffold	2.880	030713416-0003	4/30/2007	5/1/2007	PCME	ASBESTOS	<0.00086	5/1/2007	No	No	
EMSL	FH-043007-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/30/2007	1/Scaffold	2.880	030713416-0004	4/30/2007	5/1/2007	PCME	ASBESTOS	<0.00086	5/1/2007	No	No	
EMSL	FH-043007-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/30/2007	1/Scaffold	2.880	030713416-0005	4/30/2007	5/1/2007	PCME	ASBESTOS	<0.00086	5/1/2007	No	No	
EMSL	FH-043007-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/30/2007	1/Scaffold	2.880	030713416-0006	4/30/2007	5/1/2007	PCME	ASBESTOS	<0.00086	5/1/2007	No	No	
EMSL	FH-050107-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2007	1/Scaffold	2.880	030713547-0001	5/1/2007	5/2/2007	PCME	ASBESTOS	<0.00086	5/2/2007	No	No	
EMSL	FH-050107-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2007	1/Scaffold	2.880	030713547-0002	5/1/2007	5/2/2007	PCME	ASBESTOS	<0.00086	5/2/2007	No	No	
EMSL	FH-050107-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2007	1/Scaffold	2.880	030713547-0003	5/1/2007	5/2/2007	PCME	ASBESTOS	<0.00086	5/2/2007	No	No	
EMSL	FH-050107-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2007	1/Scaffold	2.880	030713547-0004	5/1/2007	5/2/2007	PCME	ASBESTOS	<0.00086	5/2/2007	No	No	
EMSL	FH-050107-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2007	1/Scaffold	2.880	030713547-0005	5/1/2007	5/2/2007	PCME	ASBESTOS	<0.00086	5/2/2007	No	No	
EMSL	FH-050107-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2007	1/Scaffold	2.880	030713547-0006	5/1/2007	5/2/2007	PCME	ASBESTOS	<0.00086	5/2/2007	No	No	
EMSL	FH-050107-65	DUPLICATE (STATION #1)	5/1/2007	1/Scaffold	2.880	030713547-0007	5/1/2007	5/2/2007	PCME	ASBESTOS	<0.00086	5/2/2007	No	No	
EMSL	FH-050207-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2007	1/Scaffold	2.880	030713801-0001	5/2/2007	5/3/2007	PCME	ASBESTOS	<0.00079	5/3/2007	No	No	
EMSL	FH-050207-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2007	1/Scaffold	2.880	030713801-0002	5/2/2007	5/3/2007	PCME	ASBESTOS	<0.00079	5/3/2007	No	No	
EMSL	FH-050207-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/2/2007	1/Scaffold	2.880	030713801-0003	5/2/2007	5/3/2007	PCME	ASBESTOS	<0.00079	5/3/2007	No	No	
EMSL	FH-050207-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/2/2007	1/Scaffold	2.880	030713801-0004	5/2/2007	5/3/2007	PCME	ASBESTOS	<0.00079	5/3/2007	No	No	
EMSL	FH-050207-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/2/2007	1/Scaffold	2.880	030713801-0005	5/2/2007	5/3/2007	PCME	ASBESTOS	<0.00079	5/3/2007	No	No	
EMSL	FH-050207-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/2/2007	1/Scaffold	2.880	030713801-0006	5/2/2007	5/3/2007	PCME	ASBESTOS	<0.00079	5/3/2007	No	No	
EMSL	FH-050307-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/3/2007	1/Scaffold	2.880	030713906-0001	5/3/2007	5/4/2007	PCME	ASBESTOS	<0.00079	5/4/2007	No	No	
EMSL	FH-050307-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/3/2007	1/Scaffold	2.880	030713906-0002	5/3/2007	5/4/2007	PCME	ASBESTOS	<0.00079	5/4/2007	No	No	
EMSL	FH-050307-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/3/2007	1/Scaffold	2.880	030713906-0003	5/3/2007	5/4/2007	PCME	ASBESTOS	<0.00079	5/4/2007	No	No	
EMSL	FH-050307-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/3/2007	1/Scaffold	2.880	030713906-0004	5/3/2007	5/4/2007	PCME	ASBESTOS	<0.00079	5/4/2007	No	No	
EMSL	FH-050307-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/3/2007	1/Scaffold	2.880	030713906-0005	5/3/2007	5/4/2007	PCME	ASBESTOS	<0.00079	5/4/2007	No	No	
EMSL	FH-050307-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/3/2007	1/Scaffold	2.880	030713906-0006	5/3/2007	5/4/2007	PCME	ASBESTOS	<0.00079	5/4/2007	No	No	
EMSL	FH-050407-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/4/2007	1/Scaffold	2.880	030714067-0001	5/4/2007	5/5/2007	PCME	ASBESTOS	<0.00086	5/7/2007	No	No	
EMSL	FH-050407-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/4/2007	1/Scaffold	2.880	030714067-0002	5/4/2007	5/5/2007	PCME	ASBESTOS	<0.00086	5/7/2007	No	No	
EMSL	FH-050407-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/4/2007	1/Scaffold	2.880	030714067-0003	5/4/2007	5/5/2007	PCME	ASBESTOS	<0.00086	5/7/2007	No	No	
EMSL	FH-050407-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/4/2007	1/Scaffold	2.880	030714067-0004	5/4/2007	5/5/2007	PCME	ASBESTOS	<0.00086	5/7/2007	No	No	
EMSL	FH-050407-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/4/2007	1/Scaffold	2.880	030714067-0005	5/4/2007	5/5/2007	PCME	ASBESTOS	<0.00086	5/7/2007	No	No	
EMSL	FH-050407-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/4/2007	1/Scaffold	2.880	030714067-0006	5/4/2007	5/5/2007	PCME	ASBESTOS	<0.00086	5/7/2007	No	No	
EMSL	FH-050507-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/5/2007	1/Scaffold	2.880	030714359-0001	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050507-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/5/2007	1/Scaffold	2.880	030714359-0002	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050507-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/5/2007	1/Scaffold	2.880	030714359-0003	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050507-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/5/2007	1/Scaffold	2.880	030714359-0004	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050507-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/5/2007	1/Scaffold	2.880	030714359-0005	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050507-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/5/2007	1/Scaffold	2.880	030714359-0006	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050607-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/6/2007	1/Scaffold	2.880	030714365-0001	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050607-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/6/2007	1/Scaffold	2.880	030714365-0002	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050607-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/6/2007	1/Scaffold	2.880	030714365-0003	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050607-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/6/2007	1/Scaffold	2.880	030714365-0004	5/7/2007	5/8/2007	PCME	ASBESTOS	0.00079	5/8/2007	No	No	
EMSL	FH-050607-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/6/2007	1/Scaffold	2.880	030714365-0005	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	
EMSL	FH-050607-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/6/2007	1/Scaffold	2.880	030714365-0006	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00079	5/8/2007	No	No	

Submittal Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 2.5 (ug/m ³)	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels							40			
EPA Site Specific Trigger Levels							65			
FH-043007-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.28	No	No	
FH-043007-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/30/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.81	No	No	
FH-043007-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/30/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.92	No	No	
FH-043007-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/30/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.14	No	No	
FH-043007-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/30/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.30	No	No	
FH-043007-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/30/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.21	No	No	
FH-043007-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	13.14	No	No	
FH-050107-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.85	No	No	
FH-050107-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.94	No	No	
FH-050107-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.81	No	No	
FH-050107-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.20	No	No	
FH-050107-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.10	No	No	
FH-050107-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.70	No	No	
FH-050107-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	11.15	No	No	
FH-050207-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.63	No	No	
FH-050207-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.78	No	No	
FH-050207-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.34	No	No	
FH-050207-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.64	No	No	
FH-050207-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.90	No	No	
FH-050207-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.95	No	No	
FH-050207-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	10.78	No	No	
FH-050307-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.46	No	No	
FH-050307-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.13	No	No	
FH-050307-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.31	No	No	
FH-050307-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	22.35	No	No	
FH-050307-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.24	No	No	
FH-050307-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.40	No	No	
FH-050307-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/3/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	10.75	No	No	
FH-050407-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.53	No	No	
FH-050407-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.13	No	No	
FH-050407-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.51	No	No	
FH-050407-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.60	No	No	
FH-050407-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.53	No	No	
FH-050407-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.45	No	No	
FH-050407-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/4/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	9.36	No	No	
FH-050507-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.59	No	No	
FH-050507-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.97	No	No	
FH-050507-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.97	No	No	
FH-050507-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.48	No	No	
FH-050507-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.17	No	No	
FH-050507-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.50	No	No	
FH-050507-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/5/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	10.81	No	No	
FH-050607-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	4.49	No	No	
FH-050607-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.50	No	No	
FH-050607-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.78	No	No	
FH-050607-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.97	No	No	
FH-050607-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.51	No	No	
FH-050607-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.72	No	No	
FH-050607-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/6/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	6.14	No	No	

Submittal Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m ³)	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							Target Air Quality Levels	150		
							EPA Site Specific Trigger Levels	150		
FH-043007-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.02	No	No	
FH-043007-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/30/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.83	No	No	
FH-043007-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/30/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.79	No	No	
FH-043007-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/30/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.71	No	No	
FH-043007-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/30/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.23	No	No	
FH-043007-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/30/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.56	No	No	
FH-043007-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/30/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	23.43	No	No	
FH-050107-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.69	No	No	
FH-050107-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.70	No	No	
FH-050107-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.15	No	No	
FH-050107-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.74	No	No	
FH-050107-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.12	No	No	
FH-050107-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.69	No	No	
FH-050107-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	18.79	No	No	
FH-050207-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.22	No	No	
FH-050207-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.34	No	No	
FH-050207-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.94	No	No	
FH-050207-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.66	No	No	
FH-050207-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.88	No	No	
FH-050207-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.58	No	No	
FH-050207-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	12.71	No	No	
FH-050307-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.11	No	No	
FH-050307-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.24	No	No	
FH-050307-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.16	No	No	
FH-050307-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.59	No	No	
FH-050307-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.23	No	No	
FH-050307-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.24	No	No	
FH-050307-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/3/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	17.38	No	No	
FH-050407-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.82	No	No	
FH-050407-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.56	No	No	
FH-050407-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.87	No	No	
FH-050407-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.33	No	No	
FH-050407-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	10.83	No	No	
FH-050407-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.56	No	No	
FH-050407-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/4/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	15.08	No	No	
FH-050507-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.58	No	No	
FH-050507-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.92	No	No	
FH-050507-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.46	No	No	
FH-050507-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.47	No	No	
FH-050507-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.74	No	No	
FH-050507-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.49	No	No	
FH-050507-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/5/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	17.41	No	No	
FH-050607-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.38	No	No	
FH-050607-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.27	No	No	
FH-050607-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.10	No	No	
FH-050607-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.25	No	No	
FH-050607-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.49	No	No	
FH-050607-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.57	No	No	
FH-050607-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/6/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	13.38	No	No	

Submittal Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Mercury-Total Concentration (ng/m ³)	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											300					
EPA Site Specific Trigger Levels											3,000					
BRL	FH-043007-11	#1 - Sidewalk bridge level NW corner	04/30/2007	Scaffold	0.576	07BR0579-01	05/02/2007	05/03/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/07/2007	No	No	
BRL	FH-043007-12	#2 - Sidewalk bridge level SW corner	04/30/2007	Scaffold	0.576	07BR0579-02	05/02/2007	05/03/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/07/2007	No	No	
BRL	FH-043007-13	#3 - Sidewalk bridge level SE corner	04/30/2007	Scaffold	0.576	07BR0579-03	05/02/2007	05/03/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/07/2007	No	No	
BRL	FH-043007-14	#4 - Sidewalk bridge level NE corner	04/30/2007	Scaffold	0.576	07BR0579-04	05/02/2007	05/03/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/07/2007	No	No	
BRL	FH-043007-15	#5 - 5th floor setback roof N side	04/30/2007	Scaffold	0.576	07BR0579-05	05/02/2007	05/03/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/07/2007	No	No	
BRL	FH-043007-16	#6 - 5th floor setback roof SW side	04/30/2007	Scaffold	0.576	07BR0579-06	05/02/2007	05/03/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/07/2007	No	No	
BRL	FH-050107-11	#1 - Sidewalk bridge level NW corner	05/01/2007	Scaffold	0.576	07BR0584-01	05/03/2007	05/04/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/08/2007	No	No	
BRL	FH-050107-12	#2 - Sidewalk bridge level SW corner	05/01/2007	Scaffold	0.576	07BR0584-02	05/03/2007	05/04/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/08/2007	No	No	
BRL	FH-050107-13	#3 - Sidewalk bridge level SE corner	05/01/2007	Scaffold	0.576	07BR0584-03	05/03/2007	05/04/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/08/2007	No	No	
BRL	FH-050107-14	#4 - Sidewalk bridge level NE corner	05/01/2007	Scaffold	0.576	07BR0584-04	05/03/2007	05/04/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/08/2007	No	No	
BRL	FH-050107-15	#5 - 5th floor setback roof N side	05/01/2007	Scaffold	0.576	07BR0584-05	05/03/2007	05/04/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/08/2007	No	No	
BRL	FH-050107-16	#6 - 5th floor setback roof SW side	05/01/2007	Scaffold	0.576	07BR0584-06	05/03/2007	05/04/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/08/2007	No	No	
BRL	FH-050107-66	Duplicate(Station #1)	05/01/2007	Scaffold	0.576	07BR0584-08	05/03/2007	05/04/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/08/2007	No	No	
BRL	FH-050207-11	#1 - Sidewalk bridge level NW corner	05/02/2007	Scaffold	0.576	07BR0593-01	05/04/2007	05/07/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/09/2007	No	No	
BRL	FH-050207-12	#2 - Sidewalk bridge level SW corner	05/02/2007	Scaffold	0.576	07BR0593-02	05/04/2007	05/07/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/09/2007	No	No	
BRL	FH-050207-13	#3 - Sidewalk bridge level SE corner	05/02/2007	Scaffold	0.576	07BR0593-03	05/04/2007	05/07/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/09/2007	No	No	
BRL	FH-050207-14	#4 - Sidewalk bridge level NE corner	05/02/2007	Scaffold	0.576	07BR0593-04	05/04/2007	05/07/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/09/2007	No	No	
BRL	FH-050207-15	#5 - 5th floor setback roof N side	05/02/2007	Scaffold	0.576	07BR0593-05	05/04/2007	05/07/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/09/2007	No	No	
BRL	FH-050207-16	#6 - 5th floor setback roof SW side	05/02/2007	Scaffold	0.576	07BR0593-06	05/04/2007	05/07/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/09/2007	No	No	
BRL	FH-050307-11	#1 - Sidewalk bridge level NW corner	05/03/2007	Scaffold	0.576	07BR0601-01	05/05/2007	05/08/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/10/2007	No	No	
BRL	FH-050307-12	#2 - Sidewalk bridge level SW corner	05/03/2007	Scaffold	0.576	07BR0601-02	05/05/2007	05/08/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/10/2007	No	No	
BRL	FH-050307-13	#3 - Sidewalk bridge level SE corner	05/03/2007	Scaffold	0.576	07BR0601-03	05/05/2007	05/08/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/10/2007	No	No	
BRL	FH-050307-14	#4 - Sidewalk bridge level NE corner	05/03/2007	Scaffold	0.576	07BR0601-04	05/05/2007	05/08/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/10/2007	No	No	
BRL	FH-050307-15	#5 - 5th floor setback roof N side	05/03/2007	Scaffold	0.576	07BR0601-05	05/05/2007	05/08/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/10/2007	No	No	
BRL	FH-050307-16	#6 - 5th floor setback roof SW side	05/03/2007	Scaffold	0.576	07BR0601-06	05/05/2007	05/08/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/10/2007	No	No	
BRL	FH-050407-11	#1 - Sidewalk bridge level NW corner	05/04/2007	Scaffold	0.576	07BR0609-01	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050407-12	#2 - Sidewalk bridge level SW corner	05/04/2007	Scaffold	0.576	07BR0609-02	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050407-13	#3 - Sidewalk bridge level SE corner	05/04/2007	Scaffold	0.576	07BR0609-03	05/08/2007	05/09/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050407-14	#4 - Sidewalk bridge level NE corner	05/04/2007	Scaffold	0.576	07BR0609-04	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050407-15	#5 - 5th floor setback roof N side	05/04/2007	Scaffold	0.576	07BR0609-05	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050407-16	#6 - 5th floor setback roof SW side	05/04/2007	Scaffold	0.576	07BR0609-06	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050507-11	#1 - Sidewalk bridge level NW corner	05/05/2007	Scaffold	0.576	07BR0610-01	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050507-12	#2 - Sidewalk bridge level SW corner	05/05/2007	Scaffold	0.576	07BR0610-02	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050507-13	#3 - Sidewalk bridge level SE corner	05/05/2007	Scaffold	0.576	07BR0610-03	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050507-14	#4 - Sidewalk bridge level NE corner	05/05/2007	Scaffold	0.576	07BR0610-04	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050507-15	#5 - 5th floor setback roof N side	05/05/2007	Scaffold	0.576	07BR0610-05	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050507-16	#6 - 5th floor setback roof SW side	05/05/2007	Scaffold	0.576	07BR0610-06	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050607-11	#1 - Sidewalk bridge level NW corner	05/06/2007	Scaffold	0.576	07BR0611-01	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050607-12	#2 - Sidewalk bridge level SW corner	05/06/2007	Scaffold	0.576	07BR0611-02	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050607-13	#3 - Sidewalk bridge level SE corner	05/06/2007	Scaffold	0.576	07BR0611-03	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050607-14	#4 - Sidewalk bridge level NE corner	05/06/2007	Scaffold	0.576	07BR0611-04	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050607-15	#5 - 5th floor setback roof N side	05/06/2007	Scaffold	0.576	07BR0611-05	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	
BRL	FH-050607-16	#6 - 5th floor setback roof SW side	05/06/2007	Scaffold	0.576	07BR0611-06	05/08/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/11/2007	No	No	

Submittal Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Ohio Lumex Daily Mercury Readings

all readings are in ng/m³

Target air quality level: 300 ng/m³

USEPA site specific mercury trigger level: 3000 ng/m³

Exceedances: None

Exceedances: None

3 Site Tours Conducted per Work Shift

DATE: 04/30/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	28	26	20	21	24	23	23	19	18	19	20	24	22.08	
	1200-1205	Tour 2	29	34	20	19	19	19	21	24	23	20	20	24		22.67
	1500-1505	Tour 3	24	20	20	20	18	20	20	19	18	24	26	21		20.83
5th FLOOR SETBACK	0910-0915	Tour 1	26	24	20	20	19	18	19	18	19	20	21	24	20.67	
	1210-1215	Tour 2	25	19	19	17	18	19	21	24	24	23	21	19		20.75
	1510-1515	Tour 3	21	21	20	20	21	24	21	19	20	21	24	26		21.50
PERIMETER	0925-0930	Tour 1	27	26	31	26	25	19	18	19	21	20	21	28	23.42	
	1225-1230	Tour 2	26	25	25	24	26	25	19	18	20	20	19	19		22.17
	1525-1530	Tour 3	31	30	29	18	19	20	21	24	23	21	20	20		23.00

DATE: 05/01/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	28	26	21	19	19	24	22	21	21	24	23	23	22.58	
	1200-1205	Tour 2	31	29	21	22	20	19	19	18	17	18	21	20		21.25
	1500-1505	Tour 3	29	20	20	20	19	24	23	19	21	23	18	19		21.25
5th FLOOR SETBACK	0910-0915	Tour 1	31	30	30	29	27	26	26	25	29	30	31	30	28.67	
	1210-1215	Tour 2	31	31	28	24	23	23	21	30	26	25	25	24		25.92
	1510-1515	Tour 3	24	31	30	29	29	27	28	31	30	29	28	28		28.67
PERIMETER	0925-0930	Tour 1	29	28	28	27	26	26	30	25	26	26	21	19	25.92	
	1225-1230	Tour 2	28	27	27	25	25	30	22	23	24	24	23	24		25.17
	1525-1530	Tour 3	28	28	24	23	23	24	24	25	26	26	25	23		24.92

DATE: 05/02/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	25	21	24	29	27	24	21	21	25	29	22	23	24.25	
	1200-1205	Tour 2	24	24	27	25	30	29	27	22	24	27	24	26		25.75
	1500-1505	Tour 3	21	22	26	30	29	29	21	25	28	24	21	27		25.25
5th FLOOR SETBACK	0910-0915	Tour 1	29	22	24	27	25	30	30	27	23	27	21	23	25.67	
	1210-1215	Tour 2	28	30	25	27	24	26	28	24	28	29	22	27		26.50
	1510-1515	Tour 3	21	24	27	30	30	29	27	29	28	26	22	25		26.50
PERIMETER	0925-0930	Tour 1	22	25	28	29	22	25	27	28	30	26	24	26	26.00	
	1225-1230	Tour 2	21	22	27	30	26	26	30	21	25	24	23	27		25.17
	1525-1530	Tour 3	27	30	25	29	24	21	25	27	28	22	27	30		26.25

DATE: 05/03/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	21	20	17	24	21	21	20	23	29	27	24	23	22.50	
	1200-1205	Tour 2	20	19	19	22	21	20	24	24	21	23	20	20		21.08
	1500-1505	Tour 3	26	25	25	21	21	20	19	18	18	21	19	20		21.08
5th FLOOR SETBACK	0910-0915	Tour 1	26	26	31	31	30	29	28	24	23	24	29	28	27.42	
	1210-1215	Tour 2	25	25	26	31	30	30	30	29	30	27	27	26		28.00
	1510-1515	Tour 3	25	28	28	29	30	35	31	28	27	26	21	21		27.42
PERIMETER	0925-0930	Tour 1	31	30	30	27	26	27	27	30	36	29	29	30	29.33	
	1225-1230	Tour 2	29	28	28	27	28	31	26	25	25	30	31	29		28.08
	1525-1530	Tour 3	30	31	30	30	29	28	29	30	27	26	28	28		28.83

DATE: 05/04/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	29	30	27	26	26	20	20	19	22	21	22	19	23.42	
	1200-1205	Tour 2	28	28	27	26	20	20	17	18	18	20	21	21		22.00
	1500-1505	Tour 3	30	31	28	28	27	26	26	26	25	20	21	21		25.75
5th FLOOR SETBACK	0910-0915	Tour 1	30	34	31	31	29	28	30	18	18	21	24	28	26.83	
	1210-1215	Tour 2	29	30	30	30	29	28	26	25	20	21	21	24		26.08
	1510-1515	Tour 3	30	26	25	25	20	23	20	21	21	20	26	25		23.50
PERIMETER	0925-0930	Tour 1	30	32	32	31	31	29	30	36	35	29	28	27	30.83	
	1225-1230	Tour 2	31	30	30	30	28	27	25	25	24	23	20	21		26.17
	1525-1530	Tour 3	30	29	29	28	26	28	28	29	30	32	29	24		28.50

DATE: 05/05/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	29	30	30	28	26	21	24	19	18	19	19	20	23.58	
	1200-1205	Tour 2	30	28	28	27	26	21	20	20	19	20	28	21		24.00
	1500-1505	Tour 3	34	30	30	29	30	31	30	28	20	21	19	18		26.67
5th FLOOR SETBACK	0910-0915	Tour 1	28	28	28	27	26	21	20	20	28	29	30	29	26.17	
	1210-1215	Tour 2	26	26	25	24	20	20	19	20	21	20	28	27		23.00
	1510-1515	Tour 3	30	31	30	29	28	26	20	20	18	19	20	18		24.08
PERIMETER	0925-0930	Tour 1	30	28	27	27	26	27	25	23	20	19	20	19	24.25	
	1225-1230	Tour 2	19	19	25	24	26	28	19	18	16	15	21	22		21.00
	1525-1530	Tour 3	30	28	21	20	18	18	18	18	19	21	22	26		21.58

DATE: 05/06/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	30	29	28	28	27	28	22	21	20	20	24	24	25.08	
	1200-1205	Tour 2	28	28	26	26	26	20	18	19	18	20	20	21		22.50
	1500-1505	Tour 3	31	30	30	29	29	27	24	23	20	20	20	20		25.25
5th FLOOR SETBACK	0910-0915	Tour 1	36	31	30	30	28	27	21	20	24	20	20	21	25.67	
	1210-1215	Tour 2	30	30	28	29	30	28	26	20	18	16	21	20		24.67
	1510-1515	Tour 3	28	27	20	20	24	20	19	19	20	21	20	24		21.83
PERIMETER	0925-0930	Tour 1	30	29	28	28	28	26	20	20	21	24	20	24	24.83	
	1225-1230	Tour 2	28	28	26	24	20	20	21	19	24	23	20	21		22.83
	1525-1530	Tour 3	26	26	24	20	20	20	18	17	19	20	23	20		21.08

Submittal Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Silica-Quartz Concentration (ug/m ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											10				
EPA Site Specific Trigger Levels											10				
EMSL	FH-043007-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	04/30/2007	Scaffold	0.960	040708805-0001	05/01/2007	05/01/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/02/2007	No	No	
EMSL	FH-043007-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	04/30/2007	Scaffold	0.960	040708805-0002	05/01/2007	05/01/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/02/2007	No	No	
EMSL	FH-043007-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/30/2007	Scaffold	0.960	040708805-0003	05/01/2007	05/01/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/02/2007	No	No	
EMSL	FH-043007-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	04/30/2007	Scaffold	0.960	040708805-0004	05/01/2007	05/01/2007	NIOSH 7500 XRD	Silica-Quartz	8	05/02/2007	No	No	
EMSL	FH-043007-33	#5 - 5TH FL SETBACK ROOF N. SIDE	04/30/2007	Scaffold	0.960	040708805-0005	05/01/2007	05/01/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/02/2007	No	No	
EMSL	FH-043007-34	#6 - 5TH FL SETBACK ROOF SW SIDE	04/30/2007	Scaffold	0.960	040708805-0006	05/01/2007	05/01/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/02/2007	No	No	
EMSL	FH-050107-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/01/2007	Scaffold	0.960	040708897-0001	05/02/2007	05/02/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050107-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/01/2007	Scaffold	0.960	040708897-0002	05/02/2007	05/02/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050107-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/01/2007	Scaffold	0.960	040708897-0003	05/02/2007	05/02/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050107-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/01/2007	Scaffold	0.960	040708897-0004	05/02/2007	05/02/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050107-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/01/2007	Scaffold	0.960	040708897-0005	05/02/2007	05/02/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050107-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/01/2007	Scaffold	0.960	040708897-0006	05/02/2007	05/02/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050107-68	DUPLICATE (STATION #1)	05/01/2007	Scaffold	0.960	040708897-0008	05/02/2007	05/02/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050207-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/02/2007	Scaffold	0.960	040708989-0001	05/03/2007	05/03/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050207-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/02/2007	Scaffold	0.960	040708989-0002	05/03/2007	05/03/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050207-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/02/2007	Scaffold	0.960	040708989-0003	05/03/2007	05/03/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050207-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/02/2007	Scaffold	0.960	040708989-0004	05/03/2007	05/03/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050207-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/02/2007	Scaffold	0.960	040708989-0005	05/03/2007	05/03/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050207-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/02/2007	Scaffold	0.960	040708989-0006	05/03/2007	05/03/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/04/2007	No	No	
EMSL	FH-050307-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/03/2007	Scaffold	0.960	040709069-0001	05/04/2007	05/04/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/07/2007	No	No	
EMSL	FH-050307-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/03/2007	Scaffold	0.960	040709069-0002	05/04/2007	05/04/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/07/2007	No	No	
EMSL	FH-050307-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/03/2007	Scaffold	0.960	040709069-0003	05/04/2007	05/04/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/07/2007	No	No	
EMSL	FH-050307-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/03/2007	Scaffold	0.960	040709069-0004	05/04/2007	05/04/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/07/2007	No	No	
EMSL	FH-050307-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/03/2007	Scaffold	0.960	040709069-0005	05/04/2007	05/04/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/07/2007	No	No	
EMSL	FH-050307-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/03/2007	Scaffold	0.960	040709069-0006	05/04/2007	05/04/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/07/2007	No	No	
EMSL	FH-050407-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/04/2007	Scaffold	0.960	040709200-0001	05/05/2007	05/07/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/08/2007	No	No	
EMSL	FH-050407-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/04/2007	Scaffold	0.960	040709200-0002	05/05/2007	05/07/2007	NIOSH 7500 XRD	Silica-Quartz	10	05/08/2007	No	No	See Note 1
EMSL	FH-050407-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/04/2007	Scaffold	0.960	040709200-0003	05/05/2007	05/07/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/08/2007	No	No	
EMSL	FH-050407-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/04/2007	Scaffold	0.960	040709200-0004	05/05/2007	05/07/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/08/2007	No	No	
EMSL	FH-050407-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/04/2007	Scaffold	0.960	040709200-0005	05/05/2007	05/07/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/08/2007	No	No	
EMSL	FH-050407-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/04/2007	Scaffold	0.960	040709200-0006	05/05/2007	05/07/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/08/2007	No	No	
EMSL	FH-050507-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/05/2007	Scaffold	0.960	040709335-0001	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050507-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/05/2007	Scaffold	0.960	040709335-0002	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050507-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/05/2007	Scaffold	0.960	040709335-0003	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050507-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/05/2007	Scaffold	0.960	040709335-0004	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050507-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/05/2007	Scaffold	0.960	040709335-0005	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050507-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/05/2007	Scaffold	0.960	040709335-0006	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050607-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/06/2007	Scaffold	0.960	040709349-0001	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050607-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/2007	Scaffold	0.960	040709349-0002	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050607-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/06/2007	Scaffold	0.960	040709349-0003	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050607-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/06/2007	Scaffold	0.960	040709349-0004	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050607-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/06/2007	Scaffold	0.960	040709349-0005	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050607-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/06/2007	Scaffold	0.960	040709349-0006	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	

Note 1: QC result on this sample is 8.0 ug/m³. As method variation is 2.2 ug/m³, the original result of 10 ug/m³ was reported.

Submittal Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels EPA Site Specific Trigger Levels											0.00025				
STL-SAC	FH-050607-39	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090121002	05/08/2007	05/15/2007	TO-9	Toxicity Equivalent Quotient (TEQ)	0.00013	05/22/2007	No	No	

Submittal Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-050607-48	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090126002	05/08/2007	05/11/2007	8270C SIM	BAP-equivalent	<0.007	05/22/2007	No	No	

Submittal Summary - Scaffold Phase Week One (04/30/07 to 05/06/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-050607-57	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090125002	05/08/2007	05/18/2007	TO-4	Aroclor 1016	<0.0021	05/22/2007	No	No	
STL-SAC	FH-050607-57	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090125002	05/08/2007	05/18/2007	TO-4	Aroclor 1221	<0.0021	05/22/2007	No	No	
STL-SAC	FH-050607-57	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090125002	05/08/2007	05/18/2007	TO-4	Aroclor 1232	<0.0021	05/22/2007	No	No	
STL-SAC	FH-050607-57	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090125002	05/08/2007	05/18/2007	TO-4	Aroclor 1242	<0.0021	05/22/2007	No	No	
STL-SAC	FH-050607-57	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090125002	05/08/2007	05/18/2007	TO-4	Aroclor 1248	<0.0021	05/22/2007	No	No	
STL-SAC	FH-050607-57	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090125002	05/08/2007	05/18/2007	TO-4	Aroclor 1254	<0.0021	05/22/2007	No	No	
STL-SAC	FH-050607-57	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/06/07	Scaffold	360	G7E090125002	05/08/2007	05/18/2007	TO-4	Aroclor 1260	<0.0021	05/22/2007	No	No	