

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.0009				
EPA Site Specific Trigger Levels											N/A				
EMSL	FH-070207-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/2/2007	1/Scaffold	2.880	030721653-0001	7/2/2007	7/3/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070207-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/2/2007	1/Scaffold	2.880	030721653-0002	7/2/2007	7/3/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070207-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/2/2007	1/Scaffold	2.880	030721653-0003	7/2/2007	7/3/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070207-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/2/2007	1/Scaffold	2.880	030721653-0004	7/2/2007	7/3/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070207-05	#5 - 5TH FL SETBACK ROOF N SIDE	7/2/2007	1/Scaffold	2.880	030721653-0005	7/2/2007	7/3/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070207-06	#6 - 5TH FL SETBACK ROOF SW SIDE	7/2/2007	1/Scaffold	2.880	030721653-0006	7/2/2007	7/3/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070307-01	#1- SIDEWALK BRIDGE LEVEL NW CORNER	7/3/2007	1/Scaffold	2.880	030721855-0001	7/3/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070307-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/3/2007	1/Scaffold	2.880	030721855-0002	7/3/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070307-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/3/2007	1/Scaffold	2.880	030721855-0003	7/3/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070307-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/3/2007	1/Scaffold	2.880	030721855-0004	7/3/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070307-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/3/2007	1/Scaffold	2.880	030721855-0005	7/3/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070307-06	#6 - 5TH FLOOR SET BACK ROOF SW SIDE	7/3/2007	1/Scaffold	2.880	030721855-0006	7/3/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/5/2007	No	No	
EMSL	FH-070407-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/4/2007	1/Scaffold	2.880	030721962-0001	7/5/2007	7/6/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070407-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/4/2007	1/Scaffold	2.880	030721962-0002	7/5/2007	7/6/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070407-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/4/2007	1/Scaffold	2.880	030721962-0003	7/5/2007	7/6/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070407-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/4/2007	1/Scaffold	2.880	030721962-0004	7/5/2007	7/6/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070407-05	#5 - 5TH FL SETBACK ROOF N SIDE	7/4/2007	1/Scaffold	2.880	030721962-0005	7/5/2007	7/6/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070407-06	#6 - 5TH FL SETBACK ROOF SW SIDE	7/4/2007	1/Scaffold	2.880	030721962-0006	7/5/2007	7/6/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070507-01	#1- SIDEWALK BRIDGE LEVEL NW CORNER	7/5/2007	1/Scaffold	2.880	030721964-0001	7/5/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070507-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/5/2007	1/Scaffold	2.880	030721964-0002	7/5/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070507-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/5/2007	1/Scaffold	2.880	030721964-0003	7/5/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070507-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/5/2007	1/Scaffold	2.880	030721964-0004	7/5/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070507-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/5/2007	1/Scaffold	2.880	030721964-0005	7/5/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070507-06	#6 - 5TH FLOOR SET BACK ROOF SW SIDE	7/5/2007	1/Scaffold	2.880	030721964-0006	7/5/2007	7/5/2007	PCME	ASBESTOS	<0.00086	7/6/2007	No	No	
EMSL	FH-070607-01	#1- SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	1/Scaffold	2.880	030722152-0001	7/6/2007	7/7/2007	PCME	ASBESTOS	<0.00086	7/7/2007	No	No	
EMSL	FH-070607-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/6/2007	1/Scaffold	2.880	030722152-0002	7/6/2007	7/7/2007	PCME	ASBESTOS	<0.00086	7/7/2007	No	No	
EMSL	FH-070607-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	1/Scaffold	2.880	030722152-0003	7/6/2007	7/7/2007	PCME	ASBESTOS	<0.00086	7/7/2007	No	No	
EMSL	FH-070607-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/6/2007	1/Scaffold	2.880	030722152-0004	7/6/2007	7/7/2007	PCME	ASBESTOS	<0.00086	7/7/2007	No	No	
EMSL	FH-070607-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/6/2007	1/Scaffold	2.880	030722152-0005	7/6/2007	7/7/2007	PCME	ASBESTOS	<0.00086	7/7/2007	No	No	
EMSL	FH-070607-06	#6 - 5TH FLOOR SET BACK ROOF SW SIDE	7/6/2007	1/Scaffold	2.880	030722152-0006	7/6/2007	7/7/2007	PCME	ASBESTOS	<0.00086	7/7/2007	No	No	
EMSL	FH-070707-01	#1- SIDEWALK BRIDGE LEVEL NW CORNER	7/7/2007	1/Scaffold	2.880	030722525-0001	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070707-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/7/2007	1/Scaffold	2.880	030722525-0002	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070707-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/7/2007	1/Scaffold	2.880	030722525-0003	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070707-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/7/2007	1/Scaffold	2.880	030722525-0004	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070707-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/7/2007	1/Scaffold	2.880	030722525-0005	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070707-06	#6 - 5TH FLOOR SET BACK ROOF SW SIDE	7/7/2007	1/Scaffold	2.880	030722525-0006	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070807-01	#1- SIDEWALK BRIDGE LEVEL NW CORNER	7/8/2007	1/Scaffold	2.880	030722509-0001	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070807-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/8/2007	1/Scaffold	2.880	030722509-0002	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070807-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/8/2007	1/Scaffold	2.880	030722509-0003	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070807-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/8/2007	1/Scaffold	2.880	030722509-0004	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070807-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/8/2007	1/Scaffold	2.880	030722509-0005	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070807-06	#6 - 5TH FLOOR SET BACK ROOF SW SIDE	7/8/2007	1/Scaffold	2.880	030722509-0006	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	

Note: 7/03/07 duplicate sample (FH-070307-65) data is not available due to lab error.

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Lab Name	Airetek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos AHERA Concentration (S/mm ²)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											N/A				
EPA Site Specific Trigger Levels											70				
EMSL	FH-070207-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/2/2007	1/Scaffold	2.880	030721653-0001	7/2/2007	7/3/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070207-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/2/2007	1/Scaffold	2.880	030721653-0002	7/2/2007	7/3/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070207-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/2/2007	1/Scaffold	2.880	030721653-0003	7/2/2007	7/3/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070207-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/2/2007	1/Scaffold	2.880	030721653-0004	7/2/2007	7/3/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070207-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/2/2007	1/Scaffold	2.880	030721653-0005	7/2/2007	7/3/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070207-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/2/2007	1/Scaffold	2.880	030721653-0006	7/2/2007	7/3/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070307-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/3/2007	1/Scaffold	2.880	030721855-0001	7/3/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070307-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/3/2007	1/Scaffold	2.880	030721855-0002	7/3/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070307-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/3/2007	1/Scaffold	2.880	030721855-0003	7/3/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070307-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/3/2007	1/Scaffold	2.880	030721855-0004	7/3/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070307-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/3/2007	1/Scaffold	2.880	030721855-0005	7/3/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070307-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/3/2007	1/Scaffold	2.880	030721855-0006	7/3/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/5/2007	No	No	
EMSL	FH-070407-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/4/2007	1/Scaffold	2.880	030721962-0001	7/5/2007	7/6/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070407-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/4/2007	1/Scaffold	2.880	030721962-0002	7/5/2007	7/6/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070407-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/4/2007	1/Scaffold	2.880	030721962-0003	7/5/2007	7/6/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070407-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/4/2007	1/Scaffold	2.880	030721962-0004	7/5/2007	7/6/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070407-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/4/2007	1/Scaffold	2.880	030721962-0005	7/5/2007	7/6/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070407-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/4/2007	1/Scaffold	2.880	030721962-0006	7/5/2007	7/6/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070507-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/5/2007	1/Scaffold	2.880	030721964-0001	7/5/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070507-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/5/2007	1/Scaffold	2.880	030721964-0002	7/5/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070507-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/5/2007	1/Scaffold	2.880	030721964-0003	7/5/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070507-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/5/2007	1/Scaffold	2.880	030721964-0004	7/5/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070507-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/5/2007	1/Scaffold	2.880	030721964-0005	7/5/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070507-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/5/2007	1/Scaffold	2.880	030721964-0006	7/5/2007	7/5/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/6/2007	No	No	
EMSL	FH-070607-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	1/Scaffold	2.880	030722152-0001	7/6/2007	7/7/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/7/2007	No	No	
EMSL	FH-070607-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/6/2007	1/Scaffold	2.880	030722152-0002	7/6/2007	7/7/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/7/2007	No	No	
EMSL	FH-070607-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	1/Scaffold	2.880	030722152-0003	7/6/2007	7/7/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/7/2007	No	No	
EMSL	FH-070607-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/6/2007	1/Scaffold	2.880	030722152-0004	7/6/2007	7/7/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/7/2007	No	No	
EMSL	FH-070607-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/6/2007	1/Scaffold	2.880	030722152-0005	7/6/2007	7/7/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/7/2007	No	No	
EMSL	FH-070607-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/6/2007	1/Scaffold	2.880	030722152-0006	7/6/2007	7/7/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/7/2007	No	No	
EMSL	FH-070707-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/7/2007	1/Scaffold	2.880	030722525-0001	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070707-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/7/2007	1/Scaffold	2.880	030722525-0002	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070707-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/7/2007	1/Scaffold	2.880	030722525-0003	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070707-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/7/2007	1/Scaffold	2.880	030722525-0004	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070707-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/7/2007	1/Scaffold	2.880	030722525-0005	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070707-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/7/2007	1/Scaffold	2.880	030722525-0006	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070807-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/8/2007	1/Scaffold	2.880	030722509-0001	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070807-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/8/2007	1/Scaffold	2.880	030722509-0002	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070807-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/8/2007	1/Scaffold	2.880	030722509-0003	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070807-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/8/2007	1/Scaffold	2.880	030722509-0004	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070807-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/8/2007	1/Scaffold	2.880	030722509-0005	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	
EMSL	FH-070807-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/8/2007	1/Scaffold	2.880	030722509-0006	7/9/2007	7/10/2007	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	7/10/2007	No	No	

Note: 7/03/07 duplicate sample (FH-070307-65) data is not available due to lab error.

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 2.5 (ug/m ³)	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels							40			
EPA Site Specific Trigger Levels							65			
FH-070207-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	2.75	No	No	
FH-070207-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.70	No	No	
FH-070207-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.34	No	No	
FH-070207-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.93	No	No	
FH-070207-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.61	No	No	
FH-070207-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/2/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	4.69	No	No	
FH-070207-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/2/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	0.00	No	No	See Note 1
FH-070307-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.05	No	No	
FH-070307-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.72	No	No	
FH-070307-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	23.21	No	No	
FH-070307-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.89	No	No	
FH-070307-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.10	No	No	
FH-070307-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/3/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.94	No	No	
FH-070307-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/3/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	20.52	No	No	See Note 2
FH-070407-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.78	No	No	
FH-070407-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.62	No	No	
FH-070407-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.94	No	No	
FH-070407-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.92	No	No	
FH-070407-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.24	No	No	
FH-070407-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/4/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.28	No	No	
FH-070407-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/4/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	15.89	No	No	
FH-070507-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.57	No	No	
FH-070507-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	28.57	No	No	
FH-070507-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	38.58	No	No	
FH-070507-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.85	No	No	
FH-070507-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	31.63	No	No	
FH-070507-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/5/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.91	No	No	
FH-070507-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/5/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	32.96	No	No	
FH-070607-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.32	No	No	
FH-070607-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.76	No	No	
FH-070607-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	22.43	No	No	
FH-070607-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	22.51	No	No	
FH-070607-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.26	No	No	
FH-070607-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/6/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.87	No	No	
FH-070607-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	22.45	No	No	
FH-070707-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.61	No	No	
FH-070707-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.40	No	No	
FH-070707-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.34	No	No	
FH-070707-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.73	No	No	
FH-070707-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.24	No	No	
FH-070707-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.35	No	No	
FH-070707-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/7/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	24.86	No	No	
FH-070807-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	27.76	No	No	
FH-070807-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	27.56	No	No	
FH-070807-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.93	No	No	
FH-070807-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.72	No	No	
FH-070807-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.66	No	No	
FH-070807-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	28.44	No	No	
FH-070807-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/8/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	38.75	No	No	

Note 1: TEOM Unit shut down due to damaged bypass flow sensor.

Note 2: Partial data for the day due to damaged flow sensor.

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m ³)	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
FH-070207-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.46	No	No	
FH-070207-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	9.54	No	No	
FH-070207-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.02	No	No	
FH-070207-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.86	No	No	
FH-070207-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.64	No	No	
FH-070207-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/2/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	9.39	No	No	
FH-070207-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/2/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	0.00	No	No	See Note 1
FH-070307-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.46	No	No	
FH-070307-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.61	No	No	
FH-070307-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.68	No	No	
FH-070307-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.77	No	No	
FH-070307-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.68	No	No	
FH-070307-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/3/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.07	No	No	
FH-070307-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/3/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	22.50	No	No	See Note 2
FH-070407-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.24	No	No	
FH-070407-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.13	No	No	
FH-070407-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	41.49	No	No	
FH-070407-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.28	No	No	
FH-070407-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.42	No	No	
FH-070407-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/4/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.47	No	No	
FH-070407-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/4/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	13.87	No	No	
FH-070507-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	50.76	No	No	
FH-070507-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.62	No	No	
FH-070507-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	41.56	No	No	
FH-070507-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.94	No	No	
FH-070507-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	36.58	No	No	
FH-070507-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/5/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.22	No	No	
FH-070507-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/5/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	13.44	No	No	
FH-070607-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.44	No	No	
FH-070607-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.62	No	No	
FH-070607-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.27	No	No	
FH-070607-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	24.81	No	No	
FH-070607-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.86	No	No	
FH-070607-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/6/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.90	No	No	
FH-070607-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/6/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	22.44	No	No	
FH-070707-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.32	No	No	
FH-070707-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.72	No	No	
FH-070707-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.65	No	No	
FH-070707-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	27.28	No	No	
FH-070707-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.51	No	No	
FH-070707-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.53	No	No	
FH-070707-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/7/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	26.22	No	No	
FH-070807-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	38.18	No	No	
FH-070807-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.58	No	No	
FH-070807-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	41.43	No	No	
FH-070807-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	37.24	No	No	
FH-070807-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.67	No	No	
FH-070807-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	33.97	No	No	
FH-070807-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/8/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	29.38	No	No	

Note 1: TEOM Unit shut down due to damaged bypass flow sensor.

Note 2: Partial data for the day due to damaged flow sensor.

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Mercury-Total Concentration (ng/m ³)	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											300					
EPA Site Specific Trigger Levels											3,000					
BRL	FH-070207-11	#1 - Sidewalk bridge level NW corner	07/02/2007	Scaffold	0.576	07BR0944-01	07/05/2007	07/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070207-12	#2 - Sidewalk bridge level SW corner	07/02/2007	Scaffold	0.576	07BR0944-02	07/05/2007	07/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070207-13	#3 - Sidewalk bridge level SE corner	07/02/2007	Scaffold	0.576	07BR0944-03	07/05/2007	07/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070207-14	#4 - Sidewalk bridge level NE corner	07/02/2007	Scaffold	0.576	07BR0944-04	07/05/2007	07/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070207-15	#5 - 5th floor setback roof N side	07/02/2007	Scaffold	0.576	07BR0944-05	07/05/2007	07/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070207-16	#6 - 5th floor setback roof SW side	07/02/2007	Scaffold	0.576	07BR0944-06	07/05/2007	07/10/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070307-11	#1 - Sidewalk bridge level NW corner	07/03/2007	Scaffold	0.5760	07BR0954-01	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070307-12	#2 - Sidewalk bridge level SW corner	07/03/2007	Scaffold	0.5760	07BR0954-02	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070307-13	#3 - Sidewalk bridge level SE corner	07/03/2007	Scaffold	0.5760	07BR0954-03	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070307-14	#4 - Sidewalk bridge level NE corner	07/03/2007	Scaffold	0.5760	07BR0954-04	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070307-15	#5 - 5th floor setback roof N side	07/03/2007	Scaffold	0.5760	07BR0954-05	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070307-16	#6 - 5th floor setback roof SW side	07/03/2007	Scaffold	0.5760	07BR0954-06	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070307-66	Duplicate (Station #1)	07/03/2007	Scaffold	0.5760	07BR0954-08	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070407-11	#1 - Sidewalk bridge level NW corner	07/04/2007	Scaffold	0.5760	07BR0955-01	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070407-12	#2 - Sidewalk bridge level SW corner	07/04/2007	Scaffold	0.5760	07BR0955-02	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070407-13	#3 - Sidewalk bridge level SE corner	07/04/2007	Scaffold	0.5760	07BR0955-03	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070407-14	#4 - Sidewalk bridge level NE corner	07/04/2007	Scaffold	0.5760	07BR0955-04	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070407-15	#5 - 5th floor setback roof N side	07/04/2007	Scaffold	0.5760	07BR0955-05	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070407-16	#6 - 5th floor setback roof SW side	07/04/2007	Scaffold	0.5760	07BR0955-06	07/06/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/11/2007	No	No	
BRL	FH-070507-11	#1 - Sidewalk bridge level NW corner	07/05/2007	Scaffold	0.576	07BR0958-01	07/07/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/12/2007	No	No	
BRL	FH-070507-12	#2 - Sidewalk bridge level SW corner	07/05/2007	Scaffold	0.576	07BR0958-02	07/07/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/12/2007	No	No	
BRL	FH-070507-13	#3 - Sidewalk bridge level SE corner	07/05/2007	Scaffold	0.576	07BR0958-03	07/07/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/12/2007	No	No	
BRL	FH-070507-14	#4 - Sidewalk bridge level NE corner	07/05/2007	Scaffold	0.576	07BR0958-04	07/07/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/12/2007	No	No	
BRL	FH-070507-15	#5 - 5th floor setback roof N side	07/05/2007	Scaffold	0.576	07BR0958-05	07/07/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/12/2007	No	No	
BRL	FH-070507-16	#6 - 5th floor setback roof SW side	07/05/2007	Scaffold	0.576	07BR0958-06	07/07/2007	07/11/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/12/2007	No	No	
BRL	FH-070607-11	#1 - Sidewalk bridge level NW corner	07/06/2007	Scaffold	0.5760	07BR0965-01	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070607-12	#2 - Sidewalk bridge level SW corner	07/06/2007	Scaffold	0.5760	07BR0965-02	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070607-13	#3 - Sidewalk bridge level SE corner	07/06/2007	Scaffold	0.5760	07BR0965-03	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070607-14	#4 - Sidewalk bridge level NE corner	07/06/2007	Scaffold	0.5760	07BR0965-04	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070607-15	#5 - 5th floor setback roof N side	07/06/2007	Scaffold	0.5760	07BR0965-05	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070607-16	#6 - 5th floor setback roof SW side	07/06/2007	Scaffold	0.5760	07BR0965-06	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070707-11	#1 - Sidewalk bridge level NW corner	07/07/2007	Scaffold	0.5760	07BR0966-01	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070707-12	#2 - Sidewalk bridge level SW corner	07/07/2007	Scaffold	0.5760	07BR0966-02	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070707-13	#3 - Sidewalk bridge level SE corner	07/07/2007	Scaffold	0.5760	07BR0966-03	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070707-14	#4 - Sidewalk bridge level NE corner	07/07/2007	Scaffold	0.5760	07BR0966-04	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070707-15	#5 - 5th floor setback roof N side	07/07/2007	Scaffold	0.5760	07BR0966-05	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070707-16	#6 - 5th floor setback roof SW side	07/07/2007	Scaffold	0.5760	07BR0966-06	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070807-11	#1 - Sidewalk bridge level NW corner	07/08/2007	Scaffold	0.5760	07BR0967-01	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070807-12	#2 - Sidewalk bridge level SW corner	07/08/2007	Scaffold	0.5760	07BR0967-02	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070807-13	#3 - Sidewalk bridge level SE corner	07/08/2007	Scaffold	0.5760	07BR0967-03	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070807-14	#4 - Sidewalk bridge level NE corner	07/08/2007	Scaffold	0.5760	07BR0967-04	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070807-15	#5 - 5th floor setback roof N side	07/08/2007	Scaffold	0.5760	07BR0967-05	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	
BRL	FH-070807-16	#6 - 5th floor setback roof SW side	07/08/2007	Scaffold	0.5760	07BR0967-06	07/10/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m ³	07/13/2007	No	No	

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Ohio Lumex Daily Mercury Readings

all readings are in ng/m³

Target air quality level: 300 ng/m³

USEPA site specific mercury trigger level: 3000 ng/m³

Exceedances: None
Exceedances: None

3 Site Tours Conducted per Work Shift

DATE: 07/02/2007

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905 1200-1205 1500-1505	Tour 1	20	20	21	22	22	20	21	20	19	19	20	19	20.25
		Tour 2	21	21	19	24	23	23	21	21	18	19	21	22	21.08
		Tour 3	20	19	24	25	24	23	23	20	19	19	21	21	21.50
5th FLOOR SETBACK ROOF PERIMETER	0910-0915 1210-1215 1510-1515	Tour 1	25	26	26	25	24	23	26	26	26	23	21	21	24.33
		Tour 2	26	26	25	23	23	22	23	20	27	27	26	26	24.50
		Tour 3	27	27	26	25	26	25	25	26	28	27	26	26	26.17
ROOF PERIMETER	0925-0930 1225-1230 1525-1530	Tour 1	30	31	30	29	28	31	34	33	33	36	30	31	31.33
		Tour 2	30	33	33	31	28	29	28	31	30	34	33	33	31.08
		Tour 3	36	33	33	31	32	31	32	28	29	30	34	31	31.67

DATE: 07/03/2007

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905 1200-1205 1500-1505	Tour 1	20	22	22	21	21	20	20	19	18	24	24	23	21.17
		Tour 2	23	23	21	20	19	19	18	20	21	21	24	19	20.67
		Tour 3	19	19	24	24	23	22	24	29	21	21	19	18	21.92
5th FLOOR SETBACK ROOF PERIMETER	0910-0915 1210-1215 1510-1515	Tour 1	24	24	23	21	21	20	19	19	20	26	26	25	22.33
		Tour 2	22	21	20	24	24	26	27	26	25	22	21	22	23.33
		Tour 3	26	26	25	25	26	27	25	25	24	25	26	24	25.33
ROOF PERIMETER	0925-0930 1225-1230 1525-1530	Tour 1	28	30	30	31	30	29	28	29	28	29	30	34	29.67
		Tour 2	33	31	31	31	30	34	34	33	31	30	29	28	31.25
		Tour 3	34	33	31	31	30	31	31	30	30	30	34	34	31.58

DATE: 07/04/2007

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905 1200-1205 1500-1505	Tour 1	20	20	19	19	18	18	17	20	21	20	20	19	19.25
		Tour 2	21	21	21	20	20	19	19	19	20	21	20	20	20.08
		Tour 3	24	23	22	20	20	22	21	20	19	20	21	20	21.00
5th FLOOR SETBACK ROOF PERIMETER	0910-0915 1210-1215 1510-1515	Tour 1	26	25	23	23	23	23	19	19	21	24	26	27	23.25
		Tour 2	26	25	25	25	24	24	26	27	26	26	27	24	25.42
		Tour 3	25	25	24	23	22	24	25	26	26	24	25	25	24.50
ROOF PERIMETER	0925-0930 1225-1230 1525-1530	Tour 1	29	30	30	30	31	28	29	30	30	31	30	30	29.83
		Tour 2	31	31	36	35	32	31	30	30	30	29	28	29	31.00
		Tour 3	30	30	30	31	31	29	30	30	36	33	30	31	30.92

DATE: 07/05/2007

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905 1200-1205 1500-1505	Tour 1	21	21	22	19	19	19	20	20	20	21	22	22	20.50
		Tour 2	22	22	20	20	20	21	19	19	19	21	20	20	20.25
		Tour 3	20	20	20	20	19	19	18	17	20	21	21	21	19.67
5th FLOOR SETBACK ROOF PERIMETER	0910-0915 1210-1215 1510-1515	Tour 1	26	26	26	25	23	23	20	26	26	26	27	26	25.00
		Tour 2	25	25	26	26	25	25	25	27	27	26	26	26	25.75
		Tour 3	28	27	27	27	26	25	26	26	25	26	27	28	26.50
ROOF PERIMETER	0925-0930 1225-1230 1525-1530	Tour 1	30	30	30	30	31	30	29	28	30	30	30	30	29.83
		Tour 2	30	30	31	33	33	32	36	38	42	38	37	30	34.17
		Tour 3	30	38	37	37	37	36	38	33	33	36	33	30	34.83

DATE: 07/06/2007

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905 1200-1205 1500-1505	Tour 1	20	20	19	19	19	19	20	20	21	21	20	20	19.83
		Tour 2	21	21	21	20	20	21	21	20	20	20	19	19	20.25
		Tour 3	22	22	22	22	21	21	22	21	20	19	20	21	21.08
5th FLOOR SETBACK ROOF PERIMETER	0910-0915 1210-1215 1510-1515	Tour 1	26	26	25	25	25	23	24	23	24	25	26	25	24.75
		Tour 2	27	26	26	26	26	27	26	25	24	23	23	23	25.17
		Tour 3	25	26	25	24	24	24	25	28	26	25	25	25	25.17
ROOF PERIMETER	0925-0930 1225-1230 1525-1530	Tour 1	30	31	29	31	31	29	30	31	32	33	31	31	30.75
		Tour 2	30	30	30	32	34	33	34	33	32	30	30	30	31.50
		Tour 3	31	30	29	29	29	30	29	30	31	30	32	31	30.08

DATE: 07/07/2007

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905 1200-1205 1500-1505	Tour 1	19	19	19	19	19	20	20	20	21	20	20	20	19.67
		Tour 2	20	20	19	19	19	20	21	21	21	20	20	21	20.17
		Tour 3	21	20	21	21	21	20	20	22	22	21	21	20	20.83
5th FLOOR SETBACK ROOF PERIMETER	0910-0915 1210-1215 1510-1515	Tour 1	24	25	24	24	24	25	26	27	26	25	25	24	24.92
		Tour 2	25	25	25	26	26	27	26	26	25	24	24	24	25.25
		Tour 3	25	24	24	24	25	25	25	26	26	27	26	26	25.25
ROOF PERIMETER	0925-0930 1225-1230 1525-1530	Tour 1	31	30	29	29	30	33	32	31	33	32	30	30	30.83
		Tour 2	30	31	31	30	29	27	28	29	30	32	31	31	29.92
		Tour 3	31	32	31	31	31	31	30	32	34	33	32	31	31.58

DATE: 07/08/2007

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905 1200-1205 1500-1505	Tour 1	20	21	21	21	21	20	19	19	19	19	20	20	20.00
		Tour 2	21	21	21	22	22	21	20	19	19	20	21	20	20.58
		Tour 3	19	20	20	19	19	20	20	21	20	21	20	21	20.00
5th FLOOR SETBACK ROOF PERIMETER	0910-0915 1210-1215 1510-1515	Tour 1	25	24	24	24	25	26	25	24	24	24	23	23	24.25
		Tour 2	25	25	25	24	25	26	27	26	25	24	24	24	25.42
		Tour 3	26	26	25	25	24	24	25	26	26	26	26	26	25.42
ROOF PERIMETER	0925-0930 1225-1230 1525-1530	Tour 1	30	30	30	29	29	30	31	31	32	31	31	31	30.42
		Tour 2	29	30	31	31	31	34	33	30	32	33	31	30	31.25
		Tour 3	31	34	34	33	32	31	32	31	32	31	32	32	32.17

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Silica-Quartz Concentration (ug/m ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels															
EPA Site Specific Trigger Levels												10			
EMSL	FH-070207-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/02/2007	Scaffold	0.960	040715013-0001	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070207-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/02/2007	Scaffold	0.960	040715013-0002	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070207-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/02/2007	Scaffold	0.960	040715013-0003	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	11	07/06/2007	Yes	Yes	See Note 1
EMSL	FH-070207-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/02/2007	Scaffold	0.960	040715013-0004	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070207-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/02/2007	Scaffold	0.960	040715013-0005	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070207-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/02/2007	Scaffold	0.960	040715013-0006	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070207-37	FIELD/TRIP BLANK	07/02/2007	Scaffold	0.000	040715013-0007	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070307-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/03/2007	Scaffold	0.960	040715120-0001	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070307-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/03/2007	Scaffold	0.960	040715120-0002	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070307-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/03/2007	Scaffold	0.960	040715120-0003	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	5	07/06/2007	No	No	
EMSL	FH-070307-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/03/2007	Scaffold	0.960	040715120-0004	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070307-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/03/2007	Scaffold	0.960	040715120-0005	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070307-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/03/2007	Scaffold	0.960	040715120-0006	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070307-37	FIELD/TRIP BLANK	07/03/2007	Scaffold	0.000	040715120-0007	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070307-68	DUPLICATE (STATION #1)	07/03/2007	Scaffold	0.960	040715120-0008	07/03/2007	07/05/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/06/2007	No	No	
EMSL	FH-070407-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/04/2007	Scaffold	0.960	040715277-0001	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<21	07/09/2007	No	No	See Note 2
EMSL	FH-070407-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/04/2007	Scaffold	0.960	040715277-0002	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070407-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/04/2007	Scaffold	0.960	040715277-0003	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070407-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/04/2007	Scaffold	0.960	040715277-0004	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070407-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/04/2007	Scaffold	0.960	040715277-0005	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	6	07/09/2007	No	No	
EMSL	FH-070407-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/04/2007	Scaffold	0.960	040715277-0006	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070407-37	FIELD/TRIP BLANK	07/04/2007	Scaffold	0.000	040715277-0007	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070507-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/05/2007	Scaffold	0.960	040715278-0001	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070507-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/05/2007	Scaffold	0.960	040715278-0002	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070507-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/05/2007	Scaffold	0.960	040715278-0003	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<21	07/09/2007	No	No	See Note 2
EMSL	FH-070507-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/05/2007	Scaffold	0.960	040715278-0004	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070507-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/05/2007	Scaffold	0.960	040715278-0005	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070507-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/05/2007	Scaffold	0.960	040715278-0006	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070507-37	FIELD/TRIP BLANK	07/05/2007	Scaffold	0.000	040715278-0007	07/05/2007	07/06/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/09/2007	No	No	
EMSL	FH-070607-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/06/2007	Scaffold	0.960	040715490-0001	07/07/2007	07/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/10/2007	No	No	
EMSL	FH-070607-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/06/2007	Scaffold	0.960	040715490-0002	07/07/2007	07/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/10/2007	No	No	
EMSL	FH-070607-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/06/2007	Scaffold	0.960	040715490-0003	07/07/2007	07/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/10/2007	No	No	
EMSL	FH-070607-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/06/2007	Scaffold	0.960	040715490-0004	07/07/2007	07/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/10/2007	No	No	
EMSL	FH-070607-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/06/2007	Scaffold	0.960	040715490-0005	07/07/2007	07/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/10/2007	No	No	
EMSL	FH-070607-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/06/2007	Scaffold	0.960	040715490-0006	07/07/2007	07/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/10/2007	No	No	
EMSL	FH-070607-37	FIELD/TRIP BLANK	07/06/2007	Scaffold	0.000	040715490-0007	07/07/2007	07/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/10/2007	No	No	
EMSL	FH-070707-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/07/2007	Scaffold	0.960	040715697-0001	07/10/2007	07/10/2007	NIOSH 7500 XRD	Silica-Quartz	<21	07/11/2007	No	No	See Note 2
EMSL	FH-070707-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/07/2007	Scaffold	0.960	040715697-0002	07/10/2007	07/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/11/2007	No	No	
EMSL	FH-070707-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/07/2007	Scaffold	0.960	040715697-0003	07/10/2007	07/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/11/2007	No	No	
EMSL	FH-070707-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/07/2007	Scaffold	0.960	040715697-0004	07/10/2007	07/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/11/2007	No	No	
EMSL	FH-070707-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/07/2007	Scaffold	0.960	040715697-0005	07/10/2007	07/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/11/2007	No	No	
EMSL	FH-070707-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/07/2007	Scaffold	0.960	040715697-0006	07/10/2007	07/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/11/2007	No	No	
EMSL	FH-070807-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/08/2007	Scaffold	0.960	040715701-0001	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070807-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/08/2007	Scaffold	0.960	040715701-0002	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070807-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/08/2007	Scaffold	0.960	040715701-0003	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070807-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/08/2007	Scaffold	0.960	040715701-0004	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070807-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/08/2007	Scaffold	0.960	040715701-0005	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070807-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/08/2007	Scaffold	0.960	040715701-0006	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	

Note 1: Exceedances reported to USEPA

Note 2: Secondary quartz peak used for sample due to suspected primary peak interference

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
											0.00025				
											0.025				
STL-SAC	FH-070607-38	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	Scaffold	360	G7G100218001	07/10/2007	07/17/2007	TO-9	Toxicity Equivalent Quotient (TEQ)	0.000057	07/24/2007	No	No	See Note 1
STL-SAC	FH-070607-40	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100218003	07/10/2007	07/17/2007	TO-9	Toxicity Equivalent Quotient (TEQ)	0.000074	07/24/2007	No	No	

Note 1:Backup analysis due to lab error.

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-070607-49	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100219003	07/10/2007	07/12/2007	8270C SIM	BAP-equivalent	<0.007	07/24/2007	No	No	

Submittal Summary - Scaffold Phase Week Ten (07/02/07 to 07/08/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-070607-56	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	Scaffold	360	G7G100216001	07/10/2007	07/20/2007	TO-4	Aroclor 1016	<0.0021	07/24/2007	No	No	See Note 1
STL-SAC	FH-070607-56	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	Scaffold	360	G7G100216001	07/10/2007	07/20/2007	TO-4	Aroclor 1221	<0.0021	07/24/2007	No	No	See Note 1
STL-SAC	FH-070607-56	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	Scaffold	360	G7G100216001	07/10/2007	07/20/2007	TO-4	Aroclor 1232	<0.0021	07/24/2007	No	No	See Note 1
STL-SAC	FH-070607-56	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	Scaffold	360	G7G100216001	07/10/2007	07/20/2007	TO-4	Aroclor 1242	0.0055	07/24/2007	No	No	See Note 1
STL-SAC	FH-070607-56	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	Scaffold	360	G7G100216001	07/10/2007	07/20/2007	TO-4	Aroclor 1248	<0.0021	07/24/2007	No	No	See Note 1
STL-SAC	FH-070607-56	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	Scaffold	360	G7G100216001	07/10/2007	07/20/2007	TO-4	Aroclor 1254	<0.0021	07/24/2007	No	No	See Note 1
STL-SAC	FH-070607-56	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/6/2007	Scaffold	360	G7G100216001	07/10/2007	07/20/2007	TO-4	Aroclor 1260	<0.0021	07/24/2007	No	No	See Note 1
STL-SAC	FH-070607-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100216003	07/10/2007	07/20/2007	TO-4	Aroclor 1016	<0.0021	07/24/2007	No	No	
STL-SAC	FH-070607-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100216003	07/10/2007	07/20/2007	TO-4	Aroclor 1221	<0.0021	07/24/2007	No	No	
STL-SAC	FH-070607-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100216003	07/10/2007	07/20/2007	TO-4	Aroclor 1232	<0.0021	07/24/2007	No	No	
STL-SAC	FH-070607-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100216003	07/10/2007	07/20/2007	TO-4	Aroclor 1242	0.0092	07/24/2007	No	No	
STL-SAC	FH-070607-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100216003	07/10/2007	07/20/2007	TO-4	Aroclor 1248	<0.0021	07/24/2007	No	No	
STL-SAC	FH-070607-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100216003	07/10/2007	07/20/2007	TO-4	Aroclor 1254	<0.0021	07/24/2007	No	No	
STL-SAC	FH-070607-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/6/2007	Scaffold	360	G7G100216003	07/10/2007	07/20/2007	TO-4	Aroclor 1260	<0.0021	07/24/2007	No	No	

Note 1: Backup analysis due to lab error.