

**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.0009				
EPA Site Specific Trigger Levels											N/A				
EMSL	FH-070907-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/9/2007	1/Scaffold	2.880	030722491-0001	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070907-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/9/2007	1/Scaffold	2.880	030722491-0002	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070907-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/9/2007	1/Scaffold	2.880	030722491-0003	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070907-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/9/2007	1/Scaffold	2.880	030722491-0004	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070907-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/9/2007	1/Scaffold	2.880	030722491-0005	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-070907-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/9/2007	1/Scaffold	2.880	030722491-0006	7/9/2007	7/10/2007	PCME	ASBESTOS	<0.00086	7/10/2007	No	No	
EMSL	FH-071007-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/10/2007	1/Scaffold	2.880	030722640-0001	7/10/2007	7/11/2007	PCME	ASBESTOS	<0.00086	7/11/2007	No	No	
EMSL	FH-071007-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/10/2007	1/Scaffold	2.880	030722640-0002	7/10/2007	7/11/2007	PCME	ASBESTOS	<0.00086	7/11/2007	No	No	
EMSL	FH-071007-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/10/2007	1/Scaffold	2.880	030722640-0003	7/10/2007	7/11/2007	PCME	ASBESTOS	<0.00086	7/11/2007	No	No	
EMSL	FH-071007-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/10/2007	1/Scaffold	2.880	030722640-0004	7/10/2007	7/11/2007	PCME	ASBESTOS	<0.00086	7/11/2007	No	No	
EMSL	FH-071007-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/10/2007	1/Scaffold	2.880	030722640-0005	7/10/2007	7/11/2007	PCME	ASBESTOS	<0.00086	7/11/2007	No	No	
EMSL	FH-071007-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/10/2007	1/Scaffold	2.880	030722640-0006	7/10/2007	7/11/2007	PCME	ASBESTOS	<0.00086	7/11/2007	No	No	
EMSL	FH-071007-65	DUPLICATE (STATION #1)	7/10/2007	1/Scaffold	2.880	030722640-0007	7/10/2007	7/11/2007	PCME	ASBESTOS	<0.00086	7/11/2007	No	No	
EMSL	FH-071107-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/11/2007	1/Scaffold	2.880	030722789-0001	7/11/2007	7/12/2007	PCME	ASBESTOS	<0.00086	7/12/2007	No	No	
EMSL	FH-071107-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/11/2007	1/Scaffold	2.880	030722789-0002	7/11/2007	7/12/2007	PCME	ASBESTOS	<0.00086	7/12/2007	No	No	
EMSL	FH-071107-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/11/2007	1/Scaffold	2.880	030722789-0003	7/11/2007	7/12/2007	PCME	ASBESTOS	<0.00086	7/12/2007	No	No	
EMSL	FH-071107-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/11/2007	1/Scaffold	2.880	030722789-0004	7/11/2007	7/12/2007	PCME	ASBESTOS	<0.00086	7/12/2007	No	No	
EMSL	FH-071107-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/11/2007	1/Scaffold	2.880	030722789-0005	7/11/2007	7/12/2007	PCME	ASBESTOS	<0.00086	7/12/2007	No	No	
EMSL	FH-071107-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/11/2007	1/Scaffold	2.880	030722789-0006	7/11/2007	7/12/2007	PCME	ASBESTOS	<0.00086	7/12/2007	No	No	
EMSL	FH-071207-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/12/2007	1/Scaffold	2.880	030722917-0001	7/12/2007	7/13/2007	PCME	ASBESTOS	<0.00086	7/13/2007	No	No	
EMSL	FH-071207-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/12/2007	1/Scaffold	2.880	030722917-0002	7/12/2007	7/13/2007	PCME	ASBESTOS	<0.00086	7/13/2007	No	No	
EMSL	FH-071207-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	1/Scaffold	2.880	030722917-0003	7/12/2007	7/13/2007	PCME	ASBESTOS	<0.00086	7/13/2007	No	No	
EMSL	FH-071207-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/12/2007	1/Scaffold	2.880	030722917-0004	7/12/2007	7/13/2007	PCME	ASBESTOS	<0.00086	7/13/2007	No	No	
EMSL	FH-071207-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/12/2007	1/Scaffold	2.880	030722917-0005	7/12/2007	7/13/2007	PCME	ASBESTOS	<0.00086	7/13/2007	No	No	
EMSL	FH-071207-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/12/2007	1/Scaffold	2.880	030722917-0006	7/12/2007	7/13/2007	PCME	ASBESTOS	<0.00086	7/13/2007	No	No	
EMSL	FH-071307-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/13/2007	1/Scaffold	2.880	030723123-0001	7/13/2007	7/14/2007	PCME	ASBESTOS	<0.00086	7/16/2007	No	No	
EMSL	FH-071307-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/13/2007	1/Scaffold	2.880	030723123-0002	7/13/2007	7/14/2007	PCME	ASBESTOS	<0.00086	7/16/2007	No	No	
EMSL	FH-071307-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/13/2007	1/Scaffold	2.880	030723123-0003	7/13/2007	7/14/2007	PCME	ASBESTOS	<0.00086	7/16/2007	No	No	
EMSL	FH-071307-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/13/2007	1/Scaffold	2.880	030723123-0004	7/13/2007	7/14/2007	PCME	ASBESTOS	<0.00086	7/16/2007	No	No	
EMSL	FH-071307-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/13/2007	1/Scaffold	2.880	030723123-0005	7/13/2007	7/14/2007	PCME	ASBESTOS	<0.00086	7/16/2007	No	No	
EMSL	FH-071307-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/13/2007	1/Scaffold	2.880	030723123-0006	7/13/2007	7/14/2007	PCME	ASBESTOS	<0.00086	7/16/2007	No	No	
EMSL	FH-071407-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/14/2007	1/Scaffold	2.880	030723398-0001	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071407-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/14/2007	1/Scaffold	2.880	030723398-0002	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071407-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/14/2007	1/Scaffold	2.880	030723398-0003	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071407-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/14/2007	1/Scaffold	2.880	030723398-0004	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071407-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/14/2007	1/Scaffold	2.880	030723398-0005	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071407-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/14/2007	1/Scaffold	2.880	030723398-0006	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071507-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/15/2007	1/Scaffold	2.880	030723399-0001	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071507-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/15/2007	1/Scaffold	2.880	030723399-0002	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071507-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/15/2007	1/Scaffold	2.880	030723399-0003	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071507-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/15/2007	1/Scaffold	2.880	030723399-0004	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071507-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/15/2007	1/Scaffold	2.880	030723399-0005	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	
EMSL	FH-071507-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/15/2007	1/Scaffold	2.880	030723399-0006	7/16/2007	7/17/2007	PCME	ASBESTOS	<0.00086	7/17/2007	No	No	



**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 2.5 (ug/m <sup>3</sup> )	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>							<b>40</b>			
<b>EPA Site Specific Trigger Levels</b>							<b>65</b>			
FH-070907-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	39.57	No	No	
FH-070907-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	39.27	No	No	
FH-070907-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	38.70	No	No	
FH-070907-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	34.52	No	No	
FH-070907-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	39.13	No	No	
FH-070907-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	39.01	No	No	
FH-070907-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/9/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	33.32	No	No	
FH-071007-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	37.90	No	No	
FH-071007-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	38.97	No	No	
FH-071007-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	39.19	No	No	
FH-071007-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	39.44	No	No	
FH-071007-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	35.38	No	No	
FH-071007-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	38.67	No	No	
FH-071007-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/10/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	35.29	No	No	
FH-071107-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.85	No	No	
FH-071107-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	27.44	No	No	
FH-071107-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.90	No	No	
FH-071107-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.12	No	No	
FH-071107-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	20.01	No	No	
FH-071107-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.84	No	No	
FH-071107-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/11/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	21.37	No	No	
FH-071207-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.97	No	No	
FH-071207-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.76	No	No	
FH-071207-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	22.04	No	No	
FH-071207-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.63	No	No	
FH-071207-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.79	No	No	
FH-071207-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.65	No	No	
FH-071207-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/12/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	9.03	No	No	
FH-071307-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.68	No	No	
FH-071307-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	20.45	No	No	
FH-071307-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	30.82	No	No	
FH-071307-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.30	No	No	
FH-071307-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.49	No	No	
FH-071307-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.93	No	No	
FH-071307-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/13/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	26.69	No	No	
FH-071407-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.38	No	No	
FH-071407-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	22.77	No	No	
FH-071407-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	28.86	No	No	
FH-071407-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.06	No	No	
FH-071407-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.15	No	No	
FH-071407-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	20.79	No	No	
FH-071407-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/14/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	27.21	No	No	
FH-071507-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.17	No	No	
FH-071507-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	29.41	No	No	
FH-071507-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	35.57	No	No	
FH-071507-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.51	No	No	
FH-071507-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	20.09	No	No	
FH-071507-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	28.01	No	No	
FH-071507-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/15/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	34.99	No	No	

**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m <sup>3</sup> )	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>							<b>150</b>			
<b>EPA Site Specific Trigger Levels</b>							<b>150</b>			
FH-070907-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	51.08	No	No	
FH-070907-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	52.46	No	No	
FH-070907-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	67.83	No	No	
FH-070907-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	53.71	No	No	
FH-070907-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	49.80	No	No	
FH-070907-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	50.52	No	No	
FH-070907-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/9/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	40.90	No	No	
FH-071007-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	71.00	No	No	
FH-071007-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	61.77	No	No	
FH-071007-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	73.01	No	No	
FH-071007-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	64.22	No	No	
FH-071007-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	55.03	No	No	
FH-071007-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	57.64	No	No	
FH-071007-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/10/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	42.78	No	No	
FH-071107-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	32.64	No	No	
FH-071107-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	28.94	No	No	
FH-071107-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	32.48	No	No	
FH-071107-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	41.51	No	No	
FH-071107-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.18	No	No	
FH-071107-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	33.13	No	No	
FH-071107-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/11/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	16.46	No	No	
FH-071207-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.12	No	No	
FH-071207-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.10	No	No	
FH-071207-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.10	No	No	
FH-071207-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.83	No	No	
FH-071207-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.57	No	No	
FH-071207-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.53	No	No	
FH-071207-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/12/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	9.24	No	No	
FH-071307-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.51	No	No	
FH-071307-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.95	No	No	
FH-071307-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.84	No	No	
FH-071307-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	27.35	No	No	
FH-071307-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.54	No	No	
FH-071307-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.22	No	No	
FH-071307-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/13/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	19.75	No	No	
FH-071407-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.25	No	No	
FH-071407-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.68	No	No	
FH-071407-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.24	No	No	
FH-071407-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.44	No	No	
FH-071407-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.54	No	No	
FH-071407-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.22	No	No	
FH-071407-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/14/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	21.72	No	No	
FH-071507-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	7/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.56	No	No	
FH-071507-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	33.40	No	No	
FH-071507-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	36.75	No	No	
FH-071507-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	7/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	33.32	No	No	
FH-071507-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	7/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	32.60	No	No	
FH-071507-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	7/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	39.84	No	No	
FH-071507-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	7/15/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	25.83	No	No	

**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Lab Name	Airetek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Mercury-Total Concentration (ng/m <sup>3</sup> )	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
											300					
											3,000					
<b>Target Air Quality Levels</b>																
<b>EPA Site Specific Trigger Levels</b>																
BRL	FH-070907-11	#1 - Sidewalk bridge level NW corner	07/09/2007	Scaffold	0.576	07BR0970-01	07/11/2007	07/12/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/16/2007	No	No	
BRL	FH-070907-12	#2 - Sidewalk bridge level SW corner	07/09/2007	Scaffold	0.576	07BR0970-02	07/11/2007	07/12/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/16/2007	No	No	
BRL	FH-070907-13	#3 - Sidewalk bridge level SE corner	07/09/2007	Scaffold	0.576	07BR0970-03	07/11/2007	07/12/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/16/2007	No	No	
BRL	FH-070907-14	#4 - Sidewalk bridge level NE corner	07/09/2007	Scaffold	0.576	07BR0970-04	07/11/2007	07/12/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/16/2007	No	No	
BRL	FH-070907-15	#5 - 5th floor setback roof N side	07/09/2007	Scaffold	0.576	07BR0970-05	07/11/2007	07/12/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/16/2007	No	No	
BRL	FH-070907-16	#6 - 5th floor setback roof SW side	07/09/2007	Scaffold	0.576	07BR0970-06	07/11/2007	07/12/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/16/2007	No	No	
BRL	FH-071007-11	#1 - Sidewalk bridge level NW corner	07/10/2007	Scaffold	0.576	07BR0980-01	07/12/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/17/2007	No	No	
BRL	FH-071007-12	#2 - Sidewalk bridge level SW corner	07/10/2007	Scaffold	0.576	07BR0980-02	07/12/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/17/2007	No	No	
BRL	FH-071007-13	#3 - Sidewalk bridge level SE corner	07/10/2007	Scaffold	0.576	07BR0980-03	07/12/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/17/2007	No	No	
BRL	FH-071007-14	#4 - Sidewalk bridge level NE corner	07/10/2007	Scaffold	0.576	07BR0980-04	07/12/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/17/2007	No	No	
BRL	FH-071007-15	#5 - 5th floor setback roof N side	07/10/2007	Scaffold	0.576	07BR0980-05	07/12/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/17/2007	No	No	
BRL	FH-071007-16	#6 - 5th floor setback roof SW side	07/10/2007	Scaffold	0.576	07BR0980-06	07/12/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/17/2007	No	No	
BRL	FH-071007-66	Duplicate(Station #1)	07/10/2007	Scaffold	0.576	07BR0980-08	07/12/2007	07/13/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/17/2007	No	No	
BRL	FH-071107-11	#1 - Sidewalk bridge level NW corner	07/11/2007	Scaffold	0.576	07BR0987-01	07/13/2007	07/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/18/2007	No	No	
BRL	FH-071107-12	#2 - Sidewalk bridge level SW corner	07/11/2007	Scaffold	0.576	07BR0987-02	07/13/2007	07/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/18/2007	No	No	
BRL	FH-071107-13	#3 - Sidewalk bridge level SE corner	07/11/2007	Scaffold	0.576	07BR0987-03	07/13/2007	07/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/18/2007	No	No	
BRL	FH-071107-14	#4 - Sidewalk bridge level NE corner	07/11/2007	Scaffold	0.576	07BR0987-04	07/13/2007	07/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/18/2007	No	No	
BRL	FH-071107-15	#5 - 5th floor setback roof N side	07/11/2007	Scaffold	0.576	07BR0987-05	07/13/2007	07/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/18/2007	No	No	
BRL	FH-071107-16	#6 - 5th floor setback roof SW side	07/11/2007	Scaffold	0.576	07BR0987-06	07/13/2007	07/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/18/2007	No	No	
BRL	FH-071207-11	#1 - Sidewalk bridge level NW corner	07/12/2007	Scaffold	0.576	07BR1001-01	07/16/2007	07/19/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/19/2007	No	No	
BRL	FH-071207-12	#2 - Sidewalk bridge level SW corner	07/12/2007	Scaffold	0.576	07BR1001-02	07/16/2007	07/19/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/19/2007	No	No	
BRL	FH-071207-13	#3 - Sidewalk bridge level SE corner	07/12/2007	Scaffold	0.576	07BR1001-03	07/16/2007	07/19/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/19/2007	No	No	
BRL	FH-071207-14	#4 - Sidewalk bridge level NE corner	07/12/2007	Scaffold	0.576	07BR1001-04	07/16/2007	07/19/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/19/2007	No	No	
BRL	FH-071207-15	#5 - 5th floor setback roof N side	07/12/2007	Scaffold	0.576	07BR1001-05	07/16/2007	07/19/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/19/2007	No	No	
BRL	FH-071207-16	#6 - 5th floor setback roof SW side	07/12/2007	Scaffold	0.576	07BR1001-06	07/16/2007	07/19/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/19/2007	No	No	
BRL	FH-071307-11	#1 - Sidewalk bridge level NW corner	07/13/2007	Scaffold	0.576	07BR1006-01	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071307-12	#2 - Sidewalk bridge level SW corner	07/13/2007	Scaffold	0.576	07BR1006-02	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071307-13	#3 - Sidewalk bridge level SE corner	07/13/2007	Scaffold	0.576	07BR1006-03	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071307-14	#4 - Sidewalk bridge level NE corner	07/13/2007	Scaffold	0.576	07BR1006-04	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071307-15	#5 - 5th floor setback roof N side	07/13/2007	Scaffold	0.576	07BR1006-05	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071307-16	#6 - 5th floor setback roof SW side	07/13/2007	Scaffold	0.576	07BR1006-06	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071407-11	#1 - Sidewalk bridge level NW corner	07/14/2007	Scaffold	0.576	07BR1007-01	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071407-12	#2 - Sidewalk bridge level SW corner	07/14/2007	Scaffold	0.576	07BR1007-02	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071407-13	#3 - Sidewalk bridge level SE corner	07/14/2007	Scaffold	0.576	07BR1007-03	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071407-14	#4 - Sidewalk bridge level NE corner	07/14/2007	Scaffold	0.576	07BR1007-04	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071407-15	#5 - 5th floor setback roof N side	07/14/2007	Scaffold	0.576	07BR1007-05	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071407-16	#6 - 5th floor setback roof SW side	07/14/2007	Scaffold	0.576	07BR1007-06	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071507-11	#1 - Sidewalk bridge level NW corner	07/15/2007	Scaffold	0.5760	07BR1008-01	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071507-12	#2 - Sidewalk bridge level SW corner	07/15/2007	Scaffold	0.5760	07BR1008-02	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071507-13	#3 - Sidewalk bridge level SE corner	07/15/2007	Scaffold	0.5760	07BR1008-03	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071507-14	#4 - Sidewalk bridge level NE corner	07/15/2007	Scaffold	0.5760	07BR1008-04	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071507-15	#5 - 5th floor setback roof N side	07/15/2007	Scaffold	0.5760	07BR1008-05	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	
BRL	FH-071507-16	#6 - 5th floor setback roof SW side	07/15/2007	Scaffold	0.5760	07BR1008-06	07/17/2007	07/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	07/20/2007	No	No	

**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Ohio Lumex Daily Mercury Readings

all readings are in ng/m<sup>3</sup>

Target air quality level: 300 ng/m<sup>3</sup>

USEPA site specific mercury trigger level: 3000 ng/m<sup>3</sup>

Exceedances: None  
Exceedances: None

3 Site Tours Conducted per Work Shift

**DATE: 07/09/2007**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	19	19	19	20	21	20	20	20	21	21	21	20	20.08	
	1200-1205	Tour 2	20	20	21	21	21	20	19	19	19	20	21	20		20.08
	1500-1505	Tour 3	20	21	23	23	22	21	21	20	21	19	20	21		21.00
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	24	24	24	25	26	26	25	25	27	27	26	25	25.33	
	1210-1215	Tour 2	24	25	23	24	25	24	25	25	26	26	25	24		24.67
	1510-1515	Tour 3	25	26	25	26	25	24	27	28	26	25	25	25		25.58
ROOF PERIMETER	0925-0930	Tour 1	29	30	29	29	29	30	30	32	35	33	32	33	30.92	
	1225-1230	Tour 2	29	29	29	29	30	31	31	31	30	30	30	30		29.92
	1525-1530	Tour 3	30	32	32	30	30	31	30	31	30	29	29	29		30.25

**DATE: 07/10/2007**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	20	20	20	19	20	19	20	21	22	22	21	21	20.42	
	1200-1205	Tour 2	19	20	21	21	20	20	19	20	21	20	21	20		20.17
	1500-1505	Tour 3	19	19	19	20	20	20	21	22	22	22	21	21		20.50
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	24	25	24	25	26	26	27	26	25	25	25	25	25.25	
	1210-1215	Tour 2	25	25	25	24	24	24	26	26	25	27	26	26		25.25
	1510-1515	Tour 3	24	24	25	25	24	25	26	26	25	25	26	25		25.00
ROOF PERIMETER	0925-0930	Tour 1	29	30	30	29	21	30	31	33	32	31	30	31	29.75	
	1225-1230	Tour 2	30	35	35	33	34	31	32	29	30	32	31	30		31.83
	1525-1530	Tour 3	31	31	31	30	32	32	33	33	31	30	30	29		31.08

**DATE: 07/11/2007**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	21	21	21	21	21	21	20	20	20	19	19	20	20.33	
	1200-1205	Tour 2	20	20	19	19	19	20	21	22	22	23	21	23		20.75
	1500-1505	Tour 3	19	20	21	22	22	22	23	21	20	20	20	20		20.83
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	24	25	24	23	23	24	25	24	25	24	25	25	24.25	
	1210-1215	Tour 2	24	24	24	27	27	25	25	25	23	24	24	24		24.67
	1510-1515	Tour 3	24	24	24	25	25	26	26	25	25	26	26	26		25.17
ROOF PERIMETER	0925-0930	Tour 1	29	30	31	31	31	30	33	34	33	32	32	32	31.50	
	1225-1230	Tour 2	31	31	31	30	28	28	29	30	31	31	30	30		30.00
	1525-1530	Tour 3	31	31	32	33	33	32	32	32	31	31	31	31		31.67

**DATE: 07/12/2007**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	20	21	21	21	22	20	19	19	21	24	23	21	21.00	
	1200-1205	Tour 2	24	22	22	22	21	22	23	20	20	20	19	19		21.17
	1500-1505	Tour 3	25	23	23	21	21	21	20	20	20	21	20	19		21.17
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	25	26	26	26	25	24	26	26	26	24	24	25	25.25	
	1210-1215	Tour 2	26	26	26	27	25	25	24	26	26	26	25	25		25.58
	1510-1515	Tour 3	23	24	24	24	25	26	26	24	24	23	21	24		24.00
ROOF PERIMETER	0925-0930	Tour 1	29	30	30	30	31	31	29	29	28	28	30	31	29.67	
	1225-1230	Tour 2	31	31	31	32	34	33	32	29	28	31	31	31		31.17
	1525-1530	Tour 3	30	30	30	31	34	33	33	29	30	30	30	31		30.92

**DATE: 07/13/2007**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	20	20	20	19	19	18	20	21	21	21	21	20	20.00	
	1200-1205	Tour 2	20	20	22	22	22	21	20	19	19	18	20	19		20.17
	1500-1505	Tour 3	19	19	17	18	18	19	20	22	21	22	21	20		19.67
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	28	26	26	25	26	26	28	27	25	25	25	25	26.00	
	1210-1215	Tour 2	26	26	25	24	26	26	27	26	25	24	24	23		25.17
	1510-1515	Tour 3	27	28	22	23	24	24	24	21	28	26	26	27		25.00
ROOF PERIMETER	0925-0930	Tour 1	31	31	31	30	30	29	28	29	30	30	30	30	29.92	
	1225-1230	Tour 2	30	31	31	31	32	30	31	31	30	29	28	30		30.33
	1525-1530	Tour 3	30	30	31	31	31	32	31	31	30	28	28	29		30.17

**DATE: 07/14/2007**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	19	19	18	20	20	21	21	21	22	19	22	21	20.25	
	1200-1205	Tour 2	20	20	20	21	21	22	20	19	19	20	21	21		20.33
	1500-1505	Tour 3	21	21	21	21	22	23	20	20	20	21	21	21		21.00
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	25	26	25	25	25	26	27	26	25	25	26	25	25.50	
	1210-1215	Tour 2	27	27	27	26	26	25	27	27	25	25	25	26		26.08
	1510-1515	Tour 3	26	26	26	25	25	26	27	28	29	26	26	26		26.33
ROOF PERIMETER	0925-0930	Tour 1	30	31	31	31	30	31	32	30	30	30	29	30	30.42	
	1225-1230	Tour 2	30	30	30	31	30	32	32	31	31	31	30	31		30.75
	1525-1530	Tour 3	30	28	28	29	30	31	31	30	30	29	28	29		29.42

**DATE: 07/15/2007**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	20	20	20	19	18	19	22	22	23	21	22	21	20.58	
	1200-1205	Tour 2	21	21	21	19	21	19	19	18	21	21	20	21		20.17
	1500-1505	Tour 3	20	20	19	19	22	21	22	21	20	20	19	18		20.08
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	25	24	24	24	23	21	21	22	21	20	21	20	22.17	
	1210-1215	Tour 2	26	26	24	24	20	20	23	26	26	26	24	23		24.00
	1510-1515	Tour 3	23	24	24	25	24	26	21	21	20	24	22	21		22.92
ROOF PERIMETER	0925-0930	Tour 1	27	28	28	29	29	30	30	27	26	28	29	29	28.33	
	1225-1230	Tour 2	30	30	30	29	28	28	28	26	28	28	29	30		28.67
	1525-1530	Tour 3	30	30	29	28	28	28	28	29	28	31	31	30		29.17



**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Silica-Quartz Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>											<b>10</b>				
<b>EPA Site Specific Trigger Levels</b>											<b>10</b>				
EMSL	FH-070907-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/09/2007	Scaffold	0.960	040715698-0001	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070907-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/09/2007	Scaffold	0.960	040715698-0002	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070907-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/09/2007	Scaffold	0.960	040715698-0003	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070907-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/09/2007	Scaffold	0.960	040715698-0004	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070907-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/09/2007	Scaffold	0.960	040715698-0005	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-070907-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/09/2007	Scaffold	0.960	040715698-0006	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-071007-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/10/2007	Scaffold	0.960	040715802-0001	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-071007-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/10/2007	Scaffold	0.960	040715802-0002	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-071007-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/10/2007	Scaffold	0.960	040715802-0003	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	5	07/12/2007	No	No	
EMSL	FH-071007-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/10/2007	Scaffold	0.960	040715802-0004	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	8	07/12/2007	No	No	
EMSL	FH-071007-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/10/2007	Scaffold	0.960	040715802-0005	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-071007-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/10/2007	Scaffold	0.960	040715802-0006	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	5	07/12/2007	No	No	
EMSL	FH-071007-68	DUPLICATE (STATION #1)	07/10/2007	Scaffold	0.960	040715802-0008	07/10/2007	07/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/12/2007	No	No	
EMSL	FH-071107-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/11/2007	Scaffold	0.960	040715962-0001	07/12/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071107-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/11/2007	Scaffold	0.960	040715962-0002	07/12/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071107-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/11/2007	Scaffold	0.960	040715962-0003	07/12/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071107-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/11/2007	Scaffold	0.960	040715962-0004	07/12/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071107-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/11/2007	Scaffold	0.960	040715962-0005	07/12/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071107-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/11/2007	Scaffold	0.960	040715962-0006	07/12/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071207-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/12/2007	Scaffold	0.960	040716224-0001	07/13/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071207-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/12/2007	Scaffold	0.960	040716224-0002	07/13/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071207-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/12/2007	Scaffold	0.960	040716224-0003	07/13/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071207-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/12/2007	Scaffold	0.960	040716224-0004	07/13/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071207-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/12/2007	Scaffold	0.960	040716224-0005	07/13/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071207-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/12/2007	Scaffold	0.960	040716224-0006	07/13/2007	07/13/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071307-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/13/2007	Scaffold	0.960	040716310-0001	07/14/2007	07/14/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071307-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/13/2007	Scaffold	0.960	040716310-0002	07/14/2007	07/14/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071307-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/13/2007	Scaffold	0.960	040716310-0003	07/14/2007	07/14/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071307-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/13/2007	Scaffold	0.960	040716310-0004	07/14/2007	07/14/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071307-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/13/2007	Scaffold	0.960	040716310-0005	07/14/2007	07/14/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071307-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/13/2007	Scaffold	0.960	040716310-0006	07/14/2007	07/14/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/16/2007	No	No	
EMSL	FH-071407-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/14/2007	Scaffold	0.960	040716497-0001	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/19/2007	No	No	
EMSL	FH-071407-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/14/2007	Scaffold	0.960	040716497-0002	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	7	07/19/2007	No	No	
EMSL	FH-071407-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/14/2007	Scaffold	0.960	040716497-0003	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	9	07/19/2007	No	No	
EMSL	FH-071407-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/14/2007	Scaffold	0.960	040716497-0004	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/19/2007	No	No	
EMSL	FH-071407-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/14/2007	Scaffold	0.960	040716497-0005	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/19/2007	No	No	
EMSL	FH-071407-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/14/2007	Scaffold	0.960	040716497-0006	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/19/2007	No	No	
EMSL	FH-071507-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	07/15/2007	Scaffold	0.960	040716487-0001	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/19/2007	No	No	
EMSL	FH-071507-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	07/15/2007	Scaffold	0.960	040716487-0002	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	5	07/19/2007	No	No	
EMSL	FH-071507-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	07/15/2007	Scaffold	0.960	040716487-0003	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	<5	07/19/2007	No	No	
EMSL	FH-071507-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	07/15/2007	Scaffold	0.960	040716487-0004	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	36	07/19/2007	Yes	Yes	See Note 1
EMSL	FH-071507-33	#5 - 5TH FL SETBACK ROOF N. SIDE	07/15/2007	Scaffold	0.960	040716487-0005	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	6	07/19/2007	No	No	
EMSL	FH-071507-34	#6 - 5TH FL SETBACK ROOF SW SIDE	07/15/2007	Scaffold	0.960	040716487-0006	07/17/2007	07/18/2007	NIOSH 7500 XRD	Silica-Quartz	11	07/19/2007	Yes	Yes	See Note 1

Note 1: Exceedances reported to USEPA

**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.00025				
EPA Site Specific Trigger Levels											0.025				
STL-SAC	FH-071207-40	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140178003	07/14/2007	07/19/2007	TO-9	Toxicity Equivalent Quotient (TEQ)	0.000043	07/27/2007	No	No	

**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-071207-49	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140181003	07/14/2007	07/24/2007	8270C SIM	BAP-equivalent	<0.007	07/30/2007	No	No	

**Submittal Summary - Scaffold Phase Week 11 (07/09/07 to 07/15/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-071207-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140179003	07/14/2007	07/25/2007	TO-4	Aroclor 1016	<0.0021	07/27/2007	No	No	
STL-SAC	FH-071207-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140179003	07/14/2007	07/25/2007	TO-4	Aroclor 1221	<0.0021	07/27/2007	No	No	
STL-SAC	FH-071207-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140179003	07/14/2007	07/25/2007	TO-4	Aroclor 1232	<0.0021	07/27/2007	No	No	
STL-SAC	FH-071207-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140179003	07/14/2007	07/25/2007	TO-4	Aroclor 1242	0.0088	07/27/2007	No	No	
STL-SAC	FH-071207-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140179003	07/14/2007	07/25/2007	TO-4	Aroclor 1248	<0.0021	07/27/2007	No	No	
STL-SAC	FH-071207-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140179003	07/14/2007	07/25/2007	TO-4	Aroclor 1254	<0.0021	07/27/2007	No	No	
STL-SAC	FH-071207-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	7/12/2007	Scaffold	360	G7G140179003	07/14/2007	07/25/2007	TO-4	Aroclor 1260	<0.0021	07/27/2007	No	No	