

Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.0009				
EPA Site Specific Trigger Levels											N/A				
EMSL	FH-050707-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/7/2007	1/Scaffold	2.880	030714360-0001	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00086	5/8/2007	No	No	
EMSL	FH-050707-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/7/2007	1/Scaffold	2.880	030714360-0002	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00086	5/8/2007	No	No	
EMSL	FH-050707-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/7/2007	1/Scaffold	2.880	030714360-0003	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00086	5/8/2007	No	No	
EMSL	FH-050707-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/7/2007	1/Scaffold	2.880	030714360-0004	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00086	5/8/2007	No	No	
EMSL	FH-050707-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/7/2007	1/Scaffold	2.880	030714360-0005	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00086	5/8/2007	No	No	
EMSL	FH-050707-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/7/2007	1/Scaffold	2.880	030714360-0006	5/7/2007	5/8/2007	PCME	ASBESTOS	<0.00086	5/8/2007	No	No	
EMSL	FH-050807-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/8/2007	1/Scaffold	2.880	030714526-0001	5/8/2007	5/9/2007	PCME	ASBESTOS	<0.00086	5/9/2007	No	No	
EMSL	FH-050807-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/8/2007	1/Scaffold	2.880	030714526-0002	5/8/2007	5/9/2007	PCME	ASBESTOS	<0.00086	5/9/2007	No	No	
EMSL	FH-050807-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/8/2007	1/Scaffold	2.880	030714526-0003	5/8/2007	5/9/2007	PCME	ASBESTOS	<0.00086	5/9/2007	No	No	
EMSL	FH-050807-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/8/2007	1/Scaffold	2.880	030714526-0004	5/8/2007	5/9/2007	PCME	ASBESTOS	<0.00086	5/9/2007	No	No	
EMSL	FH-050807-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/8/2007	1/Scaffold	2.880	030714526-0005	5/8/2007	5/9/2007	PCME	ASBESTOS	<0.00086	5/9/2007	No	No	
EMSL	FH-050807-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/8/2007	1/Scaffold	2.880	030714526-0006	5/8/2007	5/9/2007	PCME	ASBESTOS	<0.00086	5/9/2007	No	No	
EMSL	FH-050807-65	DUPLICATE (STATION #1)	5/8/2007	1/Scaffold	2.880	030714526-0007	5/8/2007	5/9/2007	PCME	ASBESTOS	<0.00086	5/9/2007	No	No	
EMSL	FH-050907-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/9/2007	1/Scaffold	2.880	030714694-0001	5/9/2007	5/10/2007	PCME	ASBESTOS	<0.00086	5/10/2007	No	No	
EMSL	FH-050907-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/9/2007	1/Scaffold	2.880	030714694-0002	5/9/2007	5/10/2007	PCME	ASBESTOS	<0.00086	5/10/2007	No	No	
EMSL	FH-050907-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/9/2007	1/Scaffold	2.880	030714694-0003	5/9/2007	5/10/2007	PCME	ASBESTOS	<0.00086	5/10/2007	No	No	
EMSL	FH-050907-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/9/2007	1/Scaffold	2.880	030714694-0004	5/9/2007	5/10/2007	PCME	ASBESTOS	<0.00086	5/10/2007	No	No	
EMSL	FH-050907-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/9/2007	1/Scaffold	2.880	030714694-0005	5/9/2007	5/10/2007	PCME	ASBESTOS	<0.00086	5/10/2007	No	No	
EMSL	FH-050907-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/9/2007	1/Scaffold	2.880	030714694-0006	5/9/2007	5/10/2007	PCME	ASBESTOS	<0.00086	5/10/2007	No	No	
EMSL	FH-051007-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/10/2007	1/Scaffold	2.880	030714837-0001	5/10/2007	5/11/2007	PCME	ASBESTOS	<0.00079	5/11/2007	No	No	
EMSL	FH-051007-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/10/2007	1/Scaffold	2.880	030714837-0002	5/10/2007	5/11/2007	PCME	ASBESTOS	<0.00079	5/11/2007	No	No	
EMSL	FH-051007-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/10/2007	1/Scaffold	2.880	030714837-0003	5/10/2007	5/11/2007	PCME	ASBESTOS	<0.00079	5/11/2007	No	No	
EMSL	FH-051007-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/10/2007	1/Scaffold	2.880	030714837-0004	5/10/2007	5/11/2007	PCME	ASBESTOS	<0.00079	5/11/2007	No	No	
EMSL	FH-051007-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/10/2007	1/Scaffold	2.880	030714837-0005	5/10/2007	5/11/2007	PCME	ASBESTOS	<0.00079	5/11/2007	No	No	
EMSL	FH-051007-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/10/2007	1/Scaffold	2.880	030714837-0006	5/10/2007	5/11/2007	PCME	ASBESTOS	<0.00079	5/11/2007	No	No	
EMSL	FH-051107-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/11/2007	1/Scaffold	2.880	030715001-0001	5/11/2007	5/12/2007	PCME	ASBESTOS	<0.00086	5/14/2007	No	No	
EMSL	FH-051107-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/11/2007	1/Scaffold	2.880	030715001-0002	5/11/2007	5/12/2007	PCME	ASBESTOS	<0.00086	5/14/2007	No	No	
EMSL	FH-051107-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/11/2007	1/Scaffold	2.880	030715001-0003	5/11/2007	5/12/2007	PCME	ASBESTOS	<0.00086	5/14/2007	No	No	
EMSL	FH-051107-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/11/2007	1/Scaffold	2.880	030715001-0004	5/11/2007	5/12/2007	PCME	ASBESTOS	<0.00086	5/14/2007	No	No	
EMSL	FH-051107-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/11/2007	1/Scaffold	2.880	030715001-0005	5/11/2007	5/12/2007	PCME	ASBESTOS	<0.00086	5/14/2007	No	No	
EMSL	FH-051107-09	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/11/2007	1/Scaffold	2.880	030715001-0006	5/11/2007	5/12/2007	PCME	ASBESTOS	<0.00086	5/14/2007	No	No	
EMSL	FH-051207-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/12/2007	1/Scaffold	2.880	030715330-0001	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051207-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2007	1/Scaffold	2.880	030715330-0002	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051207-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/12/2007	1/Scaffold	2.880	030715330-0003	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051207-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/12/2007	1/Scaffold	2.880	030715330-0004	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051207-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/12/2007	1/Scaffold	2.880	030715330-0005	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051207-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/12/2007	1/Scaffold	2.880	030715330-0006	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051307-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/13/2007	1/Scaffold	2.880	030715327-0001	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00086	5/15/2007	No	No	
EMSL	FH-051307-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2007	1/Scaffold	2.880	030715327-0002	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00086	5/15/2007	No	No	
EMSL	FH-051307-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2007	1/Scaffold	2.880	030715327-0003	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00086	5/15/2007	No	No	
EMSL	FH-051307-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/13/2007	1/Scaffold	2.880	030715327-0004	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00086	5/15/2007	No	No	
EMSL	FH-051307-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/13/2007	1/Scaffold	2.880	030715327-0005	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00086	5/15/2007	No	No	
EMSL	FH-051307-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/13/2007	1/Scaffold	2.880	030715327-0006	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00086	5/15/2007	No	No	



**Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)**

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 2.5 (ug/m <sup>3</sup> )	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>							<b>40</b>			
<b>EPA Site Specific Trigger Levels</b>							<b>65</b>			
FH-050707-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.63	No	No	
FH-050707-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.68	No	No	
FH-050707-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.52	No	No	
FH-050707-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	20.05	No	No	
FH-050707-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.86	No	No	
FH-050707-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/7/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.11	No	No	
FH-050707-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/7/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	8.52	No	No	
FH-050807-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.52	No	No	
FH-050807-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.37	No	No	
FH-050807-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.10	No	No	
FH-050807-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.53	No	No	
FH-050807-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.30	No	No	
FH-050807-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/8/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.24	No	No	
FH-050807-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/8/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	12.46	No	No	
FH-050907-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.59	No	No	
FH-050907-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.01	No	No	
FH-050907-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	22.11	No	No	
FH-050907-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.97	No	No	
FH-050907-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.15	No	No	
FH-050907-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/9/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.45	No	No	
FH-050907-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/9/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	15.57	No	No	
FH-051007-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.83	No	No	
FH-051007-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.45	No	No	
FH-051007-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	24.94	No	No	
FH-051007-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.58	No	No	
FH-051007-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.70	No	No	
FH-051007-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/10/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.90	No	No	
FH-051007-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/10/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	15.17	No	No	
FH-051107-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.15	No	No	
FH-051107-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	24.39	No	No	
FH-051107-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	34.55	No	No	
FH-051107-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.45	No	No	
FH-051107-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	20.48	No	No	
FH-051107-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/11/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.72	No	No	
FH-051107-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/11/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	24.72	No	No	
FH-051207-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.94	No	No	
FH-051207-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.68	No	No	
FH-051207-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.80	No	No	
FH-051207-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.08	No	No	
FH-051207-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.65	No	No	
FH-051207-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/12/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.08	No	No	
FH-051207-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/12/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	12.75	No	No	
FH-051307-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.26	No	No	
FH-051307-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.47	No	No	
FH-051307-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.28	No	No	
FH-051307-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.85	No	No	
FH-051307-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.79	No	No	
FH-051307-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/13/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.84	No	No	
FH-051307-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/13/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	5.16	No	No	

**Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)**

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m <sup>3</sup> )	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							150			
							150			
FH-050707-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.42	No	No	
FH-050707-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.85	No	No	
FH-050707-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.52	No	No	
FH-050707-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.27	No	No	
FH-050707-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.83	No	No	
FH-050707-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/7/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.32	No	No	
FH-050707-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/7/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	14.45	No	No	
FH-050807-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.33	No	No	
FH-050807-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.81	No	No	
FH-050807-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.49	No	No	
FH-050807-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.36	No	No	
FH-050807-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.95	No	No	
FH-050807-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/8/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.90	No	No	
FH-050807-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/8/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	21.12	No	No	
FH-050907-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.36	No	No	
FH-050907-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.06	No	No	
FH-050907-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.85	No	No	
FH-050907-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.92	No	No	
FH-050907-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.71	No	No	
FH-050907-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/9/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.49	No	No	
FH-050907-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/9/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	22.05	No	No	
FH-051007-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	33.15	No	No	
FH-051007-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.58	No	No	
FH-051007-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.89	No	No	
FH-051007-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.60	No	No	
FH-051007-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.24	No	No	
FH-051007-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/10/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.65	No	No	
FH-051007-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/10/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	16.03	No	No	
FH-051107-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	42.31	No	No	
FH-051107-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	38.47	No	No	
FH-051107-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.85	No	No	
FH-051107-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.07	No	No	
FH-051107-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	42.43	No	No	
FH-051107-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/11/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	33.47	No	No	
FH-051107-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/11/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	30.19	No	No	
FH-051207-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	32.23	No	No	
FH-051207-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.65	No	No	
FH-051207-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.92	No	No	
FH-051207-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	40.28	No	No	
FH-051207-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.70	No	No	
FH-051207-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/12/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.50	No	No	
FH-051207-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	15.38	No	No	
FH-051307-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.47	No	No	
FH-051307-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.90	No	No	
FH-051307-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.56	No	No	
FH-051307-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	28.77	No	No	
FH-051307-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.33	No	No	
FH-051307-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/13/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.72	No	No	
FH-051307-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	8.87	No	No	

Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Mercury-Total Concentration (ng/m <sup>3</sup> )	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											300					
EPA Site Specific Trigger Levels											3,000					
BRL	FH-050707-11	#1 - Sidewalk bridge level NW corner	05/07/2007	Scaffold	0.576	07BR0614-01	05/09/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/14/2007	No	No	
BRL	FH-050707-12	#2 - Sidewalk bridge level SW corner	05/07/2007	Scaffold	0.576	07BR0614-02	05/09/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/14/2007	No	No	
BRL	FH-050707-13	#3 - Sidewalk bridge level SE corner	05/07/2007	Scaffold	0.576	07BR0614-03	05/09/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/14/2007	No	No	
BRL	FH-050707-14	#4 - Sidewalk bridge level NE corner	05/07/2007	Scaffold	0.576	07BR0614-04	05/09/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/14/2007	No	No	
BRL	FH-050707-15	#5 - 5th floor setback roof N side	05/07/2007	Scaffold	0.576	07BR0614-05	05/09/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/14/2007	No	No	
BRL	FH-050707-16	#6 - 5th floor setback roof SW side	05/07/2007	Scaffold	0.576	07BR0614-06	05/09/2007	05/10/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/14/2007	No	No	
BRL	FH-050807-11	#1 - Sidewalk bridge level NW corner	05/08/2007	Scaffold	0.576	07BR0618-01	05/10/2007	05/11/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/15/2007	No	No	
BRL	FH-050807-12	#2 - Sidewalk bridge level SW corner	05/08/2007	Scaffold	0.576	07BR0618-02	05/10/2007	05/11/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/15/2007	No	No	
BRL	FH-050807-13	#3 - Sidewalk bridge level SE corner	05/08/2007	Scaffold	0.576	07BR0618-03	05/10/2007	05/11/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/15/2007	No	No	
BRL	FH-050807-14	#4 - Sidewalk bridge level NE corner	05/08/2007	Scaffold	0.576	07BR0618-04	05/10/2007	05/11/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/15/2007	No	No	
BRL	FH-050807-15	#5 - 5th floor setback roof N side	05/08/2007	Scaffold	0.576	07BR0618-05	05/10/2007	05/11/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/15/2007	No	No	
BRL	FH-050807-16	#6 - 5th floor setback roof SW side	05/08/2007	Scaffold	0.576	07BR0618-06	05/10/2007	05/11/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/15/2007	No	No	
BRL	FH-050807-66	Duplicate(Station #1)	05/08/2007	Scaffold	0.576	07BR0618-08	05/10/2007	05/11/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/15/2007	No	No	
BRL	FH-050907-11	#1 - Sidewalk bridge level NW corner	05/09/2007	Scaffold	0.56160	07BR0635-01	05/11/2007	05/14/2007	EPA 324/1631	Hg	<27.0	ng/m <sup>3</sup>	05/16/2007	No	No	
BRL	FH-050907-12	#2 - Sidewalk bridge level SW corner	05/09/2007	Scaffold	0.576	07BR0635-02	05/11/2007	05/14/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/16/2007	No	No	
BRL	FH-050907-13	#3 - Sidewalk bridge level SE corner	05/09/2007	Scaffold	0.576	07BR0635-03	05/11/2007	05/14/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/16/2007	No	No	
BRL	FH-050907-14	#4 - Sidewalk bridge level NE corner	05/09/2007	Scaffold	0.576	07BR0635-04	05/11/2007	05/14/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/16/2007	No	No	
BRL	FH-050907-15	#5 - 5th floor setback roof N side	05/09/2007	Scaffold	0.576	07BR0635-05	05/11/2007	05/14/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/16/2007	No	No	
BRL	FH-050907-16	#6 - 5th floor setback roof SW side	05/09/2007	Scaffold	0.576	07BR0635-06	05/11/2007	05/14/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/16/2007	No	No	
BRL	FH-051007-11	#1 - Sidewalk bridge level NW corner	05/10/2007	Scaffold	0.5688	07BR0643-01	05/12/2007	05/15/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/17/2007	No	No	
BRL	FH-051007-12	#2 - Sidewalk bridge level SW corner	05/10/2007	Scaffold	0.576	07BR0643-02	05/12/2007	05/15/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/17/2007	No	No	
BRL	FH-051007-13	#3 - Sidewalk bridge level SE corner	05/10/2007	Scaffold	0.576	07BR0643-03	05/12/2007	05/15/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/17/2007	No	No	
BRL	FH-051007-14	#4 - Sidewalk bridge level NE corner	05/10/2007	Scaffold	0.576	07BR0643-04	05/12/2007	05/15/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/17/2007	No	No	
BRL	FH-051007-15	#5 - 5th floor setback roof N side	05/10/2007	Scaffold	0.576	07BR0643-05	05/12/2007	05/15/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/17/2007	No	No	
BRL	FH-051007-16	#6 - 5th floor setback roof SW side	05/10/2007	Scaffold	0.576	07BR0643-06	05/12/2007	05/15/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/17/2007	No	No	
BRL	FH-051107-11	#1 - Sidewalk bridge level NW corner	05/11/2007	Scaffold	0.56160	07BR0646-01	05/15/2007	05/16/2007	EPA 324/1631	Hg	<27.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051107-12	#2 - Sidewalk bridge level SW corner	05/11/2007	Scaffold	0.5760	07BR0646-02	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051107-13	#3 - Sidewalk bridge level SE corner	05/11/2007	Scaffold	0.5760	07BR0646-03	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051107-14	#4 - Sidewalk bridge level NE corner	05/11/2007	Scaffold	0.5760	07BR0646-04	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051107-15	#5 - 5th floor setback roof N side	05/11/2007	Scaffold	0.56880	07BR0646-05	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051107-16	#6 - 5th floor setback roof SW side	05/11/2007	Scaffold	0.5760	07BR0646-06	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051207-11	#1 - Sidewalk bridge level NW corner	05/12/2007	Scaffold	0.56160	07BR0647-01	05/15/2007	05/16/2007	EPA 324/1631	Hg	<27.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051207-12	#2 - Sidewalk bridge level SW corner	05/12/2007	Scaffold	0.5760	07BR0647-02	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051207-13	#3 - Sidewalk bridge level SE corner	05/12/2007	Scaffold	0.5760	07BR0647-03	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051207-14	#4 - Sidewalk bridge level NE corner	05/12/2007	Scaffold	0.5760	07BR0647-04	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051207-15	#5 - 5th floor setback roof N side	05/12/2007	Scaffold	0.56880	07BR0647-05	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051207-16	#6 - 5th floor setback roof SW side	05/12/2007	Scaffold	0.5760	07BR0647-06	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051307-11	#1 - Sidewalk bridge level NW corner	05/13/2007	Scaffold	0.56160	07BR0648-01	05/15/2007	05/16/2007	EPA 324/1631	Hg	<27.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051307-12	#2 - Sidewalk bridge level SW corner	05/13/2007	Scaffold	0.5760	07BR0648-02	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051307-13	#3 - Sidewalk bridge level SE corner	05/13/2007	Scaffold	0.5760	07BR0648-03	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051307-14	#4 - Sidewalk bridge level NE corner	05/13/2007	Scaffold	0.5760	07BR0648-04	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051307-15	#5 - 5th floor setback roof N side	05/13/2007	Scaffold	0.56880	07BR0648-05	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	
BRL	FH-051307-16	#6 - 5th floor setback roof SW side	05/13/2007	Scaffold	0.5760	07BR0648-06	05/15/2007	05/16/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/18/2007	No	No	

**Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)**

Ohio Lumex Daily Mercury Readings

all readings are in ng/m<sup>3</sup>

Target air quality level: 300 ng/m<sup>3</sup>

USEPA site specific mercury trigger level: 3000 ng/m<sup>3</sup>

Exceedances: None

Exceedances: None

3 Site Tours Conducted per Work Shift

**DATE: 05/07/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	30	30	31	29	27	27	26	27	30	29	28	26	28.33	
	1200-1205	Tour 2	29	28	28	26	27	26	23	23	20	21	20	27		24.83
	1500-1505	Tour 3	30	31	28	29	30	27	26	20	20	20	19	21		25.08
5th FLOOR SETBACK	0910-0915	Tour 1	29	30	27	26	26	25	21	20	21	20	19	20	23.67	
	1210-1215	Tour 2	25	24	24	23	23	20	19	18	19	19	20	19		21.08
	1510-1515	Tour 3	21	20	26	25	18	19	19	21	20	26	23	21		21.58
PERIMETER	0925-0930	Tour 1	31	28	27	27	25	25	21	20	19	19	18	24	23.67	
	1225-1230	Tour 2	30	31	30	20	26	23	23	19	17	16	19	21		22.92
	1525-1530	Tour 3	26	25	25	23	22	21	20	19	19	21	24	23		22.33

**DATE: 05/08/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	27	27	23	20	21	21	19	18	24	21	20	20	21.75	
	1200-1205	Tour 2	30	29	23	23	20	21	21	19	18	19	20	20		21.92
	1500-1505	Tour 3	26	25	25	31	36	31	30	29	27	20	23	21		27.00
5th FLOOR SETBACK	0910-0915	Tour 1	26	26	23	21	21	20	16	18	19	21	20	20	20.92	
	1210-1215	Tour 2	24	20	20	20	21	19	18	21	22	23	20	26		21.17
	1510-1515	Tour 3	26	26	25	20	19	19	19	21	24	24	26	19		22.33
PERIMETER	0925-0930	Tour 1	30	31	29	28	28	28	27	23	22	21	20	20	25.58	
	1225-1230	Tour 2	30	30	34	31	29	30	30	28	27	26	25	24		28.67
	1525-1530	Tour 3	31	31	36	38	41	36	31	30	30	29	27	23		31.92

**DATE: 05/09/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	26	26	24	23	20	29	27	27	21	23	20	19	23.75	
	1200-1205	Tour 2	26	26	28	29	31	27	22	22	21	20	20	19		24.25
	1500-1505	Tour 3	30	27	21	25	25	24	20	21	21	20	19	24		23.08
5th FLOOR SETBACK	0910-0915	Tour 1	28	28	21	23	22	20	20	20	19	26	26	24	23.08	
	1210-1215	Tour 2	29	29	30	31	30	29	24	23	23	19	26	25		26.50
	1510-1515	Tour 3	25	28	28	29	30	31	30	28	27	26	26	23		27.58
PERIMETER	0925-0930	Tour 1	30	28	28	26	26	25	24	28	29	28	27	27	27.17	
	1225-1230	Tour 2	30	30	31	38	36	30	30	28	26	27	28	26		30.00
	1525-1530	Tour 3	30	30	29	26	26	25	26	23	20	21	20	31		25.58

**DATE: 05/10/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	29	29	28	27	21	21	20	21	19	26	27	26	24.50	
	1200-1205	Tour 2	28	27	27	26	21	20	20	20	26	23	24	24		24.08
	1500-1505	Tour 3	28	28	26	25	21	21	19	24	23	21	28	28		24.33
5th FLOOR SETBACK	0910-0915	Tour 1	30	31	28	28	26	25	26	20	21	25	24	21	25.42	
	1210-1215	Tour 2	29	28	28	26	27	27	28	26	23	23	26	22		26.08
	1510-1515	Tour 3	28	28	27	26	26	26	27	31	31	30	29	28		28.08
PERIMETER	0925-0930	Tour 1	30	30	29	30	31	36	30	28	27	28	27	27	29.42	
	1225-1230	Tour 2	29	28	27	27	21	20	24	30	30	36	31	30		27.75
	1525-1530	Tour 3	30	31	29	29	28	29	21	24	25	25	30	30		27.58

**DATE: 05/11/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	29	28	28	28	23	21	20	21	24	26	28	28	25.33	
	1200-1205	Tour 2	30	29	28	28	27	28	31	24	24	23	21	21		26.75
	1500-1505	Tour 3	29	29	25	24	24	28	27	26	26	21	22	21		25.17
5th FLOOR SETBACK	0910-0915	Tour 1	30	31	29	29	28	26	26	26	28	28	29	29	28.25	
	1210-1215	Tour 2	28	28	29	29	30	29	27	21	20	20	27	26		26.17
	1510-1515	Tour 3	27	27	31	33	31	29	30	30	29	28	29	28		29.33
PERIMETER	0925-0930	Tour 1	29	28	26	26	26	28	28	26	27	21	25	25	26.25	
	1225-1230	Tour 2	29	28	28	26	26	26	24	24	23	21	20	26		25.08
	1525-1530	Tour 3	30	31	30	29	29	28	28	28	27	23	20	21		27.00

**DATE: 05/12/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	30	29	29	27	25	25	24	28	29	28	27	27	27.33	
	1200-1205	Tour 2	28	28	29	25	25	24	23	21	20	28	27	27		25.42
	1500-1505	Tour 3	30	30	36	33	31	29	28	31	29	27	26	26		29.67
5th FLOOR SETBACK	0910-0915	Tour 1	31	29	27	27	26	25	21	21	20	19	28	27	25.08	
	1210-1215	Tour 2	29	29	30	31	31	29	28	27	28	27	27	26		28.50
	1510-1515	Tour 3	26	25	25	23	28	27	28	27	29	30	27	27		26.83
PERIMETER	0925-0930	Tour 1	31	30	36	36	37	38	38	29	31	30	29	28	32.75	
	1225-1230	Tour 2	30	30	29	27	27	30	31	31	29	28	29	27		29.00
	1525-1530	Tour 3	30	30	31	38	31	29	28	29	30	31	33	29		30.75

**DATE: 05/13/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	24	23	23	21	20	23	21	28	27	28	23	24	23.75	
	1200-1205	Tour 2	25	26	26	26	20	21	21	24	23	28	26	27		24.42
	1500-1505	Tour 3	28	30	31	30	30	29	38	29	30	31	31	29		30.50
5th FLOOR SETBACK	0910-0915	Tour 1	29	30	30	28	26	26	26	25	23	21	25	28	26.42	
	1210-1215	Tour 2	28	28	29	30	31	34	31	29	28	27	26	25		28.83
	1510-1515	Tour 3	30	30	31	36	38	36	34	30	29	38	30	31		32.75
PERIMETER	0925-0930	Tour 1	29	30	28	28	23	22	21	20	20	19	30	31	25.08	
	1225-1230	Tour 2	30	28	28	27	28	27	26	26	25	20	30	29		27.00
	1525-1530	Tour 3	30	28	28	29	30	31	30	29	28	28	27	28		28.83



**Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Silica-Quartz Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>												10			
<b>EPA Site Specific Trigger Levels</b>												10			
EMSL	FH-050707-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/07/2007	Scaffold	0.960	040709339-0001	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050707-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/07/2007	Scaffold	0.960	040709339-0002	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050707-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/07/2007	Scaffold	0.960	040709339-0003	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050707-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/07/2007	Scaffold	0.960	040709339-0004	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050707-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/07/2007	Scaffold	0.960	040709339-0005	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050707-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/07/2007	Scaffold	0.960	040709339-0006	05/08/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/09/2007	No	No	
EMSL	FH-050807-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/08/2007	Scaffold	0.960	040709425-0001	05/09/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	7	05/10/2007	No	No	
EMSL	FH-050807-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/08/2007	Scaffold	0.960	040709425-0002	05/09/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/10/2007	No	No	
EMSL	FH-050807-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/08/2007	Scaffold	0.960	040709425-0003	05/09/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/10/2007	No	No	
EMSL	FH-050807-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/08/2007	Scaffold	0.960	040709425-0004	05/09/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/10/2007	No	No	
EMSL	FH-050807-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/08/2007	Scaffold	0.960	040709425-0005	05/09/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/10/2007	No	No	
EMSL	FH-050807-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/08/2007	Scaffold	0.960	040709425-0006	05/09/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/10/2007	No	No	
EMSL	FH-050807-68	DUPLICATE (STATION #1)	05/08/2007	Scaffold	0.960	040709425-0008	05/09/2007	05/09/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/10/2007	No	No	
EMSL	FH-050907-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/09/2007	Scaffold	0.960	040709533-0001	05/10/2007	05/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-050907-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/09/2007	Scaffold	0.960	040709533-0002	05/10/2007	05/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-050907-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/09/2007	Scaffold	0.960	040709533-0003	05/10/2007	05/10/2007	NIOSH 7500 XRD	Silica-Quartz	<21	05/14/2007	No	No	See Note 1
EMSL	FH-050907-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/09/2007	Scaffold	0.960	040709533-0004	05/10/2007	05/10/2007	NIOSH 7500 XRD	Silica-Quartz	<21	05/14/2007	No	No	See Note 1
EMSL	FH-050907-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/09/2007	Scaffold	0.960	040709533-0005	05/10/2007	05/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-050907-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/09/2007	Scaffold	0.960	040709533-0006	05/10/2007	05/10/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051007-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/10/2007	Scaffold	0.960	040709631-0001	05/11/2007	05/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051007-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/10/2007	Scaffold	0.960	040709631-0002	05/11/2007	05/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051007-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/10/2007	Scaffold	0.960	040709631-0003	05/11/2007	05/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051007-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/10/2007	Scaffold	0.960	040709631-0004	05/11/2007	05/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051007-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/10/2007	Scaffold	0.960	040709631-0005	05/11/2007	05/11/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051007-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/10/2007	Scaffold	0.960	040709631-0006	05/11/2007	05/11/2007	NIOSH 7500 XRD	Silica-Quartz	<21	05/14/2007	No	No	See Note 1
EMSL	FH-051107-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/11/2007	Scaffold	0.960	040709735-0001	05/12/2007	05/12/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051107-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/11/2007	Scaffold	0.960	040709735-0002	05/12/2007	05/12/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051107-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/11/2007	Scaffold	0.960	040709735-0003	05/12/2007	05/12/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051107-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/11/2007	Scaffold	0.960	040709735-0004	05/12/2007	05/12/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051107-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/11/2007	Scaffold	0.960	040709735-0005	05/12/2007	05/12/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051107-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/11/2007	Scaffold	0.960	040709735-0006	05/12/2007	05/12/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/14/2007	No	No	
EMSL	FH-051207-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/12/2007	Scaffold	0.960	040709901-0001	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051207-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/12/2007	Scaffold	0.960	040709901-0002	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051207-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/12/2007	Scaffold	0.960	040709901-0003	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051207-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/2007	Scaffold	0.960	040709901-0004	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051207-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/12/2007	Scaffold	0.960	040709901-0005	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051207-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/12/2007	Scaffold	0.960	040709901-0006	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051307-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/13/2007	Scaffold	0.960	040709895-0001	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051307-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/13/2007	Scaffold	0.960	040709895-0002	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051307-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/13/2007	Scaffold	0.960	040709895-0003	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051307-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/13/2007	Scaffold	0.960	040709895-0004	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051307-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/13/2007	Scaffold	0.960	040709895-0005	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051307-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/13/2007	Scaffold	0.960	040709895-0006	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	

Note 1: Secondary quartz peak used for sample due to suspected primary peak interference

**Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
					Target Air Quality Levels						0.00025				
					EPA Site Specific Trigger Levels						0.025				
STL-SAC	FH-051207-41	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E150282004	05/15/2007	05/23/2007	TO-9	Toxicity Equivalent Quotient (TEQ)	0.00006	05/29/2007	No	No	

**Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>											0.034				
<b>EPA Site Specific Trigger Levels</b>											3.4				
STL-SAC	FH-051207-50	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E160136004	05/15/2007	05/23/2007	8270C SIM	BAP-equivalent	<0.007	05/29/2007	No	No	

**Submittal Summary - Scaffold Phase Week Two (05/07/07 to 05/13/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-051207-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E160132004	05/15/2007	05/22/2007	TO-4	Aroclor 1016	<0.0021	05/30/2007	No	No	
STL-SAC	FH-051207-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E160132004	05/15/2007	05/22/2007	TO-4	Aroclor 1221	<0.0021	05/30/2007	No	No	
STL-SAC	FH-051207-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E160132004	05/15/2007	05/22/2007	TO-4	Aroclor 1232	<0.0021	05/30/2007	No	No	
STL-SAC	FH-051207-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E160132004	05/15/2007	05/22/2007	TO-4	Aroclor 1242	<0.0021	05/30/2007	No	No	
STL-SAC	FH-051207-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E160132004	05/15/2007	05/22/2007	TO-4	Aroclor 1248	<0.0021	05/30/2007	No	No	
STL-SAC	FH-051207-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E160132004	05/15/2007	05/22/2007	TO-4	Aroclor 1254	<0.0021	05/30/2007	No	No	
STL-SAC	FH-051207-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/12/07	Scaffold	360	G7E160132004	05/15/2007	05/22/2007	TO-4	Aroclor 1260	<0.0021	05/30/2007	No	No	