

Submittal Summary - Scaffold Phase Week 28 (11/05/07 to 11/11/07)

| Airetek Field Sample No. | Sampling Location | Real-time Readings Date | Collection time (minutes) | Analyte | Analytical Method | Instrument | Particulate PM 2.5 (ug/m ³) | Exceeds Target Air Quality Levels? | Exceeds EPA Site Specific Trigger Levels? | Comments |
|---|--------------------------------------|-------------------------|---------------------------|-----------------|---------------------------|--------------------|---|------------------------------------|---|----------|
| | | | | | | | 40 | | | |
| | | | | | | | 65 | | | |
| EPA Site Specific Trigger Levels | | | | | | | | | | |
| FH-110507-EBAM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 13.25 | No | No | |
| FH-110507-EBAM2.5-02 | #2 - SIDEWALK BRIDGE LEVEL SW CORNER | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 14.90 | No | No | |
| FH-110507-EBAM2.5-03 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 26.58 | No | No | |
| FH-110507-EBAM2.5-04 | #4 - SIDEWALK BRIDGE LEVEL NE CORNER | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 17.70 | No | No | |
| FH-110507-EBAM2.5-05 | #5 - 5TH FLOOR SETBACK ROOF N SIDE | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 21.06 | No | No | |
| FH-110507-EBAM2.5-06 | #6 - 5TH FLOOR SETBACK ROOF SW SIDE | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 15.31 | No | No | |
| FH-110507-EBAM2.5-07 | #7 - 5TH FLOOR SCAFFOLD AT SE CORNER | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 26.22 | No | No | |
| FH-110507-EBAM2.5-08 | #8 - 5TH FLOOR SCAFFOLD AT NE CORNER | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 18.56 | No | No | |
| FH-110507-TEOM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/5/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | TEOM PM 2.5 | 24.48 | No | No | |
| | | | | | | | | | | |
| FH-110607-EBAM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 13.28 | No | No | |
| FH-110607-EBAM2.5-02 | #2 - SIDEWALK BRIDGE LEVEL SW CORNER | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 15.69 | No | No | |
| FH-110607-EBAM2.5-03 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 24.44 | No | No | |
| FH-110607-EBAM2.5-04 | #4 - SIDEWALK BRIDGE LEVEL NE CORNER | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 14.34 | No | No | |
| FH-110607-EBAM2.5-05 | #5 - 5TH FLOOR SETBACK ROOF N SIDE | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 18.27 | No | No | |
| FH-110607-EBAM2.5-06 | #6 - 5TH FLOOR SETBACK ROOF SW SIDE | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 16.38 | No | No | |
| FH-110607-EBAM2.5-07 | #7 - 5TH FLOOR SCAFFOLD AT SE CORNER | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 35.19 | No | No | |
| FH-110607-EBAM2.5-08 | #8 - 5TH FLOOR SCAFFOLD AT NE CORNER | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 12.09 | No | No | |
| FH-110607-TEOM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/6/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | TEOM PM 2.5 | 15.12 | No | No | |
| | | | | | | | | | | |
| FH-110707-EBAM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 6.49 | No | No | |
| FH-110707-EBAM2.5-02 | #2 - SIDEWALK BRIDGE LEVEL SW CORNER | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 8.99 | No | No | |
| FH-110707-EBAM2.5-03 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 21.17 | No | No | |
| FH-110707-EBAM2.5-04 | #4 - SIDEWALK BRIDGE LEVEL NE CORNER | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 6.56 | No | No | |
| FH-110707-EBAM2.5-05 | #5 - 5TH FLOOR SETBACK ROOF N SIDE | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 5.27 | No | No | |
| FH-110707-EBAM2.5-06 | #6 - 5TH FLOOR SETBACK ROOF SW SIDE | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 6.78 | No | No | |
| FH-110707-EBAM2.5-07 | #7 - 5TH FLOOR SCAFFOLD AT SE CORNER | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 25.25 | No | No | |
| FH-110707-EBAM2.5-08 | #8 - 5TH FLOOR SCAFFOLD AT NE CORNER | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 10.07 | No | No | |
| FH-110707-TEOM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/7/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | TEOM PM 2.5 | 10.78 | No | No | |
| | | | | | | | | | | |
| FH-110807-EBAM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 9.50 | No | No | |
| FH-110807-EBAM2.5-02 | #2 - SIDEWALK BRIDGE LEVEL SW CORNER | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 12.29 | No | No | |
| FH-110807-EBAM2.5-03 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 24.13 | No | No | |
| FH-110807-EBAM2.5-04 | #4 - SIDEWALK BRIDGE LEVEL NE CORNER | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 13.03 | No | No | |
| FH-110807-EBAM2.5-05 | #5 - 5TH FLOOR SETBACK ROOF N SIDE | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 28.63 | No | No | |
| FH-110807-EBAM2.5-06 | #6 - 5TH FLOOR SETBACK ROOF SW SIDE | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 10.67 | No | No | |
| FH-110807-EBAM2.5-07 | #7 - 5TH FLOOR SCAFFOLD AT SE CORNER | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 26.95 | No | No | |
| FH-110807-EBAM2.5-08 | #8 - 5TH FLOOR SCAFFOLD AT NE CORNER | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 13.57 | No | No | |
| FH-110807-TEOM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/8/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | TEOM PM 2.5 | 12.01 | No | No | |
| | | | | | | | | | | |
| FH-110907-EBAM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 16.92 | No | No | |
| FH-110907-EBAM2.5-02 | #2 - SIDEWALK BRIDGE LEVEL SW CORNER | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 24.81 | No | No | |
| FH-110907-EBAM2.5-03 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 31.08 | No | No | |
| FH-110907-EBAM2.5-04 | #4 - SIDEWALK BRIDGE LEVEL NE CORNER | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 20.31 | No | No | |
| FH-110907-EBAM2.5-05 | #5 - 5TH FLOOR SETBACK ROOF N SIDE | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 32.75 | No | No | |
| FH-110907-EBAM2.5-06 | #6 - 5TH FLOOR SETBACK ROOF SW SIDE | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 20.94 | No | No | |
| FH-110907-EBAM2.5-07 | #7 - 5TH FLOOR SCAFFOLD AT SE CORNER | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 27.91 | No | No | |
| FH-110907-EBAM2.5-08 | #8 - 5TH FLOOR SCAFFOLD AT NE CORNER | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 22.22 | No | No | |
| FH-110907-TEOM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/9/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | TEOM PM 2.5 | 14.31 | No | No | |
| | | | | | | | | | | |
| FH-111007-EBAM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 11.13 | No | No | |
| FH-111007-EBAM2.5-02 | #2 - SIDEWALK BRIDGE LEVEL SW CORNER | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 14.19 | No | No | |
| FH-111007-EBAM2.5-03 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 20.50 | No | No | |
| FH-111007-EBAM2.5-04 | #4 - SIDEWALK BRIDGE LEVEL NE CORNER | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 15.25 | No | No | |
| FH-111007-EBAM2.5-05 | #5 - 5TH FLOOR SETBACK ROOF N SIDE | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 11.81 | No | No | |
| FH-111007-EBAM2.5-06 | #6 - 5TH FLOOR SETBACK ROOF SW SIDE | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 12.19 | No | No | |
| FH-111007-EBAM2.5-07 | #7 - 5TH FLOOR SCAFFOLD AT SE CORNER | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 25.82 | No | No | |
| FH-111007-EBAM2.5-08 | #8 - 5TH FLOOR SCAFFOLD AT NE CORNER | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 12.53 | No | No | |
| FH-111007-TEOM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/10/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | TEOM PM 2.5 | 10.73 | No | No | |
| | | | | | | | | | | |
| FH-111107-EBAM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 7.54 | No | No | |
| FH-111107-EBAM2.5-02 | #2 - SIDEWALK BRIDGE LEVEL SW CORNER | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 10.13 | No | No | |
| FH-111107-EBAM2.5-03 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 18.22 | No | No | |
| FH-111107-EBAM2.5-04 | #4 - SIDEWALK BRIDGE LEVEL NE CORNER | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 8.05 | No | No | |
| FH-111107-EBAM2.5-05 | #5 - 5TH FLOOR SETBACK ROOF N SIDE | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 8.46 | No | No | |
| FH-111107-EBAM2.5-06 | #6 - 5TH FLOOR SETBACK ROOF SW SIDE | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 8.65 | No | No | |
| FH-111107-EBAM2.5-07 | #7 - 5TH FLOOR SCAFFOLD AT SE CORNER | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 31.99 | No | No | |
| FH-111107-EBAM2.5-08 | #8 - 5TH FLOOR SCAFFOLD AT NE CORNER | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | MetOne EBAM PM 2.5 | 10.24 | No | No | |
| FH-111107-TEOM2.5-01 | #1 - SIDEWALK BRIDGE LEVEL NW CORNER | 11/11/2007 | 1440 | Particulate 2.5 | Direct Real-time Readings | TEOM PM 2.5 | 10.71 | No | No | |

Submittal Summary - Scaffold Phase Week 28 (11/05/07 to 11/11/07)

Ohio Lumex Daily Mercury Readings

all readings are in ng/m³

Target air quality level: 300 ng/m³

USEPA site specific mercury trigger level: 3000 ng/m³

Exceedances: None
Exceedances: None

3 Site Tours Conducted per Work Shift

DATE: 11/5/2007

| AREA: | TIME: | Tour #: | TOUR AVERAGE: | | | | | | | | | | | | |
|----------------------------------|-------------------------------------|---------|---------------|----|----|----|----|----|----|----|----|----|----|----|-------|
| PERIMETER OF BUILDING | 0900-0905 1200-1205 1500-1505 | Tour 1 | 21 | 21 | 20 | 20 | 19 | 21 | 22 | 23 | 21 | 20 | 19 | 19 | 20.50 |
| | | Tour 2 | 20 | 20 | 20 | 19 | 20 | 21 | 21 | 22 | 23 | 22 | 19 | 21 | 20.67 |
| | | Tour 3 | 21 | 21 | 21 | 20 | 21 | 20 | 21 | 21 | 22 | 23 | 22 | 21 | 21.17 |
| 5th FLOOR SETBACK ROOF PERIMETER | 0910-0915 1210-1215 1510-1515 | Tour 1 | 25 | 26 | 26 | 26 | 27 | 26 | 25 | 26 | 26 | 27 | 26 | 27 | 26.08 |
| | | Tour 2 | 26 | 26 | 27 | 26 | 27 | 27 | 28 | 29 | 26 | 26 | 26 | 25 | 26.58 |
| | | Tour 3 | 28 | 28 | 26 | 26 | 27 | 26 | 26 | 27 | 27 | 28 | 27 | 26 | 26.83 |
| ROOF PERIMETER | 0925-0930 1225-1230 1525-1530 | Tour 1 | 30 | 30 | 31 | 31 | 31 | 30 | 29 | 28 | 29 | 30 | 30 | 31 | 30.00 |
| | | Tour 2 | 31 | 31 | 31 | 30 | 30 | 30 | 31 | 31 | 31 | 31 | 30 | 30 | 30.58 |
| | | Tour 3 | 31 | 31 | 31 | 30 | 29 | 28 | 29 | 28 | 29 | 28 | 29 | 30 | 29.42 |

DATE: 11/6/2007

| AREA: | TIME: | Tour #: | TOUR AVERAGE: | | | | | | | | | | | | |
|----------------------------------|-------------------------------------|---------|---------------|----|----|----|----|----|----|----|----|----|----|----|-------|
| PERIMETER OF BUILDING | 0900-0905 1200-1205 1500-1505 | Tour 1 | 19 | 20 | 20 | 19 | 21 | 21 | 21 | 20 | 19 | 19 | 20 | 21 | 20.00 |
| | | Tour 2 | 19 | 19 | 19 | 20 | 20 | 19 | 21 | 20 | 20 | 21 | 19 | 20 | 19.75 |
| | | Tour 3 | 21 | 21 | 20 | 20 | 20 | 21 | 21 | 20 | 20 | 21 | 21 | 21 | 20.58 |
| 5th FLOOR SETBACK ROOF PERIMETER | 0910-0915 1210-1215 1510-1515 | Tour 1 | 23 | 24 | 23 | 23 | 25 | 24 | 26 | 25 | 25 | 24 | 25 | 25 | 24.33 |
| | | Tour 2 | 24 | 24 | 25 | 25 | 23 | 24 | 24 | 24 | 24 | 26 | 25 | 23 | 24.25 |
| | | Tour 3 | 23 | 23 | 23 | 22 | 23 | 24 | 25 | 24 | 24 | 25 | 25 | 25 | 23.83 |
| ROOF PERIMETER | 0925-0930 1225-1230 1525-1530 | Tour 1 | 31 | 31 | 29 | 31 | 31 | 29 | 30 | 31 | 30 | 30 | 30 | 29 | 30.17 |
| | | Tour 2 | 29 | 30 | 31 | 30 | 29 | 30 | 31 | 31 | 30 | 31 | 29 | 30 | 30.08 |
| | | Tour 3 | 30 | 30 | 31 | 31 | 29 | 29 | 29 | 30 | 30 | 30 | 30 | 31 | 30.00 |

DATE: 11/7/2007

| AREA: | TIME: | Tour #: | TOUR AVERAGE: | | | | | | | | | | | | |
|----------------------------------|-------------------------------------|---------|---------------|----|----|----|----|----|----|----|----|----|----|----|-------|
| PERIMETER OF BUILDING | 0900-0905 1200-1205 1500-1505 | Tour 1 | 20 | 20 | 20 | 20 | 21 | 21 | 20 | 19 | 19 | 20 | 23 | 23 | 20.50 |
| | | Tour 2 | 19 | 20 | 21 | 19 | 19 | 19 | 22 | 22 | 22 | 21 | 21 | 21 | 20.50 |
| | | Tour 3 | 20 | 19 | 19 | 20 | 19 | 22 | 22 | 21 | 21 | 23 | 23 | 23 | 21.00 |
| 5th FLOOR SETBACK ROOF PERIMETER | 0910-0915 1210-1215 1510-1515 | Tour 1 | 24 | 24 | 24 | 27 | 25 | 27 | 25 | 26 | 26 | 24 | 25 | 25 | 25.17 |
| | | Tour 2 | 23 | 23 | 24 | 24 | 24 | 25 | 24 | 24 | 26 | 25 | 25 | 24 | 24.25 |
| | | Tour 3 | 25 | 24 | 25 | 26 | 26 | 25 | 25 | 25 | 24 | 25 | 24 | 25 | 24.92 |
| ROOF PERIMETER | 0925-0930 1225-1230 1525-1530 | Tour 1 | 33 | 32 | 34 | 34 | 32 | 32 | 32 | 30 | 31 | 31 | 32 | 30 | 31.92 |
| | | Tour 2 | 31 | 31 | 31 | 31 | 31 | 29 | 32 | 32 | 31 | 30 | 30 | 30 | 30.75 |
| | | Tour 3 | 31 | 29 | 29 | 30 | 30 | 30 | 31 | 29 | 30 | 30 | 29 | 29 | 29.75 |

DATE: 11/8/2007

| AREA: | TIME: | Tour #: | TOUR AVERAGE: | | | | | | | | | | | | |
|----------------------------------|-------------------------------------|---------|---------------|----|----|----|----|----|----|----|----|----|----|----|-------|
| PERIMETER OF BUILDING | 0900-0905 1200-1205 1500-1505 | Tour 1 | 21 | 21 | 20 | 20 | 21 | 21 | 19 | 19 | 19 | 19 | 20 | 20 | 20.00 |
| | | Tour 2 | 19 | 19 | 19 | 19 | 20 | 20 | 21 | 20 | 19 | 19 | 20 | 20 | 19.58 |
| | | Tour 3 | 20 | 20 | 20 | 23 | 21 | 21 | 23 | 21 | 21 | 20 | 20 | 19 | 20.75 |
| 5th FLOOR SETBACK ROOF PERIMETER | 0910-0915 1210-1215 1510-1515 | Tour 1 | 24 | 25 | 24 | 25 | 25 | 24 | 24 | 26 | 26 | 25 | 25 | 24 | 24.75 |
| | | Tour 2 | 24 | 24 | 23 | 24 | 23 | 26 | 26 | 24 | 25 | 25 | 25 | 25 | 24.50 |
| | | Tour 3 | 23 | 24 | 23 | 25 | 24 | 24 | 24 | 26 | 25 | 24 | 24 | 25 | 24.25 |
| ROOF PERIMETER | 0925-0930 1225-1230 1525-1530 | Tour 1 | 31 | 31 | 30 | 30 | 29 | 31 | 33 | 34 | 33 | 32 | 30 | 31 | 31.25 |
| | | Tour 2 | 29 | 29 | 29 | 30 | 31 | 30 | 30 | 30 | 32 | 32 | 30 | 31 | 30.25 |
| | | Tour 3 | 30 | 29 | 30 | 30 | 31 | 30 | 29 | 29 | 29 | 31 | 31 | 29 | 29.83 |

DATE: 11/9/2007

| AREA: | TIME: | Tour #: | TOUR AVERAGE: | | | | | | | | | | | | |
|----------------------------------|-------------------------------------|---------|---------------|----|----|----|----|----|----|----|----|----|----|----|-------|
| PERIMETER OF BUILDING | 0900-0905 1200-1205 1500-1505 | Tour 1 | 20 | 20 | 20 | 20 | 20 | 20 | 21 | 21 | 19 | 19 | 21 | 21 | 20.17 |
| | | Tour 2 | 19 | 19 | 19 | 21 | 21 | 21 | 20 | 22 | 22 | 21 | 20 | 21 | 20.50 |
| | | Tour 3 | 21 | 19 | 19 | 22 | 22 | 22 | 20 | 20 | 19 | 19 | 19 | 19 | 20.08 |
| 5th FLOOR SETBACK ROOF PERIMETER | 0910-0915 1210-1215 1510-1515 | Tour 1 | 25 | 25 | 25 | 26 | 26 | 24 | 24 | 23 | 23 | 23 | 25 | 25 | 24.50 |
| | | Tour 2 | 23 | 23 | 24 | 23 | 23 | 25 | 25 | 24 | 25 | 25 | 25 | 26 | 24.25 |
| | | Tour 3 | 24 | 24 | 24 | 24 | 25 | 25 | 26 | 26 | 26 | 24 | 24 | 23 | 24.58 |
| ROOF PERIMETER | 0925-0930 1225-1230 1525-1530 | Tour 1 | 31 | 31 | 31 | 33 | 33 | 29 | 30 | 30 | 29 | 29 | 29 | 30 | 30.42 |
| | | Tour 2 | 29 | 30 | 30 | 30 | 29 | 29 | 31 | 31 | 30 | 30 | 31 | 31 | 30.08 |
| | | Tour 3 | 30 | 29 | 29 | 29 | 31 | 31 | 30 | 31 | 30 | 29 | 30 | 30 | 29.92 |

DATE: 11/10/2007

| AREA: | TIME: | Tour #: | TOUR AVERAGE: | | | | | | | | | | | | |
|----------------------------------|-------------------------------------|---------|---------------|----|----|----|----|----|----|----|----|----|----|----|-------|
| PERIMETER OF BUILDING | 0900-0905 1200-1205 1500-1505 | Tour 1 | 19 | 19 | 19 | 21 | 21 | 20 | 20 | 20 | 19 | 19 | 21 | 21 | 19.92 |
| | | Tour 2 | 20 | 20 | 20 | 20 | 20 | 19 | 19 | 20 | 20 | 20 | 21 | 20 | 19.92 |
| | | Tour 3 | 20 | 21 | 21 | 19 | 19 | 19 | 21 | 21 | 21 | 20 | 20 | 21 | 20.25 |
| 5th FLOOR SETBACK ROOF PERIMETER | 0910-0915 1210-1215 1510-1515 | Tour 1 | 24 | 23 | 24 | 23 | 25 | 25 | 24 | 25 | 26 | 26 | 25 | 24 | 24.50 |
| | | Tour 2 | 23 | 23 | 25 | 25 | 25 | 24 | 24 | 26 | 26 | 25 | 27 | 25 | 24.83 |
| | | Tour 3 | 24 | 24 | 24 | 24 | 23 | 23 | 24 | 25 | 25 | 24 | 26 | 26 | 24.33 |
| ROOF PERIMETER | 0925-0930 1225-1230 1525-1530 | Tour 1 | 31 | 31 | 29 | 29 | 30 | 30 | 31 | 34 | 34 | 32 | 33 | 33 | 31.42 |
| | | Tour 2 | 29 | 29 | 30 | 30 | 31 | 30 | 31 | 31 | 30 | 29 | 29 | 29 | 29.83 |
| | | Tour 3 | 30 | 30 | 30 | 31 | 29 | 29 | 33 | 33 | 33 | 33 | 31 | 31 | 30.92 |

DATE: 11/11/2007

| AREA: | TIME: | Tour #: | TOUR AVERAGE: | | | | | | | | | | | | |
|----------------------------------|-------------------------------------|---------|---------------|----|----|----|----|----|----|----|----|----|----|----|-------|
| PERIMETER OF BUILDING | 0900-0905 1200-1205 1500-1505 | Tour 1 | 20 | 20 | 20 | 19 | 19 | 20 | 20 | 20 | 21 | 20 | 19 | 20 | 19.83 |
| | | Tour 2 | 20 | 22 | 24 | 22 | 22 | 22 | 21 | 21 | 21 | 21 | 20 | 21 | 21.42 |
| | | Tour 3 | 19 | 19 | 20 | 20 | 20 | 21 | 21 | 22 | 21 | 22 | 21 | 21 | 20.58 |
| 5th FLOOR SETBACK ROOF PERIMETER | 0910-0915 1210-1215 1510-1515 | Tour 1 | 23 | 23 | 24 | 24 | 24 | 24 | 23 | 25 | 24 | 24 | 24 | 24 | 23.92 |
| | | Tour 2 | 24 | 23 | 24 | 24 | 23 | 25 | 25 | 24 | 25 | 25 | 25 | 24 | 24.25 |
| | | Tour 3 | 23 | 24 | 23 | 23 | 26 | 26 | 25 | 25 | 26 | 26 | 25 | 25 | 24.75 |
| ROOF PERIMETER | 0925-0930 1225-1230 1525-1530 | Tour 1 | 29 | 31 | 31 | 29 | 30 | 30 | 30 | 31 | 31 | 33 | 31 | 29 | 30.42 |
| | | Tour 2 | 30 | 30 | 30 | 30 | 29 | 29 | 31 | 31 | 33 | 33 | 33 | 32 | 30.92 |
| | | Tour 3 | 29 | 30 | 29 | 29 | 29 | 31 | 31 | 30 | 30 | 29 | 29 | 29 | 29.58 |

Submittal Summary - Scaffold Phase Week 28 (11/05/07 to 11/11/07)

| Lab Name | Airtek Field Sample No. | Sample Location | Collection Start Date | Project Phase | Sample Volume (m ³) | Lab Sample ID | Date Received | Date Analyzed | Analytical Method | Parameter Name | Dioxin/Furans Concentration (ng/m3) | Date Reported | Exceeds Target Air Quality Levels? | Exceeds EPA Site Specific Trigger Levels? | Comments |
|---|-------------------------|--------------------------------------|-----------------------|---------------|---------------------------------|---------------|---------------|---------------|-------------------|------------------------------------|-------------------------------------|---------------|------------------------------------|---|----------|
| Target Air Quality Levels | | | | | | | | | | | 0.00025 | | | | |
| EPA Site Specific Trigger Levels | | | | | | | | | | | 0.025 | | | | |
| STL-SAC | FH-110507-40 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070446003 | 11/07/2007 | 11/21/2007 | TO-9 | Toxicity Equivalent Quotient (TEQ) | 0.000057 | 11/28/2007 | No | No | |

Submittal Summary - Scaffold Phase Week 28 (11/05/07 to 11/11/07)

| Lab Name | Airtek Field Sample No. | Sample Location | Collection Start Date | Project Phase | Sample Volume (m ³) | Lab Sample ID | Date Received | Date Analyzed | Analytical Method | Parameter Name | PAHs Concentration (ug/m3) | Date Reported | Exceeds Target Air Quality Levels? | Exceeds EPA Site Specific Trigger Levels? | Comments |
|----------------------------------|-------------------------|--------------------------------------|-----------------------|---------------|---------------------------------|---------------|---------------|---------------|-------------------|----------------|----------------------------|---------------|------------------------------------|---|----------|
| Target Air Quality Levels | | | | | | | | | | | 0.034 | | | | |
| EPA Site Specific Trigger Levels | | | | | | | | | | | 3.4 | | | | |
| STL-SAC | FH-110507-49 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070447003 | 11/07/2007 | 11/11/2007 | 8270C SIM | BAP-equivalent | <0.007 | 11/21/2007 | No | No | |

Submittal Summary - Scaffold Phase Week 28 (11/05/07 to 11/11/07)

| Lab Name | Airtek Field Sample No. | Sample Location | Collection Start Date | Project Phase | Sample Volume (m ³) | Lab Sample ID | Date Received | Date Analyzed | Analytical Method | Parameter Name | PCBs Concentration (ug/m3) | Date Reported | Exceeds Target Air Quality Levels? | Exceeds EPA Site Specific Trigger Levels? | Comments |
|----------------------------------|-------------------------|--------------------------------------|-----------------------|---------------|---------------------------------|---------------|---------------|---------------|-------------------|----------------|----------------------------|---------------|------------------------------------|---|----------|
| Target Air Quality Levels | | | | | | | | | | | 0.12 | | | | |
| EPA Site Specific Trigger Levels | | | | | | | | | | | 12 | | | | |
| STL-SAC | FH-110507-58 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070448003 | 11/07/2007 | 11/15/2007 | TO-4 | Aroclor 1016 | <0.0021 | 11/21/2007 | No | No | |
| STL-SAC | FH-110507-58 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070448003 | 11/07/2007 | 11/15/2007 | TO-4 | Aroclor 1221 | <0.0021 | 11/21/2007 | No | No | |
| STL-SAC | FH-110507-58 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070448003 | 11/07/2007 | 11/15/2007 | TO-4 | Aroclor 1232 | <0.0021 | 11/21/2007 | No | No | |
| STL-SAC | FH-110507-58 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070448003 | 11/07/2007 | 11/15/2007 | TO-4 | Aroclor 1242 | <0.0021 | 11/21/2007 | No | No | |
| STL-SAC | FH-110507-58 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070448003 | 11/07/2007 | 11/15/2007 | TO-4 | Aroclor 1248 | <0.0021 | 11/21/2007 | No | No | |
| STL-SAC | FH-110507-58 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070448003 | 11/07/2007 | 11/15/2007 | TO-4 | Aroclor 1254 | <0.0021 | 11/21/2007 | No | No | |
| STL-SAC | FH-110507-58 | #3 - SIDEWALK BRIDGE LEVEL SE CORNER | 11/5/2007 | Scaffold | 360 | G7K070448003 | 11/07/2007 | 11/15/2007 | TO-4 | Aroclor 1260 | <0.0021 | 11/21/2007 | No | No | |