

**Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.0009				
EPA Site Specific Trigger Levels											N/A				
EMSL	FH-051407-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/14/2007	1/Scaffold	2.880	030715333-0001	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051407-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2007	1/Scaffold	2.880	030715333-0002	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051407-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/14/2007	1/Scaffold	2.880	030715333-0003	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051407-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/14/2007	1/Scaffold	2.880	030715333-0004	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051407-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/14/2007	1/Scaffold	2.880	030715333-0005	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051407-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/14/2007	1/Scaffold	2.880	030715333-0006	5/14/2007	5/15/2007	PCME	ASBESTOS	<0.00079	5/15/2007	No	No	
EMSL	FH-051507-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/15/2007	1/Scaffold	2.880	030715481-0001	5/15/2007	5/16/2007	PCME	ASBESTOS	<0.00079	5/16/2007	No	No	
EMSL	FH-051507-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2007	1/Scaffold	2.880	030715481-0002	5/15/2007	5/16/2007	PCME	ASBESTOS	<0.00079	5/16/2007	No	No	
EMSL	FH-051507-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/15/2007	1/Scaffold	2.880	030715481-0003	5/15/2007	5/16/2007	PCME	ASBESTOS	<0.00079	5/16/2007	No	No	
EMSL	FH-051507-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/15/2007	1/Scaffold	2.880	030715481-0004	5/15/2007	5/16/2007	PCME	ASBESTOS	<0.00079	5/16/2007	No	No	
EMSL	FH-051507-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/15/2007	1/Scaffold	2.880	030715481-0005	5/15/2007	5/16/2007	PCME	ASBESTOS	<0.00079	5/16/2007	No	No	
EMSL	FH-051507-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/15/2007	1/Scaffold	2.880	030715481-0006	5/15/2007	5/16/2007	PCME	ASBESTOS	<0.00079	5/16/2007	No	No	
EMSL	FH-051507-65	DUPLICATE (STATION #1)	5/15/2007	1/Scaffold	2.880	030715481-0007	5/15/2007	5/16/2007	PCME	ASBESTOS	<0.00079	5/16/2007	No	No	
EMSL	FH-051607-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/16/2007	1/Scaffold	2.880	030715640-0001	5/16/2007	5/17/2007	PCME	ASBESTOS	<0.00079	5/17/2007	No	No	
EMSL	FH-051607-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2007	1/Scaffold	2.880	030715640-0002	5/16/2007	5/17/2007	PCME	ASBESTOS	<0.00079	5/17/2007	No	No	
EMSL	FH-051607-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/16/2007	1/Scaffold	2.880	030715640-0003	5/16/2007	5/17/2007	PCME	ASBESTOS	<0.00079	5/17/2007	No	No	
EMSL	FH-051607-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/16/2007	1/Scaffold	2.880	030715640-0004	5/16/2007	5/17/2007	PCME	ASBESTOS	<0.00079	5/17/2007	No	No	
EMSL	FH-051607-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/16/2007	1/Scaffold	2.880	030715640-0005	5/16/2007	5/17/2007	PCME	ASBESTOS	<0.00079	5/17/2007	No	No	
EMSL	FH-051607-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/16/2007	1/Scaffold	2.880	030715640-0006	5/16/2007	5/17/2007	PCME	ASBESTOS	<0.00079	5/17/2007	No	No	
EMSL	FH-051707-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/17/2007	1/Scaffold	2.880	030715763-0001	5/17/2007	5/18/2007	PCME	ASBESTOS	<0.00086	5/18/2007	No	No	
EMSL	FH-051707-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/17/2007	1/Scaffold	2.880	030715763-0002	5/17/2007	5/18/2007	PCME	ASBESTOS	<0.00086	5/18/2007	No	No	
EMSL	FH-051707-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/17/2007	1/Scaffold	2.880	030715763-0003	5/17/2007	5/18/2007	PCME	ASBESTOS	<0.00086	5/18/2007	No	No	
EMSL	FH-051707-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/17/2007	1/Scaffold	2.880	030715763-0004	5/17/2007	5/18/2007	PCME	ASBESTOS	<0.00086	5/18/2007	No	No	
EMSL	FH-051707-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/17/2007	1/Scaffold	2.880	030715763-0005	5/17/2007	5/18/2007	PCME	ASBESTOS	<0.00086	5/18/2007	No	No	
EMSL	FH-051707-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/17/2007	1/Scaffold	2.880	030715763-0006	5/17/2007	5/18/2007	PCME	ASBESTOS	<0.00086	5/18/2007	No	No	
EMSL	FH-051807-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/18/2007	1/Scaffold	2.880	030715924-0001	5/18/2007	5/19/2007	PCME	ASBESTOS	<0.00086	5/20/2007	No	No	
EMSL	FH-051807-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/18/2007	1/Scaffold	2.880	030715924-0002	5/18/2007	5/19/2007	PCME	ASBESTOS	<0.00086	5/20/2007	No	No	
EMSL	FH-051807-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/18/2007	1/Scaffold	2.880	030715924-0003	5/18/2007	5/19/2007	PCME	ASBESTOS	<0.00086	5/20/2007	No	No	
EMSL	FH-051807-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/18/2007	1/Scaffold	2.880	030715924-0004	5/18/2007	5/19/2007	PCME	ASBESTOS	<0.00086	5/20/2007	No	No	
EMSL	FH-051807-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/18/2007	1/Scaffold	2.880	030715924-0005	5/18/2007	5/19/2007	PCME	ASBESTOS	<0.00086	5/20/2007	No	No	
EMSL	FH-051807-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/18/2007	1/Scaffold	2.880	030715924-0006	5/18/2007	5/19/2007	PCME	ASBESTOS	<0.00086	5/20/2007	No	No	
EMSL	FH-051907-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/19/2007	1/Scaffold	2.880	030716186-0001	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-051907-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/19/2007	1/Scaffold	2.880	030716186-0002	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-051907-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/19/2007	1/Scaffold	2.880	030716186-0003	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-051907-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/19/2007	1/Scaffold	2.880	030716186-0004	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-051907-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/19/2007	1/Scaffold	2.880	030716186-0005	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-051907-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/19/2007	1/Scaffold	2.880	030716186-0006	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052007-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/20/2007	1/Scaffold	2.880	030716187-0001	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052007-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/20/2007	1/Scaffold	2.880	030716187-0002	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052007-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/20/2007	1/Scaffold	2.880	030716187-0003	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052007-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/20/2007	1/Scaffold	2.880	030716187-0004	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052007-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/20/2007	1/Scaffold	2.880	030716187-0005	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052007-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/20/2007	1/Scaffold	2.880	030716187-0006	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	



**Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)**

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 2.5 (ug/m <sup>3</sup> )	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							<b>Target Air Quality Levels</b>	<b>40</b>		
							<b>EPA Site Specific Trigger Levels</b>	<b>65</b>		
FH-051407-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.68	No	No	
FH-051407-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.61	No	No	
FH-051407-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.83	No	No	
FH-051407-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.21	No	No	
FH-051407-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.75	No	No	
FH-051407-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/14/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.57	No	No	
FH-051407-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/14/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	18.82	No	No	
FH-051507-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.15	No	No	
FH-051507-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.88	No	No	
FH-051507-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	24.44	No	No	
FH-051507-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.79	No	No	
FH-051507-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.33	No	No	
FH-051507-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/15/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.71	No	No	
FH-051507-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/15/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	30.49	No	No	
FH-051607-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/16/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	31.62	No	No	
FH-051607-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	38.15	No	No	
FH-051607-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/16/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	29.91	No	No	
FH-051607-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/16/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	29.35	No	No	
FH-051607-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/16/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	36.37	No	No	
FH-051607-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/16/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	29.78	No	No	
FH-051607-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/16/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	33.45	No	No	
FH-051707-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/17/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.08	No	No	
FH-051707-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/17/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.23	No	No	
FH-051707-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/17/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.85	No	No	
FH-051707-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/17/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.63	No	No	
FH-051707-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/17/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.49	No	No	
FH-051707-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/17/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.39	No	No	
FH-051707-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/17/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	10.69	No	No	
FH-051807-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/18/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	5.67	No	No	
FH-051807-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/18/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.09	No	No	
FH-051807-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/18/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	22.66	No	No	
FH-051807-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/18/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.92	No	No	
FH-051807-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/18/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.72	No	No	
FH-051807-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/18/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.78	No	No	
FH-051807-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/18/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	7.59	No	No	
FH-051907-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/19/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.56	No	No	
FH-051907-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/19/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.47	No	No	
FH-051907-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/19/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.23	No	No	
FH-051907-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/19/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.87	No	No	
FH-051907-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/19/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.20	No	No	
FH-051907-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/19/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.67	No	No	
FH-051907-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/19/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	9.94	No	No	
FH-052007-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/20/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.21	No	No	
FH-052007-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/20/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.05	No	No	
FH-052007-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/20/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.24	No	No	
FH-052007-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/20/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.33	No	No	
FH-052007-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/20/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.59	No	No	
FH-052007-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/20/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.85	No	No	
FH-052007-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/20/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	13.04	No	No	

**Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)**

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m <sup>3</sup> )	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							Target Air Quality Levels			
							150			
							EPA Site Specific Trigger Levels			
							150			
FH-051407-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.72	No	No	
FH-051407-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	24.74	No	No	
FH-051407-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	28.59	No	No	
FH-051407-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.81	No	No	
FH-051407-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.06	No	No	
FH-051407-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/14/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.66	No	No	
FH-051407-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	24.83	No	No	
FH-051507-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	43.55	No	No	
FH-051507-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	48.49	No	No	
FH-051507-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	49.97	No	No	
FH-051507-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	49.35	No	No	
FH-051507-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	43.86	No	No	
FH-051507-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/15/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	53.68	No	No	
FH-051507-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	39.07	No	No	
FH-051607-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/16/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	57.58	No	No	
FH-051607-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	55.51	No	No	
FH-051607-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/16/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	58.45	No	No	
FH-051607-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/16/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	62.31	No	No	
FH-051607-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/16/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	55.18	No	No	
FH-051607-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/16/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	73.74	No	No	
FH-051607-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	38.45	No	No	
FH-051707-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/17/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	36.98	No	No	
FH-051707-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/17/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.87	No	No	
FH-051707-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/17/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.31	No	No	
FH-051707-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/17/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.56	No	No	
FH-051707-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/17/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.15	No	No	
FH-051707-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/17/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.54	No	No	
FH-051707-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/17/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	17.79	No	No	
FH-051807-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/18/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.76	No	No	
FH-051807-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/18/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.21	No	No	
FH-051807-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/18/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.03	No	No	
FH-051807-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/18/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.41	No	No	
FH-051807-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/18/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.82	No	No	
FH-051807-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/18/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.86	No	No	
FH-051807-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/18/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	11.80	No	No	
FH-051907-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/19/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	43.33	No	No	
FH-051907-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/19/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.26	No	No	
FH-051907-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/19/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.66	No	No	
FH-051907-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/19/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.03	No	No	
FH-051907-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/19/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.98	No	No	
FH-051907-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/19/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.10	No	No	
FH-051907-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/19/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	10.38	No	No	
FH-052007-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/20/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.10	No	No	
FH-052007-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/20/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.57	No	No	
FH-052007-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/20/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.58	No	No	
FH-052007-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/20/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.42	No	No	
FH-052007-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/20/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.31	No	No	
FH-052007-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/20/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	24.74	No	No	
FH-052007-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/20/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	14.24	No	No	

Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Mercury-Total Concentration (ng/m <sup>3</sup> )	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											300					
EPA Site Specific Trigger Levels											3,000					
BRL	FH-051407-11	#1 - Sidewalk bridge level NW corner	05/14/2007	Scaffold	0.56880	07BR0655-01	05/16/2007	05/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/21/2007	No	No	
BRL	FH-051407-12	#2 - Sidewalk bridge level SW corner	05/14/2007	Scaffold	0.5760	07BR0655-02	05/16/2007	05/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/21/2007	No	No	
BRL	FH-051407-13	#3 - Sidewalk bridge level SE corner	05/14/2007	Scaffold	0.5760	07BR0655-03	05/16/2007	05/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/21/2007	No	No	
BRL	FH-051407-14	#4 - Sidewalk bridge level NE corner	05/14/2007	Scaffold	0.5760	07BR0655-04	05/16/2007	05/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/21/2007	No	No	
BRL	FH-051407-15	#5 - 5th floor setback roof N side	05/14/2007	Scaffold	0.56880	07BR0655-05	05/16/2007	05/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/21/2007	No	No	
BRL	FH-051407-16	#6 - 5th floor setback roof SW side	05/14/2007	Scaffold	0.5760	07BR0655-06	05/16/2007	05/17/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/21/2007	No	No	
BRL	FH-051507-11	#1 - Sidewalk bridge level NW corner	05/15/2007	Scaffold	0.56880	07BR0668-01	05/17/2007	05/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/22/2007	No	No	
BRL	FH-051507-12	#2 - Sidewalk bridge level SW corner	05/15/2007	Scaffold	0.576	07BR0668-02	05/17/2007	05/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/22/2007	No	No	
BRL	FH-051507-13	#3 - Sidewalk bridge level SE corner	05/15/2007	Scaffold	0.576	07BR0668-03	05/17/2007	05/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/22/2007	No	No	
BRL	FH-051507-14	#4 - Sidewalk bridge level NE corner	05/15/2007	Scaffold	0.576	07BR0668-04	05/17/2007	05/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/22/2007	No	No	
BRL	FH-051507-15	#5 - 5th floor setback roof N side	05/15/2007	Scaffold	0.56880	07BR0668-05	05/17/2007	05/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/22/2007	No	No	
BRL	FH-051507-16	#6 - 5th floor setback roof SW side	05/15/2007	Scaffold	0.576	07BR0668-06	05/17/2007	05/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/22/2007	No	No	
BRL	FH-051507-66	Duplicate(Station #1)	05/15/2007	Scaffold	0.576	07BR0668-08	05/17/2007	05/18/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/22/2007	No	No	
BRL	FH-051607-11	#1 - Sidewalk bridge level NW corner	05/16/2007	Scaffold	0.56880	07BR0676-01	05/18/2007	05/21/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/23/2007	No	No	
BRL	FH-051607-12	#2 - Sidewalk bridge level SW corner	05/16/2007	Scaffold	0.5760	07BR0676-02	05/18/2007	05/21/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/23/2007	No	No	
BRL	FH-051607-13	#3 - Sidewalk bridge level SE corner	05/16/2007	Scaffold	0.5760	07BR0676-03	05/18/2007	05/21/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/23/2007	No	No	
BRL	FH-051607-14	#4 - Sidewalk bridge level NE corner	05/16/2007	Scaffold	0.5760	07BR0676-04	05/18/2007	05/21/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/23/2007	No	No	
BRL	FH-051607-15	#5 - 5th floor setback roof N side	05/16/2007	Scaffold	0.5760	07BR0676-05	05/18/2007	05/21/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/23/2007	No	No	
BRL	FH-051607-16	#6 - 5th floor setback roof SW side	05/16/2007	Scaffold	0.5760	07BR0676-06	05/18/2007	05/21/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/23/2007	No	No	
BRL	FH-051707-11	#1 - Sidewalk bridge level NW corner	05/17/2007	Scaffold	0.56160	07BR0683-01	05/19/2007	05/22/2007	EPA 324/1631	Hg	<27.0	ng/m <sup>3</sup>	05/24/2007	No	No	
BRL	FH-051707-12	#2 - Sidewalk bridge level SW corner	05/17/2007	Scaffold	0.576	07BR0683-02	05/19/2007	05/22/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/24/2007	No	No	
BRL	FH-051707-13	#3 - Sidewalk bridge level SE corner	05/17/2007	Scaffold	0.576	07BR0683-03	05/19/2007	05/22/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/24/2007	No	No	
BRL	FH-051707-14	#4 - Sidewalk bridge level NE corner	05/17/2007	Scaffold	0.576	07BR0683-04	05/19/2007	05/22/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/24/2007	No	No	
BRL	FH-051707-15	#5 - 5th floor setback roof N side	05/17/2007	Scaffold	0.56880	07BR0683-05	05/19/2007	05/22/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/24/2007	No	No	
BRL	FH-051707-16	#6 - 5th floor setback roof SW side	05/17/2007	Scaffold	0.576	07BR0683-06	05/19/2007	05/22/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/24/2007	No	No	
BRL	FH-051807-11	#1 - Sidewalk bridge level NW corner	05/18/2007	Scaffold	0.56880	07BR0684-01	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051807-12	#2 - Sidewalk bridge level SW corner	05/18/2007	Scaffold	0.576	07BR0684-02	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051807-13	#3 - Sidewalk bridge level SE corner	05/18/2007	Scaffold	0.576	07BR0684-03	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051807-14	#4 - Sidewalk bridge level NE corner	05/18/2007	Scaffold	0.576	07BR0684-04	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051807-15	#5 - 5th floor setback roof N side	05/18/2007	Scaffold	0.56880	07BR0684-05	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051807-16	#6 - 5th floor setback roof SW side	05/18/2007	Scaffold	0.576	07BR0684-06	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051907-11	#1 - Sidewalk bridge level NW corner	05/19/2007	Scaffold	0.56880	07BR0685-01	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051907-12	#2 - Sidewalk bridge level SW corner	05/19/2007	Scaffold	0.576	07BR0685-02	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051907-13	#3 - Sidewalk bridge level SE corner	05/19/2007	Scaffold	0.576	07BR0685-03	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051907-14	#4 - Sidewalk bridge level NE corner	05/19/2007	Scaffold	0.576	07BR0685-04	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051907-15	#5 - 5th floor setback roof N side	05/19/2007	Scaffold	0.576	07BR0685-05	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-051907-16	#6 - 5th floor setback roof SW side	05/19/2007	Scaffold	0.576	07BR0685-06	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-052007-11	#1 - Sidewalk bridge level NW corner	05/20/2007	Scaffold	0.56880	07BR0686-01	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-052007-12	#2 - Sidewalk bridge level SW corner	05/20/2007	Scaffold	0.576	07BR0686-02	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-052007-13	#3 - Sidewalk bridge level SE corner	05/20/2007	Scaffold	0.576	07BR0686-03	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-052007-14	#4 - Sidewalk bridge level NE corner	05/20/2007	Scaffold	0.56880	07BR0686-04	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-052007-15	#5 - 5th floor setback roof N side	05/20/2007	Scaffold	0.576	07BR0686-05	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	
BRL	FH-052007-16	#6 - 5th floor setback roof SW side	05/20/2007	Scaffold	0.576	07BR0686-06	05/22/2007	05/23/2007	EPA 324/1631	Hg	<26.0	ng/m <sup>3</sup>	05/25/2007	No	No	

**Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)**

Ohio Lumex Daily Mercury Readings

all readings are in ng/m<sup>3</sup>

Target air quality level: 300 ng/m<sup>3</sup>

USEPA site specific mercury trigger level: 3000 ng/m<sup>3</sup>

Exceedances:

None

Exceedances: None

3 Site Tours Conducted per Work Shift

**DATE: 05/14/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	30	28	28	27	28	26	27	27	28	29	29	31	28.17	
	1200-1205	Tour 2	30	30	27	26	29	28	28	26	28	31	29	30		28.50
	1500-1505	Tour 3	29	28	28	21	24	20	19	20	21	28	27	19		23.67
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	30	30	26	25	25	24	21	29	21	20	19	29	24.92	
	1210-1215	Tour 2	29	28	28	29	26	26	24	23	21	20	23	20		24.75
	1510-1515	Tour 3	31	36	28	28	27	26	26	23	28	29	30	28		28.33
ROOF PERIMETER	0925-0930	Tour 1	30	30	32	33	29	30	30	28	27	26	26	29	29.17	
	1225-1230	Tour 2	30	31	31	33	29	28	31	30	29	29	30	31		30.17
	1525-1530	Tour 3	34	31	31	31	29	30	31	28	27	27	27	29		29.58

**DATE: 05/15/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	27	27	26	21	21	19	26	25	25	26	27	27	24.75	
	1200-1205	Tour 2	26	30	28	28	27	26	26	29	30	31	29	28		28.17
	1500-1505	Tour 3	25	26	26	29	30	30	30	29	30	30	28	27		28.33
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	28	28	27	26	24	23	31	30	30	27	28	28	27.50	
	1210-1215	Tour 2	28	28	27	28	29	30	29	30	31	31	29	30		29.17
	1510-1515	Tour 3	30	29	28	28	29	30	30	31	30	29	30	30		29.50
ROOF PERIMETER	0925-0930	Tour 1	30	30	30	29	31	36	30	31	29	28	29	30	30.25	
	1225-1230	Tour 2	31	38	32	31	29	30	30	29	31	32	30	30		31.08
	1525-1530	Tour 3	30	29	29	28	27	30	31	31	36	31	30	30		30.17

**DATE: 05/16/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	29	29	27	26	27	29	30	30	29	26	26	24	27.67	
	1200-1205	Tour 2	30	30	28	28	27	26	21	19	28	26	23	23		25.75
	1500-1505	Tour 3	29	29	28	27	28	28	28	27	26	30	30	29		28.25
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	26	26	24	23	23	21	25	25	29	28	28	30	25.67	
	1210-1215	Tour 2	28	28	27	28	29	30	30	31	30	29	27	27		28.67
	1510-1515	Tour 3	28	28	28	29	31	32	32	30	30	29	28	28		29.42
ROOF PERIMETER	0925-0930	Tour 1	29	30	30	28	28	26	29	31	31	30	29	29	29.17	
	1225-1230	Tour 2	30	30	31	33	29	28	28	27	30	30	31	29		29.67
	1525-1530	Tour 3	30	31	31	36	38	37	35	30	29	29	30	30		32.17

**DATE: 05/17/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	28	27	27	26	31	30	26	30	29	28	27	27	28.00	
	1200-1205	Tour 2	27	27	26	20	21	21	21	19	20	26	26	25		23.25
	1500-1505	Tour 3	25	25	24	20	20	20	19	22	23	26	20	19		21.92
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	26	26	25	26	27	27	26	30	30	31	29	30	27.75	
	1210-1215	Tour 2	25	26	26	28	31	30	21	24	24	26	26	21		25.67
	1510-1515	Tour 3	26	26	25	21	20	20	21	22	23	24	24	23		22.92
ROOF PERIMETER	0925-0930	Tour 1	26	25	25	26	27	27	26	30	30	31	29	30	27.67	
	1225-1230	Tour 2	30	30	31	33	29	29	30	28	27	26	28	30		29.25
	1525-1530	Tour 3	31	30	30	30	28	28	29	30	31	30	29	30		29.67

**DATE: 05/18/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	28	26	26	24	25	26	28	28	27	30	31	29	27.33	
	1200-1205	Tour 2	29	28	28	29	30	25	25	23	24	23	20	24		25.67
	1500-1505	Tour 3	28	27	27	27	26	25	23	24	24	20	23	21		24.58
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	29	28	28	30	31	30	28	29	30	30	26	26	28.75	
	1210-1215	Tour 2	30	30	30	29	28	29	30	31	31	30	24	26		29.00
	1510-1515	Tour 3	29	28	28	30	30	31	29	30	31	30	29	28		29.42
ROOF PERIMETER	0925-0930	Tour 1	28	28	27	30	30	31	31	29	30	30	30	30	29.50	
	1225-1230	Tour 2	28	28	28	29	30	31	30	30	29	29	28	28		29.00
	1525-1530	Tour 3	30	30	30	30	31	33	30	29	28	28	31	31		30.08

**DATE: 05/19/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	26	26	25	21	20	21	21	21	25	26	26	27	23.75	
	1200-1205	Tour 2	29	29	26	26	26	24	20	20	20	21	20	19		23.33
	1500-1505	Tour 3	19	19	21	21	26	25	24	24	20	21	21	20		21.75
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	25	26	26	26	29	29	28	27	28	29	29	30	27.67	
	1210-1215	Tour 2	24	24	26	26	21	24	24	23	28	28	30	31		25.75
	1510-1515	Tour 3	25	25	24	23	24	24	23	26	26	30	30	30		25.83
ROOF PERIMETER	0925-0930	Tour 1	30	30	30	29	28	29	31	31	30	30	29	30	29.75	
	1225-1230	Tour 2	31	31	38	30	30	29	28	29	30	30	29	30		30.42
	1525-1530	Tour 3	28	28	27	28	29	29	30	34	33	31	30	28		29.58

**DATE: 05/20/2007**

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	25	25	24	24	23	24	25	25	26	23	24	25	24.42	
	1200-1205	Tour 2	26	26	25	24	20	20	21	20	25	26	24	23		23.33
	1500-1505	Tour 3	23	23	21	20	25	25	20	21	23	23	23	23		22.50
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	24	24	27	28	28	30	29	27	23	23	21	21	25.42	
	1210-1215	Tour 2	28	28	26	26	25	25	24	23	23	23	20	23		24.50
	1510-1515	Tour 3	28	29	29	30	30	30	31	30	29	29	30	30		29.58
ROOF PERIMETER	0925-0930	Tour 1	30	30	30	34	25	34	30	30	29	28	29	30	29.92	
	1225-1230	Tour 2	31	31	30	29	28	29	30	29	30	30	28	27		29.33
	1525-1530	Tour 3	26	26	28	29	30	30	29	30	31	30	29	26		28.67



**Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Silica-Quartz Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>												10			
<b>EPA Site Specific Trigger Levels</b>												10			
EMSL	FH-051407-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/14/2007	Scaffold	0.960	040709898-0001	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051407-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/14/2007	Scaffold	0.960	040709898-0002	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051407-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/14/2007	Scaffold	0.960	040709898-0003	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051407-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/14/2007	Scaffold	0.960	040709898-0004	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051407-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/14/2007	Scaffold	0.960	040709898-0005	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051407-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/14/2007	Scaffold	0.960	040709898-0006	05/15/2007	05/15/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/16/2007	No	No	
EMSL	FH-051507-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/15/2007	Scaffold	0.960	040710003-0001	05/16/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	6	05/18/2007	No	No	
EMSL	FH-051507-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/15/2007	Scaffold	0.960	040710003-0002	05/16/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	5	05/18/2007	No	No	
EMSL	FH-051507-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/15/2007	Scaffold	0.960	040710003-0003	05/16/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	6	05/18/2007	No	No	
EMSL	FH-051507-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/15/2007	Scaffold	0.960	040710003-0004	05/16/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	5	05/18/2007	No	No	
EMSL	FH-051507-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/15/2007	Scaffold	0.960	040710003-0005	05/16/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	15	05/18/2007	Yes	Yes	See Note 1
EMSL	FH-051507-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/15/2007	Scaffold	0.960	040710003-0006	05/16/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	10	05/18/2007	No	No	
EMSL	FH-051507-68	DUPLICATE (STATION #1)	05/15/2007	Scaffold	0.960	040710003-0008	05/16/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	10	05/18/2007	No	No	
EMSL	FH-051607-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/16/2007	Scaffold	0.960	040710105-0001	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	6	05/18/2007	No	No	
EMSL	FH-051607-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/16/2007	Scaffold	0.960	040710105-0002	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/18/2007	No	No	
EMSL	FH-051607-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/16/2007	Scaffold	0.960	040710105-0003	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/18/2007	No	No	
EMSL	FH-051607-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/16/2007	Scaffold	0.960	040710105-0004	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/18/2007	No	No	
EMSL	FH-051607-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/16/2007	Scaffold	0.960	040710105-0005	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/18/2007	No	No	
EMSL	FH-051607-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/16/2007	Scaffold	0.960	040710105-0006	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	8	05/18/2007	No	No	
EMSL	FH-051707-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/17/2007	Scaffold	0.960	040710202-0001	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051707-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/17/2007	Scaffold	0.960	040710202-0002	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051707-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/17/2007	Scaffold	0.960	040710202-0003	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051707-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/17/2007	Scaffold	0.960	040710202-0004	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051707-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/17/2007	Scaffold	0.960	040710202-0005	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051707-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/17/2007	Scaffold	0.960	040710202-0006	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051807-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/18/2007	Scaffold	0.960	040710278-0001	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051807-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/18/2007	Scaffold	0.960	040710278-0002	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051807-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/18/2007	Scaffold	0.960	040710278-0003	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051807-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/2007	Scaffold	0.960	040710278-0004	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051807-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/18/2007	Scaffold	0.960	040710278-0005	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051807-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/18/2007	Scaffold	0.960	040710278-0006	05/17/2007	05/17/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/21/2007	No	No	
EMSL	FH-051907-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/19/2007	Scaffold	0.960	040710510-0001	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-051907-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/19/2007	Scaffold	0.960	040710510-0002	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-051907-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/19/2007	Scaffold	0.960	040710510-0003	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-051907-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/19/2007	Scaffold	0.960	040710510-0004	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-051907-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/19/2007	Scaffold	0.960	040710510-0005	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-051907-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/19/2007	Scaffold	0.960	040710510-0006	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052007-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/20/2007	Scaffold	0.960	040710520-0001	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052007-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/20/2007	Scaffold	0.960	040710520-0002	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052007-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/20/2007	Scaffold	0.960	040710520-0003	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052007-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/20/2007	Scaffold	0.960	040710520-0004	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052007-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/20/2007	Scaffold	0.960	040710520-0005	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052007-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/20/2007	Scaffold	0.960	040710520-0006	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	

Note 1: Exceedance Reported to USEPA

**Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.00025				
EPA Site Specific Trigger Levels											0.025				
STL-SAC	FH-051807-41	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220332004	05/22/2007	06/01/2007	TO-9	Toxicity Equivalent Quotient (TEQ)	0.000090	06/05/2007	No	No	

**Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>											0.034				
<b>EPA Site Specific Trigger Levels</b>											3.4				
STL-SAC	FH-051807-50	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220334004	05/22/2007	05/25/2007	8270C SIM	BAP-equivalent	<0.007	06/05/2007	No	No	

**Submittal Summary - Scaffold Phase Week Three (05/14/07 to 05/20/07)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-051807-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220333004	05/22/2007	06/04/2007	TO-4	Aroclor 1016	<0.0021	06/05/2007	No	No	
STL-SAC	FH-051807-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220333004	05/22/2007	06/04/2007	TO-4	Aroclor 1221	<0.0021	06/05/2007	No	No	
STL-SAC	FH-051807-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220333004	05/22/2007	06/04/2007	TO-4	Aroclor 1232	<0.0021	06/05/2007	No	No	
STL-SAC	FH-051807-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220333004	05/22/2007	06/04/2007	TO-4	Aroclor 1242	<0.0021	06/05/2007	No	No	
STL-SAC	FH-051807-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220333004	05/22/2007	06/04/2007	TO-4	Aroclor 1248	<0.0021	06/05/2007	No	No	
STL-SAC	FH-051807-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220333004	05/22/2007	06/04/2007	TO-4	Aroclor 1254	<0.0021	06/05/2007	No	No	
STL-SAC	FH-051807-59	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/18/07	Scaffold	360	G7E220333004	05/22/2007	06/04/2007	TO-4	Aroclor 1260	<0.0021	06/05/2007	No	No	