

**Submittal Summary - Scaffold Phase Week 37 (01/07/08 to 01/13/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.0009				
EPA Site Specific Trigger Levels											N/A				
EMSL	FH-010708-01	#1- SIDEWALK BRIDGE LEVEL NW CORNER	1/7/2008	1/Scaffold	2.874	030800368-0001	1/7/2008	1/8/2008	PCME	ASBESTOS	<0.00086	1/8/2008	No	No	
EMSL	FH-010708-02	#2- SIDEWALK BRIDGE LEVEL SW CORNER	1/7/2008	1/Scaffold	2.874	030800368-0002	1/7/2008	1/8/2008	PCME	ASBESTOS	<0.00086	1/8/2008	No	No	
EMSL	FH-010708-03	#3- SIDEWALK BRIDGE LEVEL SE CORNER	1/7/2008	1/Scaffold	2.868	030800368-0003	1/7/2008	1/8/2008	PCME	ASBESTOS	<0.00086	1/8/2008	No	No	
EMSL	FH-010708-04	#4- SIDEWALK BRIDGE LEVEL NE CORNER	1/7/2008	1/Scaffold	2.874	030800368-0004	1/7/2008	1/8/2008	PCME	ASBESTOS	<0.00086	1/8/2008	No	No	
EMSL	FH-010708-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/7/2008	1/Scaffold	2.880	030800368-0005	1/7/2008	1/8/2008	PCME	ASBESTOS	<0.00086	1/8/2008	No	No	
EMSL	FH-010708-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/7/2008	1/Scaffold	2.880	030800368-0006	1/7/2008	1/8/2008	PCME	ASBESTOS	<0.00086	1/8/2008	No	No	
EMSL	FH-010708-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/7/2008	1/Scaffold	2.874	030800368-0007	1/7/2008	1/8/2008	PCME	ASBESTOS	<0.00086	1/8/2008	No	No	
EMSL	FH-010708-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/7/2008	1/Scaffold	2.874	030800368-0008	1/7/2008	1/8/2008	PCME	ASBESTOS	<0.00086	1/8/2008	No	No	
EMSL	FH-010808-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/8/2008	1/Scaffold	2.892	030800464-0001	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00085	1/9/2008	No	No	
EMSL	FH-010808-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/8/2008	1/Scaffold	2.886	030800464-0002	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00086	1/9/2008	No	No	
EMSL	FH-010808-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/8/2008	1/Scaffold	2.886	030800464-0003	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00086	1/9/2008	No	No	
EMSL	FH-010808-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/8/2008	1/Scaffold	2.892	030800464-0004	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00085	1/9/2008	No	No	
EMSL	FH-010808-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/8/2008	1/Scaffold	2.892	030800464-0005	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00085	1/9/2008	No	No	
EMSL	FH-010808-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/8/2008	1/Scaffold	2.892	030800464-0006	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00085	1/9/2008	No	No	
EMSL	FH-010808-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/8/2008	1/Scaffold	2.892	030800464-0007	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00085	1/9/2008	No	No	
EMSL	FH-010808-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/8/2008	1/Scaffold	2.898	030800464-0008	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00085	1/9/2008	No	No	
EMSL	FH-010808-65	DUPLICATE (STATION #1)	1/8/2008	1/Scaffold	2.892	030800464-0009	1/8/2008	1/9/2008	PCME	ASBESTOS	<0.00086	1/9/2008	No	No	
EMSL	FH-010908-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/9/2008	1/Scaffold	2.892	030800573-0001	1/9/2008	1/10/2008	PCME	ASBESTOS	<0.00079	1/10/2008	No	No	
EMSL	FH-010908-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/9/2008	1/Scaffold	2.886	030800573-0002	1/9/2008	1/10/2008	PCME	ASBESTOS	<0.00079	1/10/2008	No	No	
EMSL	FH-010908-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/9/2008	1/Scaffold	2.886	030800573-0003	1/9/2008	1/10/2008	PCME	ASBESTOS	<0.00079	1/10/2008	No	No	
EMSL	FH-010908-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/9/2008	1/Scaffold	2.898	030800573-0004	1/9/2008	1/10/2008	PCME	ASBESTOS	<0.00079	1/10/2008	No	No	
EMSL	FH-010908-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/9/2008	1/Scaffold	2.892	030800573-0005	1/9/2008	1/10/2008	PCME	ASBESTOS	<0.00079	1/10/2008	No	No	
EMSL	FH-010908-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/9/2008	1/Scaffold	2.892	030800573-0006	1/9/2008	1/10/2008	PCME	ASBESTOS	<0.00079	1/10/2008	No	No	
EMSL	FH-010908-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/9/2008	1/Scaffold	2.892	030800573-0007	1/9/2008	1/10/2008	PCME	ASBESTOS	<0.00079	1/10/2008	No	No	
EMSL	FH-010908-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/9/2008	1/Scaffold	2.892	030800573-0008	1/9/2008	1/10/2008	PCME	ASBESTOS	<0.00079	1/10/2008	No	No	
EMSL	FH-011008-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/10/2008	1/Scaffold	2.898	030800666-0001	1/10/2008	1/11/2008	PCME	ASBESTOS	<0.00085	1/11/2008	No	No	
EMSL	FH-011008-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/10/2008	1/Scaffold	2.886	030800666-0002	1/10/2008	1/11/2008	PCME	ASBESTOS	<0.00086	1/11/2008	No	No	
EMSL	FH-011008-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/10/2008	1/Scaffold	2.886	030800666-0003	1/10/2008	1/11/2008	PCME	ASBESTOS	<0.00086	1/11/2008	No	No	
EMSL	FH-011008-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/10/2008	1/Scaffold	2.874	030800666-0004	1/10/2008	1/11/2008	PCME	ASBESTOS	<0.00086	1/11/2008	No	No	
EMSL	FH-011008-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/10/2008	1/Scaffold	2.886	030800666-0005	1/10/2008	1/11/2008	PCME	ASBESTOS	<0.00086	1/11/2008	No	No	
EMSL	FH-011008-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/10/2008	1/Scaffold	2.892	030800666-0006	1/10/2008	1/11/2008	PCME	ASBESTOS	<0.00085	1/11/2008	No	No	
EMSL	FH-011008-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/10/2008	1/Scaffold	2.880	030800666-0007	1/10/2008	1/11/2008	PCME	ASBESTOS	<0.00086	1/11/2008	No	No	
EMSL	FH-011008-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/10/2008	1/Scaffold	2.892	030800666-0008	1/10/2008	1/11/2008	PCME	ASBESTOS	<0.00085	1/11/2008	No	No	
EMSL	FH-011108-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/11/2008	1/Scaffold	2.886	030800870-0001	1/11/2008	1/12/2008	PCME	ASBESTOS	<0.00086	1/14/2008	No	No	
EMSL	FH-011108-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/11/2008	1/Scaffold	2.886	030800870-0002	1/11/2008	1/12/2008	PCME	ASBESTOS	<0.00086	1/14/2008	No	No	
EMSL	FH-011108-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/11/2008	1/Scaffold	2.886	030800870-0003	1/11/2008	1/12/2008	PCME	ASBESTOS	<0.00086	1/14/2008	No	No	
EMSL	FH-011108-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/11/2008	1/Scaffold	2.886	030800870-0004	1/11/2008	1/12/2008	PCME	ASBESTOS	<0.00086	1/14/2008	No	No	
EMSL	FH-011108-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/11/2008	1/Scaffold	2.898	030800870-0005	1/11/2008	1/12/2008	PCME	ASBESTOS	<0.00085	1/14/2008	No	No	
EMSL	FH-011108-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/11/2008	1/Scaffold	2.892	030800870-0006	1/11/2008	1/12/2008	PCME	ASBESTOS	<0.00085	1/14/2008	No	No	
EMSL	FH-011108-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/11/2008	1/Scaffold	2.892	030800870-0007	1/11/2008	1/12/2008	PCME	ASBESTOS	<0.00085	1/14/2008	No	No	
EMSL	FH-011108-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/11/2008	1/Scaffold	2.880	030800870-0008	1/11/2008	1/12/2008	PCME	ASBESTOS	<0.00086	1/14/2008	No	No	
EMSL	FH-011208-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/12/2008	1/Scaffold	2.886	030801071-0001	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011208-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/12/2008	1/Scaffold	2.880	030801071-0002	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011208-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/12/2008	1/Scaffold	2.880	030801071-0003	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011208-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/12/2008	1/Scaffold	2.886	030801071-0004	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011208-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/12/2008	1/Scaffold	2.892	030801071-0005	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00085	1/15/2008	No	No	
EMSL	FH-011208-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/12/2008	1/Scaffold	2.892	030801071-0006	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00085	1/15/2008	No	No	
EMSL	FH-011208-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/12/2008	1/Scaffold	2.886	030801071-0007	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011208-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/12/2008	1/Scaffold	2.886	030801071-0008	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011308-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/13/2008	1/Scaffold	2.874	030801074-0001	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011308-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/13/2008	1/Scaffold	2.886	030801074-0002	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011308-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/13/2008	1/Scaffold	2.886	030801074-0003	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011308-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/13/2008	1/Scaffold	2.892	030801074-0004	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00085	1/15/2008	No	No	
EMSL	FH-011308-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/13/2008	1/Scaffold	2.892	030801074-0005	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00085	1/15/2008	No	No	
EMSL	FH-011308-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/13/2008	1/Scaffold	2.898	030801074-0006	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00085	1/15/2008	No	No	
EMSL	FH-011308-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/13/2008	1/Scaffold	2.874	030801074-0007	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00086	1/15/2008	No	No	
EMSL	FH-011308-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/13/2008	1/Scaffold	2.892	030801074-0008	1/14/2008	1/15/2008	PCME	ASBESTOS	<0.00085	1/15/2008	No	No	



**Submittal Summary - Scaffold Phase Week 37 (01/07/08 to 01/13/08)**

Airtrek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 2.5 (ug/m <sup>3</sup> )	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							40			
							65			
<b>EPA Site Specific Trigger Levels</b>										
FH-010708-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	30.74	No	No	
FH-010708-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	31.03	No	No	
FH-010708-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	38.77	No	No	
FH-010708-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	36.92	No	No	
FH-010708-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	30.34	No	No	
FH-010708-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	30.47	No	No	
FH-010708-EBAM2.5-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	39.35	No	No	
FH-010708-EBAM2.5-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	31.95	No	No	
FH-010708-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/7/2008	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	29.43	No	No	
FH-010808-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.47	No	No	
FH-010808-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.45	No	No	
FH-010808-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	34.88	No	No	
FH-010808-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.85	No	No	
FH-010808-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	20.42	No	No	
FH-010808-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.01	No	No	
FH-010808-EBAM2.5-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	29.20	No	No	
FH-010808-EBAM2.5-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	23.88	No	No	
FH-010808-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/8/2008	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	21.64	No	No	
FH-010908-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.28	No	No	
FH-010908-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.13	No	No	
FH-010908-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	24.22	No	No	
FH-010908-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.77	No	No	
FH-010908-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.44	No	No	
FH-010908-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.79	No	No	
FH-010908-EBAM2.5-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.97	No	No	
FH-010908-EBAM2.5-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.61	No	No	
FH-010908-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/9/2008	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	10.48	No	No	
FH-011008-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.58	No	No	
FH-011008-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.31	No	No	
FH-011008-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.83	No	No	
FH-011008-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.47	No	No	
FH-011008-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	29.48	No	No	
FH-011008-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.11	No	No	
FH-011008-EBAM2.5-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	35.81	No	No	
FH-011008-EBAM2.5-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.85	No	No	
FH-011008-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/10/2008	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	12.09	No	No	
FH-011108-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.88	No	No	
FH-011108-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.56	No	No	
FH-011108-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.74	No	No	
FH-011108-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	22.43	No	No	
FH-011108-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.66	No	No	
FH-011108-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.15	No	No	
FH-011108-EBAM2.5-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.48	No	No	
FH-011108-EBAM2.5-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.10	No	No	
FH-011108-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/11/2008	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	16.92	No	No	
FH-011208-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.94	No	No	
FH-011208-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.89	No	No	
FH-011208-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	3.55	No	No	
FH-011208-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.19	No	No	
FH-011208-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.22	No	No	
FH-011208-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.35	No	No	
FH-011208-EBAM2.5-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	29.97	No	No	
FH-011208-EBAM2.5-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.50	No	No	
FH-011208-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/12/2008	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	11.32	No	No	
FH-011308-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.24	No	No	
FH-011308-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.13	No	No	
FH-011308-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	3.28	No	No	
FH-011308-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	11.58	No	No	
FH-011308-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.04	No	No	
FH-011308-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.78	No	No	
FH-011308-EBAM2.5-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	27.94	No	No	
FH-011308-EBAM2.5-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.51	No	No	
FH-011308-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/13/2008	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	10.62	No	No	





**Submittal Summary - Scaffold Phase Week 37 (01/07/08 to 01/13/08)**

Ohio Lumex Daily Mercury Readings

all readings are in ng/m<sup>3</sup>

Target air quality level: 300 ng/m<sup>3</sup>

USEPA site specific mercury trigger level: 3000 ng/m<sup>3</sup>

Exceedances: None  
Exceedances: None

3 Site Tours Conducted per Work Shift

**DATE: 1/7/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	9	9	9	10	9	8	8	8	8	10	9	8	8.75	
	1200-1205	Tour 2	8	9	8	8	10	10	10	11	9	9	9	9		9.17
	1500-1505	Tour 3	10	10	10	11	10	9	10	9	10	10	10	10		9.92
5th FLOOR SETBACK	0910-0915	Tour 1	9	8	8	9	9	9	9	9	10	10	9	9	9.00	
	1210-1215	Tour 2	8	8	8	9	10	10	10	10	10	11	10	10		9.50
	1510-1515	Tour 3	11	10	10	11	11	11	10	9	9	10	9	10		10.08
ROOF PERIMETER	0925-0930	Tour 1	7	8	8	9	9	8	9	10	9	9	10	10	8.83	
	1225-1230	Tour 2	9	9	9	10	10	9	10	9	9	9	10	9		9.33
	1525-1530	Tour 3	10	10	11	9	9	10	11	11	9	9	9	10		9.83

**DATE: 1/8/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	9	10	10	11	10	10	9	9	10	10	10	10	9.83	
	1200-1205	Tour 2	11	11	11	13	11	12	12	13	13	13	14	13		12.25
	1500-1505	Tour 3	14	14	15	14	14	15	15	15	15	15	16	16		14.83
5th FLOOR SETBACK	0910-0915	Tour 1	11	9	11	11	11	10	10	9	10	10	10	9	10.08	
	1210-1215	Tour 2	12	12	12	12	12	11	11	10	12	13	12	12		11.75
	1510-1515	Tour 3	13	11	14	14	14	13	15	15	14	14	15	15		13.92
ROOF PERIMETER	0925-0930	Tour 1	9	9	9	11	11	9	11	10	11	11	11	11	10.25	
	1225-1230	Tour 2	12	13	12	13	12	12	12	12	14	12	13	14		12.58
	1525-1530	Tour 3	16	15	16	16	16	15	17	17	17	16	15	16		16.00

**DATE: 1/9/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	12	11	11	10	9	10	10	10	11	10	13	10	10.58	
	1200-1205	Tour 2	10	10	10	11	12	11	11	11	11	13	13	11		11.17
	1500-1505	Tour 3	11	11	9	9	11	11	12	14	13	13	12	11		11.42
5th FLOOR SETBACK	0910-0915	Tour 1	13	13	11	11	12	11	11	11	11	10	11	13	11.50	
	1210-1215	Tour 2	13	13	14	13	13	12	11	11	11	11	10	10		11.83
	1510-1515	Tour 3	11	11	12	12	13	13	14	13	13	13	12	11		12.33
ROOF PERIMETER	0925-0930	Tour 1	13	11	11	11	10	11	12	13	13	12	11	11	11.58	
	1225-1230	Tour 2	11	11	13	13	12	11	11	11	12	12	11	13		11.75
	1525-1530	Tour 3	13	13	12	14	11	11	10	10	10	11	10	10		11.25

**DATE: 1/10/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	15	14	14	11	11	13	13	14	14	15	10	11	12.92	
	1200-1205	Tour 2	14	14	15	15	17	15	14	14	13	13	10	11		13.75
	1500-1505	Tour 3	15	15	14	14	13	14	14	13	13	13	12	10		13.33
5th FLOOR SETBACK	0910-0915	Tour 1	13	13	13	10	10	11	10	11	12	13	13	11	11.67	
	1210-1215	Tour 2	13	13	12	12	10	9	10	10	11	12	11	10		11.08
	1510-1515	Tour 3	10	11	11	12	11	11	12	13	12	11	11	11		11.33
ROOF PERIMETER	0925-0930	Tour 1	14	13	13	12	12	13	10	10	11	12	11	11	11.83	
	1225-1230	Tour 2	11	12	12	11	12	11	11	11	13	12	11	11		11.50
	1525-1530	Tour 3	12	12	12	11	11	10	10	9	10	11	11	12		10.92

**DATE: 1/11/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	10	10	10	9	9	10	9	9	10	10	9	9	9.50	
	1200-1205	Tour 2	10	11	11	12	11	10	12	10	10	10	10	10		10.58
	1500-1505	Tour 3	11	11	10	10	9	10	10	12	13	10	10	10		10.50
5th FLOOR SETBACK	0910-0915	Tour 1	10	9	10	11	11	11	10	9	10	9	9	11	10.00	
	1210-1215	Tour 2	10	10	11	11	12	11	10	10	10	10	10	11		10.50
	1510-1515	Tour 3	10	10	11	12	13	12	10	10	12	10	10	10		10.83
ROOF PERIMETER	0925-0930	Tour 1	9	9	9	9	8	8	9	9	10	10	10	9	9.08	
	1225-1230	Tour 2	10	10	9	9	10	9	10	10	10	10	12	10		9.92
	1525-1530	Tour 3	10	10	10	11	10	11	12	10	10	12	11	10		10.58

**DATE: 1/12/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	10	10	10	9	10	9	9	11	10	10	10	10	9.83	
	1200-1205	Tour 2	11	10	10	11	11	10	10	10	10	10	9	10		10.17
	1500-1505	Tour 3	11	11	11	12	11	10	10	10	11	10	11	11		10.75
5th FLOOR SETBACK	0910-0915	Tour 1	12	10	10	10	9	9	10	9	9	10	9	10	9.75	
	1210-1215	Tour 2	11	11	10	10	11	11	10	10	10	10	10	10		10.33
	1510-1515	Tour 3	10	11	11	12	11	12	11	10	10	11	10	10		10.75
ROOF PERIMETER	0925-0930	Tour 1	10	10	10	12	11	12	10	11	12	11	12	10	11.08	
	1225-1230	Tour 2	10	10	10	11	12	11	11	12	11	12	11	10		10.92
	1525-1530	Tour 3	10	11	10	10	10	10	11	10	10	10	11	10		10.33

**DATE: 1/13/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	10	11	11	12	12	11	10	10	12	10	11	11	10.92	
	1200-1205	Tour 2	12	11	12	10	10	11	12	13	12	11	10	11		11.25
	1500-1505	Tour 3	11	12	12	11	12	11	13	10	12	11	11	11		11.42
5th FLOOR SETBACK	0910-0915	Tour 1	11	12	10	10	10	10	10	11	12	10	11	11	10.67	
	1210-1215	Tour 2	11	11	12	10	10	11	10	10	10	10	11	10		10.50
	1510-1515	Tour 3	12	11	11	12	11	11	10	11	11	10	11	10		10.92
ROOF PERIMETER	0925-0930	Tour 1	10	9	10	10	10	10	11	10	10	11	12	11	10.33	
	1225-1230	Tour 2	11	11	10	10	9	10	10	10	10	11	11	12		10.42
	1525-1530	Tour 3	11	12	11	11	11	12	11	11	11	12	11	10		11.17

Submittal Summary - Scaffold Phase Week 37 (01/07/08 to 01/13/08)

Lab Name	Field Sample ID	Sample Location	Date Collected	Project Phase	Sample Volume (m3)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Antimony Concentration (ng/m <sup>3</sup> )	Barium Concentration (ng/m <sup>3</sup> )	Beryllium Concentration (ng/m <sup>3</sup> )	Cadmium Concentration (ng/m <sup>3</sup> )	Chromium (Total) Concentration (ng/m <sup>3</sup> )	Copper Concentration (ng/m <sup>3</sup> )	Lead Concentration (ng/m <sup>3</sup> )	Manganese Concentration (ng/m <sup>3</sup> )	Nickel Concentration (ng/m <sup>3</sup> )	Zinc Concentration (ng/m <sup>3</sup> )	Unit	Flag	Qualifier	Date Reported	Exceeds Target Air Quality Level?	Exceeds EPA Site Specific Trigger Levels?	Comments						
Target Air Quality Levels										5,000	5,000	20	50	2,000	500	1,000	1,000	500	200	16,000												
EPA Site Specific Trigger Levels										14,000	14,000	200	100,000	2,000	500	1,000	1,000	500	200	16,000												
STL-SAC	PH-010708-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/7/2008	Scaffold	5.78	GBA090170001	1/9/2008	1/11/2008	6020	-34.7	-1730	-173	-173	-173	-86.7	-86.7	-86.7	-86.7	-86.7	-347	ng/m <sup>3</sup>			1/14/2008	No	No						
STL-SAC	PH-010708-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/7/2008	Scaffold	5.78	GBA090170002	1/9/2008	1/11/2008	6020	-34.6	-1730	-173	-173	-173	-86.5	-86.5	-86.5	-86.5	-86.5	-346	ng/m <sup>3</sup>			1/14/2008	No	No						
STL-SAC	PH-010708-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/7/2008	Scaffold	5.78	GBA090170003	1/9/2008	1/11/2008	6020	-34.6	-1730	-173	-173	-173	-86.5	-86.5	-86.5	-86.5	-86.5	-346	ng/m <sup>3</sup>			1/14/2008	No	No						
STL-SAC	PH-010708-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/7/2008	Scaffold	5.776	GBA090170004	1/9/2008	1/11/2008	6020	-34.7	-1730	-173	-173	-173	-86.6	-86.6	-86.6	-86.6	-86.6	-346	ng/m <sup>3</sup>			1/14/2008	No	No						
STL-SAC	PH-010708-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/7/2008	Scaffold	5.776	GBA090170005	1/9/2008	1/11/2008	6020	-34.6	-1730	-173	-173	-173	-86.6	-86.6	-86.6	-86.6	-86.6	-346	ng/m <sup>3</sup>			1/14/2008	No	No						
STL-SAC	PH-010708-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/7/2008	Scaffold	5.776	GBA090170006	1/9/2008	1/11/2008	6020	-34.6	-1730	-173	-173	-173	-86.6	-86.6	-86.6	-86.6	-86.6	-346	ng/m <sup>3</sup>			1/14/2008	No	No						
STL-SAC	PH-010708-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/7/2008	Scaffold	5.776	GBA090170007	1/9/2008	1/11/2008	6020	-34.6	-1730	-173	-173	-173	-86.6	-86.6	-86.6	-86.6	-86.6	-346	ng/m <sup>3</sup>			1/14/2008	No	No						
STL-SAC	PH-010708-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/7/2008	Scaffold	5.772	GBA090170008	1/9/2008	1/11/2008	6020	-34.6	-1730	-173	-173	-173	-86.6	-86.6	-86.6	-86.6	-86.6	-346	ng/m <sup>3</sup>			1/14/2008	No	No						
STL-SAC	PH-010808-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/8/2008	Scaffold	5.752	GBA100132001	1/10/2008	1/11/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010808-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/8/2008	Scaffold	5.752	GBA100132002	1/10/2008	1/11/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010808-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/8/2008	Scaffold	5.752	GBA100132003	1/10/2008	1/11/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010808-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/8/2008	Scaffold	5.756	GBA100132004	1/10/2008	1/11/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010808-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/8/2008	Scaffold	5.756	GBA100132005	1/10/2008	1/11/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010808-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/8/2008	Scaffold	5.756	GBA100132006	1/10/2008	1/11/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010808-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/8/2008	Scaffold	5.756	GBA100132007	1/10/2008	1/11/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010808-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/8/2008	Scaffold	5.756	GBA100132008	1/10/2008	1/11/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010808-67	DUPLICATE (STATION #1)	1/8/2008	Scaffold	5.752	GBA100132010	1/10/2008	1/11/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/15/2008	No	No						
STL-SAC	PH-010908-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/9/2008	Scaffold	5.768	GBA110173001	1/11/2008	1/14/2008	6020	-34.7	-1730	-173	-173	-173	-86.7	-86.7	-86.7	-86.7	-86.7	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-010908-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/9/2008	Scaffold	5.768	GBA110173002	1/11/2008	1/14/2008	6020	-34.7	-1730	-173	-173	-173	-86.7	-86.7	-86.7	-86.7	-86.7	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-010908-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/9/2008	Scaffold	5.768	GBA110173003	1/11/2008	1/14/2008	6020	-34.7	-1730	-173	-173	-173	-86.7	-86.7	-86.7	-86.7	-86.7	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-010908-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/9/2008	Scaffold	5.764	GBA110173004	1/11/2008	1/14/2008	6020	-34.7	-1730	-173	-173	-173	-86.7	-86.7	-86.7	-86.7	-86.7	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-010908-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/9/2008	Scaffold	5.756	GBA110173005	1/11/2008	1/14/2008	6020	-34.7	-1740	-174	-174	-174	-86.8	-86.8	-86.8	-86.8	-86.8	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-010908-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/9/2008	Scaffold	5.756	GBA110173006	1/11/2008	1/14/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-010908-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/9/2008	Scaffold	5.764	GBA110173007	1/11/2008	1/14/2008	6020	-34.7	-1730	-173	-173	-173	-86.7	-86.7	-86.7	-86.7	-86.7	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-010908-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/9/2008	Scaffold	5.76	GBA110173008	1/11/2008	1/14/2008	6020	-34.7	-1740	-174	-174	-174	-86.8	-86.8	-86.8	-86.8	-86.8	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011008-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/10/2008	Scaffold	5.752	GBA120188001	1/12/2008	1/14/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011008-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/10/2008	Scaffold	5.752	GBA120188002	1/12/2008	1/14/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011008-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/10/2008	Scaffold	5.756	GBA120188003	1/12/2008	1/14/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011008-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/10/2008	Scaffold	5.752	GBA120188004	1/12/2008	1/14/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011008-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/10/2008	Scaffold	5.748	GBA120188005	1/12/2008	1/14/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011008-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	1/10/2008	Scaffold	5.748	GBA120188006	1/12/2008	1/14/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011008-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	1/10/2008	Scaffold	5.756	GBA120188007	1/12/2008	1/14/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011008-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	1/10/2008	Scaffold	5.752	GBA120188008	1/12/2008	1/14/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/16/2008	No	No						
STL-SAC	PH-011108-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	1/11/2008	Scaffold	5.756	GBA150266001	1/15/2008	1/16/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/18/2008	No	No						
STL-SAC	PH-011108-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	1/11/2008	Scaffold	5.744	GBA150266002	1/15/2008	1/16/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/18/2008	No	No						
STL-SAC	PH-011108-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	1/11/2008	Scaffold	5.752	GBA150266003	1/15/2008	1/16/2008	6020	-34.9	-1740	-174	-174	-174	-87.2	-87.2	-87.2	-87.2	-87.2	-349	ng/m <sup>3</sup>			1/18/2008	No	No						
STL-SAC	PH-011108-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	1/11/2008	Scaffold	5.744	GBA150266004	1/15/2008	1/16/2008	6020	-34.8	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-348	ng/m <sup>3</sup>			1/18/2008	No	No						
STL-SAC	PH-011108-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	1/11/2008	Scaffold	5.756	GBA150266005	1/15/2008	1/16/2008	6020	-34.7	-1740	-174	-174	-174	-86.9	-86.9	-86.9	-86.9	-86.9	-347	ng/m <sup>3</sup>			1/18/2008	No	No						
ST																																



**Submittal Summary - Scaffold Phase Week 37 (01/07/08 to 01/13/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.00025				
EPA Site Specific Trigger Levels											0.025				
STL-SAC	FH-011208-44	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150301007	01/15/2008	01/25/2008	TO-9	Toxicity Equivalent Quotient (TEQ)	0.00011	01/29/2008	No	No	

**Submittal Summary - Scaffold Phase Week 37 (01/07/08 to 01/13/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-011208-53	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150299007	01/15/2008	01/21/2008	8270C SIM	BAP-equivalent	<0.007	01/28/2008	No	No	

**Submittal Summary - Scaffold Phase Week 37 (01/07/08 to 01/13/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>											<b>0.12</b>				
<b>EPA Site Specific Trigger Levels</b>											<b>12</b>				
STL-SAC	FH-011208-62	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150300007	01/15/2008	01/23/2008	TO-4	Aroclor 1016	<0.0021	01/28/2008	No	No	
STL-SAC	FH-011208-62	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150300007	01/15/2008	01/23/2008	TO-4	Aroclor 1221	<0.0021	01/28/2008	No	No	
STL-SAC	FH-011208-62	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150300007	01/15/2008	01/23/2008	TO-4	Aroclor 1232	<0.0021	01/28/2008	No	No	
STL-SAC	FH-011208-62	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150300007	01/15/2008	01/23/2008	TO-4	Aroclor 1242	<0.0021	01/28/2008	No	No	
STL-SAC	FH-011208-62	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150300007	01/15/2008	01/23/2008	TO-4	Aroclor 1248	<0.0021	01/28/2008	No	No	
STL-SAC	FH-011208-62	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150300007	01/15/2008	01/23/2008	TO-4	Aroclor 1254	<0.0021	01/28/2008	No	No	
STL-SAC	FH-011208-62	#7 - 5TH FL SCAFFOLD AT SE CORNER	1/12/2008	Scaffold	360	G8A150300007	01/15/2008	01/23/2008	TO-4	Aroclor 1260	<0.0021	01/28/2008	No	No	