

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
EPA Site Specific Trigger Levels											0.0009				
EPA Site Specific Trigger Levels											N/A				
EMSL	FH-052107-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/21/2007	1/Scaffold	2.880	030716191-0001	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052107-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/21/2007	1/Scaffold	2.880	030716191-0002	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052107-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/21/2007	1/Scaffold	2.880	030716191-0003	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052107-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/21/2007	1/Scaffold	2.880	030716191-0004	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052107-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/21/2007	1/Scaffold	2.880	030716191-0005	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052107-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/21/2007	1/Scaffold	2.880	030716191-0006	5/21/2007	5/22/2007	PCME	ASBESTOS	<0.00086	5/22/2007	No	No	
EMSL	FH-052207-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/22/2007	1/Scaffold	2.880	030716381-0001	5/22/2007	5/23/2007	PCME	ASBESTOS	<0.00079	5/23/2007	No	No	
EMSL	FH-052207-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/22/2007	1/Scaffold	2.880	030716381-0002	5/22/2007	5/23/2007	PCME	ASBESTOS	<0.00079	5/23/2007	No	No	
EMSL	FH-052207-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/22/2007	1/Scaffold	2.880	030716381-0003	5/22/2007	5/23/2007	PCME	ASBESTOS	<0.00079	5/23/2007	No	No	
EMSL	FH-052207-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/22/2007	1/Scaffold	2.880	030716381-0004	5/22/2007	5/23/2007	PCME	ASBESTOS	<0.00079	5/23/2007	No	No	
EMSL	FH-052207-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/22/2007	1/Scaffold	2.880	030716381-0005	5/22/2007	5/23/2007	PCME	ASBESTOS	<0.00079	5/23/2007	No	No	
EMSL	FH-052207-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/22/2007	1/Scaffold	2.880	030716381-0006	5/22/2007	5/23/2007	PCME	ASBESTOS	<0.00079	5/23/2007	No	No	
EMSL	FH-052207-65	DUPLICATE (STATION #1)	5/22/2007	1/Scaffold	2.880	030716381-0007	5/22/2007	5/23/2007	PCME	ASBESTOS	<0.00079	5/23/2007	No	No	
EMSL	FH-052307-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/23/2007	1/Scaffold	2.880	030716551-0001	5/23/2007	5/24/2007	PCME	ASBESTOS	<0.00079	5/24/2007	No	No	
EMSL	FH-052307-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/23/2007	1/Scaffold	2.880	030716551-0002	5/23/2007	5/24/2007	PCME	ASBESTOS	<0.00079	5/24/2007	No	No	
EMSL	FH-052307-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/23/2007	1/Scaffold	2.880	030716551-0003	5/23/2007	5/24/2007	PCME	ASBESTOS	<0.00079	5/24/2007	No	No	
EMSL	FH-052307-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/23/2007	1/Scaffold	2.880	030716551-0004	5/23/2007	5/24/2007	PCME	ASBESTOS	<0.00079	5/24/2007	No	No	
EMSL	FH-052307-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/23/2007	1/Scaffold	2.880	030716551-0005	5/23/2007	5/24/2007	PCME	ASBESTOS	<0.00079	5/24/2007	No	No	
EMSL	FH-052307-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/23/2007	1/Scaffold	2.880	030716551-0006	5/23/2007	5/24/2007	PCME	ASBESTOS	<0.00079	5/24/2007	No	No	
EMSL	FH-052407-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/24/2007	1/Scaffold	2.880	030716663-0001	5/24/2007	5/25/2007	PCME	ASBESTOS	<0.00086	5/25/2007	No	No	
EMSL	FH-052407-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/24/2007	1/Scaffold	2.880	030716663-0002	5/24/2007	5/25/2007	PCME	ASBESTOS	<0.00086	5/25/2007	No	No	
EMSL	FH-052407-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/24/2007	1/Scaffold	2.880	030716663-0003	5/24/2007	5/25/2007	PCME	ASBESTOS	<0.00086	5/25/2007	No	No	
EMSL	FH-052407-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/24/2007	1/Scaffold	2.880	030716663-0004	5/24/2007	5/25/2007	PCME	ASBESTOS	<0.00086	5/25/2007	No	No	
EMSL	FH-052407-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/24/2007	1/Scaffold	2.880	030716663-0005	5/24/2007	5/25/2007	PCME	ASBESTOS	<0.00086	5/25/2007	No	No	
EMSL	FH-052407-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/24/2007	1/Scaffold	2.880	030716663-0006	5/24/2007	5/25/2007	PCME	ASBESTOS	<0.00086	5/25/2007	No	No	
EMSL	FH-052507-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/25/2007	1/Scaffold	2.880	030716815-0001	5/25/2007	5/26/2007	PCME	ASBESTOS	<0.00086	5/27/2007	No	No	
EMSL	FH-052507-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/25/2007	1/Scaffold	2.880	030716815-0002	5/25/2007	5/26/2007	PCME	ASBESTOS	<0.00086	5/27/2007	No	No	
EMSL	FH-052507-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/25/2007	1/Scaffold	2.880	030716815-0003	5/25/2007	5/26/2007	PCME	ASBESTOS	<0.00086	5/27/2007	No	No	
EMSL	FH-052507-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/25/2007	1/Scaffold	2.880	030716815-0004	5/25/2007	5/26/2007	PCME	ASBESTOS	<0.00086	5/27/2007	No	No	
EMSL	FH-052507-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/25/2007	1/Scaffold	2.880	030716815-0005	5/25/2007	5/26/2007	PCME	ASBESTOS	<0.00086	5/27/2007	No	No	
EMSL	FH-052507-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/25/2007	1/Scaffold	2.880	030716815-0006	5/25/2007	5/26/2007	PCME	ASBESTOS	<0.00086	5/27/2007	No	No	
EMSL	FH-052607-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/26/2007	1/Scaffold	2.880	030717131-0001	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052607-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/26/2007	1/Scaffold	2.880	030717131-0002	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052607-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/26/2007	1/Scaffold	2.880	030717131-0003	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052607-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/26/2007	1/Scaffold	2.880	030717131-0004	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052607-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/26/2007	1/Scaffold	2.880	030717131-0005	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052607-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/26/2007	1/Scaffold	2.880	030717131-0006	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052707-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/27/2007	1/Scaffold	2.880	030717132-0001	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052707-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/27/2007	1/Scaffold	2.880	030717132-0002	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052707-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/27/2007	1/Scaffold	2.880	030717132-0003	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052707-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/27/2007	1/Scaffold	2.880	030717132-0004	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052707-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/27/2007	1/Scaffold	2.880	030717132-0005	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	
EMSL	FH-052707-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/27/2007	1/Scaffold	2.880	030717132-0006	5/29/2007	5/30/2007	PCME	ASBESTOS	<0.00086	5/31/2007	No	No	

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 2.5 (ug/m ³)	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels							40			
EPA Site Specific Trigger Levels							65			
FH-052107-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/21/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	6.40	No	No	
FH-052107-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/21/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.59	No	No	
FH-052107-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/21/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.20	No	No	
FH-052107-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/21/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.01	No	No	
FH-052107-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/21/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.53	No	No	
FH-052107-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/21/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	7.08	No	No	
FH-052107-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/21/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	11.59	No	No	
FH-052207-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/22/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	10.11	No	No	
FH-052207-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/22/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.97	No	No	
FH-052207-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/22/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.33	No	No	
FH-052207-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/22/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.55	No	No	
FH-052207-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/22/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.76	No	No	
FH-052207-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/22/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.85	No	No	
FH-052207-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/22/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	17.23	No	No	
FH-052307-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/23/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	8.53	No	No	
FH-052307-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/23/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	12.49	No	No	
FH-052307-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/23/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.38	No	No	
FH-052307-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/23/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	14.00	No	No	
FH-052307-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/23/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.35	No	No	
FH-052307-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/23/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	9.61	No	No	
FH-052307-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/23/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	14.95	No	No	
FH-052407-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/24/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	13.33	No	No	
FH-052407-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/24/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.17	No	No	
FH-052407-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/24/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	33.27	No	No	
FH-052407-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/24/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	21.73	No	No	
FH-052407-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/24/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	15.60	No	No	
FH-052407-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/24/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.17	No	No	
FH-052407-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/24/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	24.83	No	No	
FH-052507-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/25/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	23.60	No	No	
FH-052507-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/25/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	28.08	No	No	
FH-052507-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/25/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	31.78	No	No	
FH-052507-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/25/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	29.12	No	No	
FH-052507-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/25/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.78	No	No	
FH-052507-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/25/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.00	No	No	
FH-052507-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/25/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	37.34	No	No	
FH-052607-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/26/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	23.51	No	No	
FH-052607-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/26/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	26.65	No	No	
FH-052607-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/26/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	31.97	No	No	
FH-052607-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/26/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.90	No	No	
FH-052607-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/26/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.38	No	No	
FH-052607-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/26/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	25.26	No	No	
FH-052607-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/26/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	33.70	No	No	
FH-052707-EBAM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/27/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	16.77	No	No	
FH-052707-EBAM2.5-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/27/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	19.17	No	No	
FH-052707-EBAM2.5-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/27/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	23.92	No	No	
FH-052707-EBAM2.5-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/27/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	24.06	No	No	
FH-052707-EBAM2.5-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/27/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	18.32	No	No	
FH-052707-EBAM2.5-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/27/2007	1440	Particulate 2.5	Direct Real-time Readings	MetOne EBAM PM 2.5	17.66	No	No	
FH-052707-TEOM2.5-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/27/2007	1440	Particulate 2.5	Direct Real-time Readings	TEOM PM 2.5	23.97	No	No	

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m ³)	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							Target Air Quality Levels			
							150			
							EPA Site Specific Trigger Levels			
							150			
FH-052107-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/21/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.01	No	No	
FH-052107-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/21/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.23	No	No	
FH-052107-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/21/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	24.12	No	No	
FH-052107-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/21/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.99	No	No	
FH-052107-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/21/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.03	No	No	
FH-052107-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/21/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.48	No	No	
FH-052107-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/21/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	15.47	No	No	
FH-052207-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/22/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	40.51	No	No	
FH-052207-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/22/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.58	No	No	
FH-052207-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/22/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	51.36	No	No	
FH-052207-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/22/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	39.45	No	No	
FH-052207-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/22/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.87	No	No	
FH-052207-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/22/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	28.75	No	No	
FH-052207-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/22/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	24.21	No	No	
FH-052307-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/23/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	44.92	No	No	
FH-052307-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/23/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.59	No	No	
FH-052307-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/23/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	24.74	No	No	
FH-052307-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/23/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.34	No	No	
FH-052307-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/23/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.03	No	No	
FH-052307-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/23/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.33	No	No	
FH-052307-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/23/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	20.50	No	No	
FH-052407-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/24/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.77	No	No	
FH-052407-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/24/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.65	No	No	
FH-052407-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/24/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.13	No	No	
FH-052407-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/24/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	27.94	No	No	
FH-052407-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/24/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.73	No	No	
FH-052407-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/24/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.62	No	No	
FH-052407-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/24/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	27.78	No	No	
FH-052507-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/25/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	39.85	No	No	
FH-052507-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/25/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	40.02	No	No	
FH-052507-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/25/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	43.49	No	No	
FH-052507-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/25/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	41.98	No	No	
FH-052507-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/25/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.74	No	No	
FH-052507-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/25/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	38.39	No	No	
FH-052507-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/25/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	39.32	No	No	
FH-052607-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/26/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.63	No	No	
FH-052607-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/26/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.13	No	No	
FH-052607-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/26/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	47.18	No	No	
FH-052607-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/26/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.17	No	No	
FH-052607-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/26/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.43	No	No	
FH-052607-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/26/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	32.85	No	No	
FH-052607-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/26/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	30.19	No	No	
FH-052707-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/27/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	38.86	No	No	
FH-052707-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/27/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	40.99	No	No	
FH-052707-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/27/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	37.83	No	No	
FH-052707-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/27/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.15	No	No	
FH-052707-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/27/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.39	No	No	
FH-052707-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/27/2007	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.87	No	No	
FH-052707-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/27/2007	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	24.40	No	No	

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Mercury-Total Concentration (ng/m ³)	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											300					
EPA Site Specific Trigger Levels											3,000					
BRL	FH-052107-11	#1 - Sidewalk bridge level NW corner	05/21/2007	Scaffold	0.56880	07BR0700-01	05/23/2007	05/24/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/29/2007	No	No	
BRL	FH-052107-12	#2 - Sidewalk bridge level SW corner	05/21/2007	Scaffold	0.56160	07BR0700-02	05/23/2007	05/24/2007	EPA 324/1631	Hg	<27.0	ng/m ³	05/29/2007	No	No	
BRL	FH-052107-13	#3 - Sidewalk bridge level SE corner	05/21/2007	Scaffold	0.5760	07BR0700-03	05/23/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/29/2007	No	No	
BRL	FH-052107-14	#4 - Sidewalk bridge level NE corner	05/21/2007	Scaffold	0.56880	07BR0700-04	05/23/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/29/2007	No	No	
BRL	FH-052107-15	#5 - 5th floor setback roof N side	05/21/2007	Scaffold	0.56880	07BR0700-05	05/23/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/29/2007	No	No	
BRL	FH-052107-16	#6 - 5th floor setback roof SW side	05/21/2007	Scaffold	0.5760	07BR0700-06	05/23/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/29/2007	No	No	
BRL	FH-052207-11	#1 - Sidewalk bridge level NW corner	05/22/2007	Scaffold	0.5760	07BR0712-01	05/24/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/30/2007	No	No	
BRL	FH-052207-12	#2 - Sidewalk bridge level SW corner	05/22/2007	Scaffold	0.5760	07BR0712-02	05/24/2007	05/25/2007	EPA 324/1631	Hg	<27.0	ng/m ³	05/30/2007	No	No	
BRL	FH-052207-13	#3 - Sidewalk bridge level SE corner	05/22/2007	Scaffold	0.5760	07BR0712-03	05/24/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/30/2007	No	No	
BRL	FH-052207-14	#4 - Sidewalk bridge level NE corner	05/22/2007	Scaffold	0.56880	07BR0712-04	05/24/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/30/2007	No	No	
BRL	FH-052207-15	#5 - 5th floor setback roof N side	05/22/2007	Scaffold	0.56880	07BR0712-05	05/24/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/30/2007	No	No	
BRL	FH-052207-16	#6 - 5th floor setback roof SW side	05/22/2007	Scaffold	0.5760	07BR0712-06	05/24/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/30/2007	No	No	
BRL	FH-052207-66	Duplicate(Station #1)	05/22/2007	Scaffold	0.5760	07BR0712-08	05/24/2007	05/25/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/30/2007	No	No	
BRL	FH-052307-11	#1 - Sidewalk bridge level NW corner	05/23/2007	Scaffold	0.576	07BR0737-01	05/25/2007	05/28/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/31/2007	No	No	
BRL	FH-052307-12	#2 - Sidewalk bridge level SW corner	05/23/2007	Scaffold	0.576	07BR0737-02	05/25/2007	05/28/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/31/2007	No	No	
BRL	FH-052307-13	#3 - Sidewalk bridge level SE corner	05/23/2007	Scaffold	0.576	07BR0737-03	05/25/2007	05/28/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/31/2007	No	No	
BRL	FH-052307-14	#4 - Sidewalk bridge level NE corner	05/23/2007	Scaffold	0.5688	07BR0737-04	05/25/2007	05/28/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/31/2007	No	No	
BRL	FH-052307-15	#5 - 5th floor setback roof N side	05/23/2007	Scaffold	0.576	07BR0737-05	05/25/2007	05/28/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/31/2007	No	No	
BRL	FH-052307-16	#6 - 5th floor setback roof SW side	05/23/2007	Scaffold	0.576	07BR0737-06	05/25/2007	05/28/2007	EPA 324/1631	Hg	<26.0	ng/m ³	05/31/2007	No	No	
BRL	FH-052407-11	#1 - Sidewalk bridge level NW corner	05/24/2007	Scaffold	0.5760	07BR0745-01	05/29/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/01/2007	No	No	
BRL	FH-052407-12	#2 - Sidewalk bridge level SW corner	05/24/2007	Scaffold	0.56880	07BR0745-02	05/29/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/01/2007	No	No	
BRL	FH-052407-13	#3 - Sidewalk bridge level SE corner	05/24/2007	Scaffold	0.5760	07BR0745-03	05/29/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/01/2007	No	No	
BRL	FH-052407-14	#4 - Sidewalk bridge level NE corner	05/24/2007	Scaffold	0.56880	07BR0745-04	05/29/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/01/2007	No	No	
BRL	FH-052407-15	#5 - 5th floor setback roof N side	05/24/2007	Scaffold	0.5760	07BR0745-05	05/29/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/01/2007	No	No	
BRL	FH-052407-16	#6 - 5th floor setback roof SW side	05/24/2007	Scaffold	0.5760	07BR0745-06	05/29/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/01/2007	No	No	
BRL	FH-052507-11	#1 - Sidewalk bridge level NW corner	05/25/2007	Scaffold	0.5760	07BR0749-01	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052507-12	#2 - Sidewalk bridge level SW corner	05/25/2007	Scaffold	0.5760	07BR0749-02	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052507-13	#3 - Sidewalk bridge level SE corner	05/25/2007	Scaffold	0.5760	07BR0749-03	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052507-14	#4 - Sidewalk bridge level NE corner	05/25/2007	Scaffold	0.5760	07BR0749-04	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052507-15	#5 - 5th floor setback roof N side	05/25/2007	Scaffold	0.5760	07BR0749-05	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052507-16	#6 - 5th floor setback roof SW side	05/25/2007	Scaffold	0.5760	07BR0749-06	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052607-11	#1 - Sidewalk bridge level NW corner	05/26/2007	Scaffold	0.5760	07BR0750-01	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052607-12	#2 - Sidewalk bridge level SW corner	05/26/2007	Scaffold	0.5760	07BR0750-02	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052607-13	#3 - Sidewalk bridge level SE corner	05/26/2007	Scaffold	0.5760	07BR0750-03	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052607-14	#4 - Sidewalk bridge level NE corner	05/26/2007	Scaffold	0.5760	07BR0750-04	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052607-15	#5 - 5th floor setback roof N side	05/26/2007	Scaffold	0.5760	07BR0750-05	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052607-16	#6 - 5th floor setback roof SW side	05/26/2007	Scaffold	0.56160	07BR0750-06	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052707-11	#1 - Sidewalk bridge level NW corner	05/27/2007	Scaffold	0.5760	07BR0751-01	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052707-12	#2 - Sidewalk bridge level SW corner	05/27/2007	Scaffold	0.5760	07BR0751-02	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052707-13	#3 - Sidewalk bridge level SE corner	05/27/2007	Scaffold	0.5760	07BR0751-03	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052707-14	#4 - Sidewalk bridge level NE corner	05/27/2007	Scaffold	0.5760	07BR0751-04	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052707-15	#5 - 5th floor setback roof N side	05/27/2007	Scaffold	0.5760	07BR0751-05	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	
BRL	FH-052707-16	#6 - 5th floor setback roof SW side	05/27/2007	Scaffold	0.5760	07BR0751-06	05/30/2007	05/31/2007	EPA 324/1631	Hg	<26.0	ng/m ³	06/04/2007	No	No	

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Ohio Lumex Daily Mercury Readings

all readings are in ng/m³

Target air quality level: 300 ng/m³

USEPA site specific mercury trigger level: 3000 ng/m³

Exceedances: None

Exceedances: None

3 Site Tours Conducted per Work Shift

DATE: 05/21/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	28	28	26	27	25	25	25	27	26	26	26	29	26.50	
	1200-1205	Tour 2	28	28	29	29	28	26	26	28	29	30	29	28		28.17
	1500-1505	Tour 3	30	30	29	28	29	31	30	29	27	27	27	26		28.58
5th FLOOR SETBACK	0910-0915	Tour 1	30	29	29	28	29	31	30	31	29	30	30	30	29.67	
	1210-1215	Tour 2	30	31	29	28	26	26	30	30	29	30	26	26		28.42
	1510-1515	Tour 3	26	26	25	26	27	27	29	28	29	32	31	30		28.00
PERIMETER	0925-0930	Tour 1	30	36	31	30	30	29	31	30	36	38	36	31	32.33	
	1225-1230	Tour 2	30	31	31	31	36	30	29	28	29	30	31	30		30.50
	1525-1530	Tour 3	30	31	31	30	34	36	33	33	30	31	30	30		31.58

DATE: 05/22/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	26	26	25	23	25	21	20	20	26	26	25	21	23.67	
	1200-1205	Tour 2	21	21	20	23	23	23	24	26	25	26	26	27		23.75
	1500-1505	Tour 3	27	27	26	25	25	30	26	26	25	24	24	24		25.75
5th FLOOR SETBACK	0910-0915	Tour 1	28	28	29	30	30	31	26	20	24	24	21	20	25.92	
	1210-1215	Tour 2	26	26	30	31	30	30	29	28	27	28	24	24		27.75
	1510-1515	Tour 3	30	30	29	28	28	27	26	28	30	28	26	25		27.92
PERIMETER	0925-0930	Tour 1	30	30	31	31	34	30	28	28	27	26	26	30	29.25	
	1225-1230	Tour 2	29	28	28	30	29	28	27	27	26	30	30	31		28.58
	1525-1530	Tour 3	30	30	29	31	30	29	28	26	29	30	34	32		29.83

DATE: 05/23/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	26	26	23	21	20	26	25	25	21	21	20	26	23.33	
	1200-1205	Tour 2	26	26	25	26	25	24	20	19	21	26	25	24		23.92
	1500-1505	Tour 3	26	26	23	21	20	20	19	19	20	24	23	21		21.83
5th FLOOR SETBACK	0910-0915	Tour 1	28	28	29	27	27	25	26	26	29	30	30	28	27.75	
	1210-1215	Tour 2	29	27	27	26	27	26	28	28	30	30	31	30		28.25
	1510-1515	Tour 3	30	29	28	28	27	28	30	29	30	29	27	27		28.50
PERIMETER	0925-0930	Tour 1	30	30	29	32	31	30	30	29	28	29	29	30	29.75	
	1225-1230	Tour 2	30	30	28	30	31	31	30	29	27	27	30	30		29.17
	1525-1530	Tour 3	29	29	28	25	21	24	30	31	36	20	20	25		26.50

DATE: 05/24/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	28	26	26	25	26	23	21	22	20	24	26	26	24.42	
	1200-1205	Tour 2	26	26	28	27	26	26	21	22	21	20	21	26		24.17
	1500-1505	Tour 3	29	30	28	28	27	29	29	23	21	21	20	20		25.42
5th FLOOR SETBACK	0910-0915	Tour 1	29	29	30	28	27	27	26	28	26	27	27	26	27.50	
	1210-1215	Tour 2	27	27	26	29	29	30	28	28	27	26	25	25		27.25
	1510-1515	Tour 3	28	29	29	30	28	27	26	26	25	25	23	23		26.58
PERIMETER	0925-0930	Tour 1	30	30	31	30	36	30	29	28	28	27	26	29	29.50	
	1225-1230	Tour 2	30	30	36	32	30	31	29	28	26	30	30	34		30.50
	1525-1530	Tour 3	30	31	31	29	27	26	31	31	30	34	31	29		30.00

DATE: 05/25/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	26	26	23	21	20	20	19	20	19	26	24	23	22.25	
	1200-1205	Tour 2	25	25	21	20	26	23	23	20	21	20	20	22		22.17
	1500-1505	Tour 3	25	25	26	20	20	21	21	20	19	20	24	23		22.00
5th FLOOR SETBACK	0910-0915	Tour 1	28	26	26	27	28	31	30	32	31	29	30	29	28.92	
	1210-1215	Tour 2	26	26	27	29	29	30	28	28	27	26	26	25		27.42
	1510-1515	Tour 3	26	24	24	23	28	28	29	30	31	31	29	28		27.58
PERIMETER	0925-0930	Tour 1	30	30	34	34	33	28	28	29	30	31	30	29	30.50	
	1225-1230	Tour 2	30	30	31	30	28	27	28	28	29	30	30	34		29.58
	1525-1530	Tour 3	31	31	30	29	28	28	26	24	28	29	30	30		28.67

DATE: 05/26/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	25	25	24	25	26	25	28	25	25	26	25	23	25.17	
	1200-1205	Tour 2	25	26	26	27	26	26	20	24	25	25	26	26		25.17
	1500-1505	Tour 3	30	28	28	27	26	26	26	25	26	24	24	24		26.17
5th FLOOR SETBACK	0910-0915	Tour 1	28	28	29	29	30	30	34	29	28	27	26	26	28.67	
	1210-1215	Tour 2	30	29	28	28	29	34	33	30	29	28	28	29		29.58
	1510-1515	Tour 3	29	28	28	28	29	30	31	31	28	27	26	26		28.42
PERIMETER	0925-0930	Tour 1	30	30	32	34	31	29	29	30	28	26	29	29	29.75	
	1225-1230	Tour 2	31	31	36	34	30	29	29	29	31	30	29	28		30.58
	1525-1530	Tour 3	30	28	28	29	29	34	30	31	31	30	39	36		31.25

DATE: 05/27/2007

AREA:	TIME:	Tour #:													TOUR AVERAGE:	
PERIMETER OF BUILDING	0900-0905	Tour 1	30	26	26	25	23	30	27	23	21	20	20	21	24.33	
	1200-1205	Tour 2	28	27	27	26	26	26	29	30	31	28	20	21		26.58
	1500-1505	Tour 3	21	28	27	27	25	24	23	25	28	29	28	28		26.08
5th FLOOR SETBACK	0910-0915	Tour 1	26	26	26	27	26	25	23	30	28	24	25	24	25.83	
	1210-1215	Tour 2	26	26	28	28	29	26	23	24	26	26	24	23		25.75
	1510-1515	Tour 3	23	26	26	26	27	28	23	24	24	25	25	24		25.08
PERIMETER	0925-0930	Tour 1	30	30	29	31	31	30	29	29	28	27	28	29	29.25	
	1225-1230	Tour 2	30	29	29	28	29	31	31	36	30	28	29	30		30.00
	1525-1530	Tour 3	34	33	33	30	28	30	29	30	38	39	30	30		32.00

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Silica-Quartz Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels												10			
EPA Site Specific Trigger Levels												10			
EMSL	FH-052107-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/21/2007	Scaffold	0.960	040710513-0001	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052107-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/21/2007	Scaffold	0.960	040710513-0002	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052107-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/21/2007	Scaffold	0.960	040710513-0003	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052107-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/21/2007	Scaffold	0.960	040710513-0004	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052107-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/21/2007	Scaffold	0.960	040710513-0005	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052107-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/21/2007	Scaffold	0.960	040710513-0006	05/22/2007	05/22/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/23/2007	No	No	
EMSL	FH-052207-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/22/2007	Scaffold	0.960	040710619-0001	05/23/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052207-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/22/2007	Scaffold	0.960	040710619-0002	05/23/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052207-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/22/2007	Scaffold	0.960	040710619-0003	05/23/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052207-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/22/2007	Scaffold	0.960	040710619-0004	05/23/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052207-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/22/2007	Scaffold	0.960	040710619-0005	05/23/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	5	05/25/2007	No	No	
EMSL	FH-052207-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/22/2007	Scaffold	0.960	040710619-0006	05/23/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	5	05/25/2007	No	No	
EMSL	FH-052207-68	DUPLICATE (STATION 1)	05/22/2007	Scaffold	0.960	040710619-0008	05/23/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052307-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/23/2007	Scaffold	0.960	040710736-0001	01/00/1900	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052307-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/23/2007	Scaffold	0.960	040710736-0002	05/24/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052307-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/23/2007	Scaffold	0.960	040710736-0003	05/24/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052307-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/23/2007	Scaffold	0.960	040710736-0004	05/24/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052307-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/23/2007	Scaffold	0.960	040710736-0005	05/24/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/25/2007	No	No	
EMSL	FH-052307-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/23/2007	Scaffold	0.960	040710736-0006	05/24/2007	05/24/2007	NIOSH 7500 XRD	Silica-Quartz	5	05/25/2007	No	No	
EMSL	FH-052407-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/24/2007	Scaffold	0.960	040710818-0001	05/25/2007	05/25/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/29/2007	No	No	
EMSL	FH-052407-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/24/2007	Scaffold	0.960	040710818-0002	05/25/2007	05/25/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/29/2007	No	No	
EMSL	FH-052407-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/2007	Scaffold	0.960	040710818-0003	05/25/2007	05/25/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/29/2007	No	No	
EMSL	FH-052407-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/24/2007	Scaffold	0.960	040710818-0004	05/25/2007	05/25/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/29/2007	No	No	
EMSL	FH-052407-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/24/2007	Scaffold	0.960	040710818-0005	05/25/2007	05/25/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/29/2007	No	No	
EMSL	FH-052407-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/24/2007	Scaffold	0.960	040710818-0006	05/25/2007	05/25/2007	NIOSH 7500 XRD	Silica-Quartz	5	05/29/2007	No	No	
EMSL	FH-052507-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/25/2007	Scaffold	0.960	040710958-0001	05/26/2007	05/29/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/31/2007	No	No	
EMSL	FH-052507-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/25/2007	Scaffold	0.960	040710958-0002	05/26/2007	05/29/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/31/2007	No	No	
EMSL	FH-052507-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/25/2007	Scaffold	0.960	040710958-0003	05/26/2007	05/29/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/31/2007	No	No	
EMSL	FH-052507-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/25/2007	Scaffold	0.960	040710958-0004	05/26/2007	05/29/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/31/2007	No	No	
EMSL	FH-052507-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/25/2007	Scaffold	0.960	040710958-0005	05/26/2007	05/29/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/31/2007	No	No	
EMSL	FH-052507-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/25/2007	Scaffold	0.960	040710958-0006	05/26/2007	05/29/2007	NIOSH 7500 XRD	Silica-Quartz	<5	05/31/2007	No	No	
EMSL	FH-052607-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/26/2007	Scaffold	0.960	040711108-0001	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	6	06/01/2007	No	No	
EMSL	FH-052607-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/26/2007	Scaffold	0.960	040711108-0002	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052607-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/26/2007	Scaffold	0.960	040711108-0003	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052607-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/26/2007	Scaffold	0.960	040711108-0004	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052607-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/26/2007	Scaffold	0.960	040711108-0005	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052607-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/26/2007	Scaffold	0.960	040711108-0006	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052707-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	05/27/2007	Scaffold	0.960	040711106-0001	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052707-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	05/27/2007	Scaffold	0.960	040711106-0002	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052707-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/27/2007	Scaffold	0.960	040711106-0003	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052707-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	05/27/2007	Scaffold	0.960	040711106-0004	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052707-33	#5 - 5TH FL SETBACK ROOF N. SIDE	05/27/2007	Scaffold	0.960	040711106-0005	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	
EMSL	FH-052707-34	#6 - 5TH FL SETBACK ROOF SW SIDE	05/27/2007	Scaffold	0.960	040711106-0006	05/30/2007	05/31/2007	NIOSH 7500 XRD	Silica-Quartz	<5	06/01/2007	No	No	

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.00025				
EPA Site Specific Trigger Levels											0.025				
STL-SAC	FH-052407-40	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/07	Scaffold	360	G7E260198003	05/26/2007	06/11/2007	TO-9	Toxicity Equivalent Quotient (TEQ)	0.000042	06/13/2007	No	No	

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-052407-49	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/07	Scaffold	360	G7E260197003	05/26/2007	05/31/2007	8270C SIM	BAP-equivalent	<0.007	06/12/2007	No	No	

Submittal Summary - Scaffold Phase Week Four (05/21/07 to 05/27/07)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-052407-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/2007	Scaffold	360	G7E260195003	05/26/2007	06/04/2007	TO-4	Aroclor 1016	<0.0021	06/12/2007	No	No	
STL-SAC	FH-052407-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/2007	Scaffold	360	G7E260195003	05/26/2007	06/04/2007	TO-4	Aroclor 1221	<0.0021	06/12/2007	No	No	
STL-SAC	FH-052407-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/2007	Scaffold	360	G7E260195003	05/26/2007	06/04/2007	TO-4	Aroclor 1232	<0.0021	06/12/2007	No	No	
STL-SAC	FH-052407-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/2007	Scaffold	360	G7E260195003	05/26/2007	06/04/2007	TO-4	Aroclor 1242	<0.0021	06/12/2007	No	No	
STL-SAC	FH-052407-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/2007	Scaffold	360	G7E260195003	05/26/2007	06/04/2007	TO-4	Aroclor 1248	<0.0021	06/12/2007	No	No	
STL-SAC	FH-052407-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/2007	Scaffold	360	G7E260195003	05/26/2007	06/04/2007	TO-4	Aroclor 1254	<0.0021	06/12/2007	No	No	
STL-SAC	FH-052407-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	05/24/2007	Scaffold	360	G7E260195003	05/26/2007	06/04/2007	TO-4	Aroclor 1260	<0.0021	06/12/2007	No	No	