











**Submittal Summary - Scaffold Phase Week 43 (02/18/08 to 02/24/08)**

Ohio Lumex Daily Mercury Readings

all readings are in ng/m<sup>3</sup>

Target air quality level: 300 ng/m<sup>3</sup>

USEPA site specific mercury trigger level: 3000 ng/m<sup>3</sup>

Exceedances: None  
Exceedances: None

3 Site Tours Conducted per Work Shift

**DATE: 2/18/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	9	9	9	10	9	9	9	10	10	9	9	10	9.33	
	1200-1205	Tour 2	10	9	10	10	8	8	10	10	10	9	10	9		9.42
	1500-1505	Tour 3	10	10	10	9	10	9	9	10	10	9	9	9		
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	8	8	8	7	7	10	9	9	9	10	9	8	8.50	
	1210-1215	Tour 2	9	9	7	7	9	9	7	7	7	9	9	9		8.17
	1510-1515	Tour 3	10	10	10	11	10	10	10	11	11	9	10	10		
ROOF PERIMETER	0925-0930	Tour 1	9	9	8	9	9	9	13	9	9	9	9	9	9.25	
	1225-1230	Tour 2	9	10	10	10	8	8	8	8	8	8	9	10		8.83
	1525-1530	Tour 3	9	10	10	10	10	10	10	9	9	9	10	8		

**DATE: 2/19/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	9	8	8	8	9	9	7	7	7	7	8	8	7.92	
	1200-1205	Tour 2	8	8	8	9	8	8	9	9	9	8	8	7		8.25
	1500-1505	Tour 3	7	7	7	8	8	7	7	8	8	8	7	9		
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	8	8	8	8	8	9	9	9	8	8	8	8	8.25	
	1210-1215	Tour 2	7	7	7	7	8	8	7	7	7	8	8	9		7.50
	1510-1515	Tour 3	9	9	8	9	11	11	8	8	8	8	9	8		
ROOF PERIMETER	0925-0930	Tour 1	8	7	7	7	7	8	8	8	8	7	8	8	7.58	
	1225-1230	Tour 2	9	9	8	8	8	8	9	9	9	9	9	9		8.67
	1525-1530	Tour 3	8	8	7	7	7	8	8	8	8	9	8	7		

**DATE: 2/20/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	8	8	8	6	8	6	7	7	8	8	8	8	7.50	
	1200-1205	Tour 2	7	8	8	7	7	7	8	8	8	8	7	8		7.58
	1500-1505	Tour 3	7	7	7	7	7	7	8	6	6	6	6	7		
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	7	7	8	8	8	6	7	7	7	8	8	8	7.42	
	1210-1215	Tour 2	8	8	8	8	7	7	8	8	6	8	7	7		7.50
	1510-1515	Tour 3	7	8	8	7	7	8	8	6	6	7	7	8		
ROOF PERIMETER	0925-0930	Tour 1	7	8	7	7	8	8	8	8	7	7	8	7	7.50	
	1225-1230	Tour 2	6	6	6	6	8	7	8	6	6	6	8	8		6.75
	1525-1530	Tour 3	7	7	8	8	7	7	7	7	8	8	8	8		

**DATE: 2/21/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	7	7	8	7	7	8	8	8	7	7	7	8	7.42	
	1200-1205	Tour 2	8	8	8	8	8	7	7	8	8	8	7	7		7.58
	1500-1505	Tour 3	6	6	8	7	8	7	7	7	8	8	7	7		
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	7	8	7	8	7	7	7	8	8	7	7	7	7.33	
	1210-1215	Tour 2	6	6	7	7	6	8	8	8	6	6	6	7		6.75
	1510-1515	Tour 3	8	8	8	8	8	8	7	7	7	8	8	8		
ROOF PERIMETER	0925-0930	Tour 1	6	6	7	7	7	8	8	8	11	11	11	7	8.08	
	1225-1230	Tour 2	6	6	6	6	6	7	7	6	6	6	8	6		6.50
	1525-1530	Tour 3	7	7	7	8	8	6	6	7	7	7	6	6		

**DATE: 2/22/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	8	8	7	7	8	8	7	9	8	8	8	7	7.75	
	1200-1205	Tour 2	7	9	9	9	7	8	8	8	7	7	8	7		7.83
	1500-1505	Tour 3	8	8	8	7	7	8	8	7	9	9	9	9		
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	6	6	8	8	8	8	7	7	8	7	7	8	7.33	
	1210-1215	Tour 2	8	8	8	7	7	9	9	9	8	8	7	7		7.92
	1510-1515	Tour 3	7	7	7	8	8	8	7	7	7	8	8	8		
ROOF PERIMETER	0925-0930	Tour 1	9	9	9	8	8	8	8	7	7	8	8	9	8.17	
	1225-1230	Tour 2	8	8	8	7	7	7	7	7	8	8	9	8		7.67
	1525-1530	Tour 3	9	9	8	8	7	7	7	7	8	8	7	9		

**DATE: 2/23/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	9	9	8	9	8	8	9	8	9	9	9	6	8.42	
	1200-1205	Tour 2	8	8	8	8	9	9	8	8	8	8	9	8		8.25
	1500-1505	Tour 3	8	8	8	9	9	9	8	8	8	8	9	9		
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	8	7	8	7	7	8	8	8	7	7	8	8	7.58	
	1210-1215	Tour 2	9	9	9	9	8	8	7	7	7	9	9	8		8.25
	1510-1515	Tour 3	8	8	8	9	9	8	7	8	8	7	7	8		
ROOF PERIMETER	0925-0930	Tour 1	9	9	9	9	8	9	9	8	8	9	9	9	8.75	
	1225-1230	Tour 2	8	8	9	8	9	9	9	9	8	8	8	9		8.50
	1525-1530	Tour 3	9	8	8	9	9	8	8	9	9	9	8	8		

**DATE: 2/24/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	9	9	11	9	9	9	11	9	9	9	8	11	9.42	
	1200-1205	Tour 2	8	8	8	8	8	8	9	8	8	8	9	8		8.33
	1500-1505	Tour 3	9	8	9	9	9	8	11	11	11	11	11	9		
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	8	8	8	8	8	8	8	8	8	8	8	8	8.00	
	1210-1215	Tour 2	8	8	9	9	9	8	11	11	8	9	9	9		9.00
	1510-1515	Tour 3	9	9	9	8	8	9	9	10	10	10	9	10		
ROOF PERIMETER	0925-0930	Tour 1	7	8	7	8	8	7	7	7	8	9	8	8	7.67	
	1225-1230	Tour 2	8	8	9	10	9	9	8	8	9	9	9	8		8.67
	1525-1530	Tour 3	10	10	10	10	8	11	11	11	11	8	8	8		

Submittal Summary - Scaffold Phase Week 43 (02/18/08 to 02/24/08)

Lab Name	Field Sample ID	Sample Location	Date Collected	Project Phase	Sample Volume (m3)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Antimony Concentration (ng/m <sup>3</sup> )	Barium Concentration (ng/m <sup>3</sup> )	Beryllium Concentration (ng/m <sup>3</sup> )	Cadmium Concentration (ng/m <sup>3</sup> )	Chromium (Total) Concentration (ng/m <sup>3</sup> )	Copper Concentration (ng/m <sup>3</sup> )	Lead Concentration (ng/m <sup>3</sup> )	Manganese Concentration (ng/m <sup>3</sup> )	Nickel Concentration (ng/m <sup>3</sup> )	Zinc Concentration (ng/m <sup>3</sup> )	Unit	Flag	Qualifier	Date Reported	Exceeds Target Air Quality Level?	Exceeds EPA Site Specific Trigger Level?	Comments	
Target Air Quality Levels										5,000	5,000	20	10,000	5,000	500	1,000	500	200	16,000								
EPA Site Specific Trigger Levels										100,000	100,000	200	100,000	5,000	100,000	1,000	500	200	160,000								
STL-SAC	PH-021808-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	2/18/2008	Scaffold	5.72	GB8200321001	2/20/2008	2/21/2008	6020	-34.6	-1730	-173	-17.3	-173	-104	-17.3	-17.3	-17.3	-17.3	-346	ng/m <sup>3</sup>			2/25/2008	No	No	
STL-SAC	PH-021808-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	2/18/2008	Scaffold	5.8	GB8200321002	2/20/2008	2/21/2008	6020	-34.5	-1720	-172	-17.2	-172	-104	-17.2	-17.2	-17.2	-17.2	-345	ng/m <sup>3</sup>			2/25/2008	No	No	
STL-SAC	PH-021808-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/18/2008	Scaffold	5.8	GB8200321003	2/20/2008	2/21/2008	6020	-34.5	-1720	-172	-17.2	-172	-104	-17.2	-17.2	-17.2	-17.2	-345	ng/m <sup>3</sup>			2/25/2008	No	No	
STL-SAC	PH-021808-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	2/18/2008	Scaffold	5.812	GB8200321004	2/20/2008	2/21/2008	6020	-34.4	-1720	-172	-17.2	-172	-104	-17.2	-17.2	-17.2	-17.2	-344	ng/m <sup>3</sup>			2/25/2008	No	No	
STL-SAC	PH-021808-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	2/18/2008	Scaffold	5.808	GB8200321005	2/20/2008	2/21/2008	6020	-34.4	-1720	-172	-17.2	-172	-104	-17.2	-17.2	-17.2	-17.2	-344	ng/m <sup>3</sup>			2/25/2008	No	No	
STL-SAC	PH-021808-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	2/18/2008	Scaffold	5.808	GB8200321006	2/20/2008	2/21/2008	6020	-34.4	-1720	-172	-17.2	-172	-104	-17.2	-17.2	-17.2	-17.2	-344	ng/m <sup>3</sup>			2/25/2008	No	No	
STL-SAC	PH-021808-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	2/18/2008	Scaffold	5.808	GB8200321007	2/20/2008	2/21/2008	6020	-34.4	-1720	-172	-17.2	-172	-104	-17.2	-17.2	-17.2	-17.2	-344	ng/m <sup>3</sup>			2/25/2008	No	No	
STL-SAC	PH-021808-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	2/18/2008	Scaffold	5.8	GB8200321008	2/20/2008	2/21/2008	6020	-34.5	-1720	-172	-17.2	-172	-104	-17.2	-17.2	-17.2	-17.2	-345	ng/m <sup>3</sup>			2/25/2008	No	No	
STL-SAC	PH-021908-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	2/19/2008	Scaffold	5.752	GB8220164001	2/22/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-021908-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	2/19/2008	Scaffold	5.752	GB8220164002	2/22/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-021908-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/19/2008	Scaffold	5.76	GB8220164003	2/22/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-021908-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	2/19/2008	Scaffold	5.758	GB8220164004	2/22/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-021908-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	2/19/2008	Scaffold	5.764	GB8220164005	2/22/2008	2/26/2008	6020	-34.7	-1730	-173	-17.3	-173	-104	-17.3	-17.3	-17.3	-17.3	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-021908-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	2/19/2008	Scaffold	5.768	GB8220164006	2/22/2008	2/26/2008	6020	-34.7	-1730	-173	-17.3	-173	-104	-17.3	-17.3	-17.3	-17.3	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-021908-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	2/19/2008	Scaffold	5.752	GB8220164007	2/22/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-021908-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	2/19/2008	Scaffold	5.76	GB8220164008	2/22/2008	2/26/2008	6020	-34.6	-1730	-173	-17.3	-173	-104	-17.3	-17.3	-17.3	-17.3	-346	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-021908-67	DUPLICATE (STATION #1)	2/19/2008	Scaffold	5.748	GB8220164010	2/22/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022008-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	2/20/2008	Scaffold	5.764	GB8220163001	2/22/2008	2/26/2008	6020	-34.7	-1730	-173	-17.3	-173	-104	-17.3	-17.3	-17.3	-17.3	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022008-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	2/20/2008	Scaffold	5.752	GB8220163002	2/22/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022008-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/20/2008	Scaffold	5.756	GB8220163003	2/22/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022008-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	2/20/2008	Scaffold	5.756	GB8220163004	2/22/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022008-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	2/20/2008	Scaffold	5.756	GB8220163005	2/22/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022008-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	2/20/2008	Scaffold	5.756	GB8220163006	2/22/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022008-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	2/20/2008	Scaffold	5.756	GB8220163007	2/22/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022008-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	2/20/2008	Scaffold	5.756	GB8220163008	2/22/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022108-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	2/21/2008	Scaffold	5.756	GB8230148001	2/23/2008	2/26/2008	6020	-34.7	-1740	-174	-17.4	-174	198	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022108-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	2/21/2008	Scaffold	5.752	GB8230148002	2/23/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022108-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/21/2008	Scaffold	5.748	GB8230148003	2/23/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	236	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022108-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	2/21/2008	Scaffold	5.748	GB8230148004	2/23/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022108-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	2/21/2008	Scaffold	5.744	GB8230148005	2/23/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022108-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	2/21/2008	Scaffold	5.744	GB8230148006	2/23/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022108-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	2/21/2008	Scaffold	5.748	GB8230148007	2/23/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022108-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	2/21/2008	Scaffold	5.744	GB8230148008	2/23/2008	2/26/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/27/2008	No	No	
STL-SAC	PH-022208-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	2/22/2008	Scaffold	5.756	GB8260156001	2/26/2008	2/28/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/29/2008	No	No	
STL-SAC	PH-022208-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	2/22/2008	Scaffold	5.756	GB8260156002	2/26/2008	2/28/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/29/2008	No	No	
STL-SAC	PH-022208-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/22/2008	Scaffold	5.756	GB8260156003	2/26/2008	2/28/2008	6020	-34.7	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-347	ng/m <sup>3</sup>			2/29/2008	No	No	
STL-SAC	PH-022208-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	2/22/2008	Scaffold	5.752	GB8260156004	2/26/2008	2/28/2008	6020	-34.8	-1740	-174	-17.4	-174	214	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/29/2008	No	No	
STL-SAC	PH-022208-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	2/22/2008	Scaffold	5.752	GB8260156005	2/26/2008	2/28/2008	6020	-34.8	-1740	-174	-17.4	-174	-104	-17.4	-17.4	-17.4	-17.4	-348	ng/m <sup>3</sup>			2/29/2008	No	No	
STL-SAC	PH-022208-																										



**Submittal Summary - Scaffold Phase Week 43 (02/18/08 to 02/24/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>											0.00025				
<b>EPA Site Specific Trigger Levels</b>											0.025				
STL-SAC	FH-022408-40	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260270003	02/26/2008	03/05/2008	TO-9	Toxicity Equivalent Quotient (TEQ)	0.000051	03/10/2008	No	No	

**Submittal Summary - Scaffold Phase Week 43 (02/18/08 to 02/24/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>											0.034				
<b>EPA Site Specific Trigger Levels</b>											3.4				
STL-SAC	FH-022408-49	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260274003	02/26/2008	03/03/2008	8270C SIM	BAP-equivalent	<0.007	03/10/2008	No	No	

**Submittal Summary - Scaffold Phase Week 43 (02/18/08 to 02/24/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-022408-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260278003	02/26/2008	03/03/2008	TO-4	Aroclor 1016	<0.0021	03/10/2008	No	No	
STL-SAC	FH-022408-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260278003	02/26/2008	03/03/2008	TO-4	Aroclor 1221	<0.0021	03/10/2008	No	No	
STL-SAC	FH-022408-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260278003	02/26/2008	03/03/2008	TO-4	Aroclor 1232	<0.0021	03/10/2008	No	No	
STL-SAC	FH-022408-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260278003	02/26/2008	03/03/2008	TO-4	Aroclor 1242	<0.0021	03/10/2008	No	No	
STL-SAC	FH-022408-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260278003	02/26/2008	03/03/2008	TO-4	Aroclor 1248	<0.0021	03/10/2008	No	No	
STL-SAC	FH-022408-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260278003	02/26/2008	03/03/2008	TO-4	Aroclor 1254	<0.0021	03/10/2008	No	No	
STL-SAC	FH-022408-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	2/24/2008	Scaffold	360	G8B260278003	02/26/2008	03/03/2008	TO-4	Aroclor 1260	<0.0021	03/10/2008	No	No	