

Submittal Summary - Remediation Phase Week 47 (03/17/08 to 03/23/08)

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m ³)	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							150			
							150			
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
FH-031708-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	8.42	No	No	
FH-031708-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	9.18	No	No	
FH-031708-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.42	No	No	
FH-031708-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	8.72	No	No	
FH-031708-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	7.08	No	No	
FH-031708-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	11.03	No	No	
FH-031708-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	11.24	No	No	
FH-031708-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	8.07	No	No	
FH-031708-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/17/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	11.09	No	No	
FH-031808-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	10.94	No	No	
FH-031808-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.96	No	No	
FH-031808-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.57	No	No	
FH-031808-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.90	No	No	
FH-031808-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.15	No	No	
FH-031808-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.54	No	No	
FH-031808-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.03	No	No	
FH-031808-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.86	No	No	
FH-031808-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/18/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	18.06	No	No	
FH-031908-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/19/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	7.56	No	No	
FH-031908-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/19/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	54.99	No	No	
FH-031908-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/19/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	55.17	No	No	
FH-031908-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/19/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	62.14	No	No	
FH-031908-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/19/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	49.88	No	No	
FH-031908-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/19/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	70.02	No	No	
FH-031908-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/19/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.21	No	No	
FH-031908-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/19/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.55	No	No	
FH-031908-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/19/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	20.11	No	No	
FH-032008-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/20/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.66	No	No	
FH-032008-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/20/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.12	No	No	
FH-032008-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/20/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	24.84	No	No	
FH-032008-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/20/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.15	No	No	
FH-032008-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/20/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.52	No	No	
FH-032008-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/20/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.42	No	No	
FH-032008-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/20/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.33	No	No	
FH-032008-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/20/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.61	No	No	
FH-032008-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/20/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	18.87	No	No	
FH-032108-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/21/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.85	No	No	
FH-032108-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/21/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.62	No	No	
FH-032108-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/21/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.11	No	No	
FH-032108-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/21/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.13	No	No	
FH-032108-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/21/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	8.67	No	No	
FH-032108-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/21/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	10.35	No	No	
FH-032108-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/21/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.16	No	No	
FH-032108-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/21/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	8.72	No	No	
FH-032108-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/21/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	15.32	No	No	
FH-032208-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/22/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	2.72	No	No	
FH-032208-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/22/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	6.60	No	No	
FH-032208-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/22/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	7.86	No	No	
FH-032208-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/22/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	10.03	No	No	
FH-032208-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/22/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	6.31	No	No	
FH-032208-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/22/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	9.83	No	No	
FH-032208-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/22/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	9.56	No	No	
FH-032208-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/22/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	6.72	No	No	
FH-032208-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/22/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	11.49	No	No	
FH-032308-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/23/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	3.48	No	No	
FH-032308-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/23/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	6.51	No	No	
FH-032308-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/23/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	8.87	No	No	
FH-032308-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/23/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	5.74	No	No	
FH-032308-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/23/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	5.13	No	No	
FH-032308-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/23/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	7.19	No	No	
FH-032308-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/23/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	8.40	No	No	
FH-032308-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/23/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	6.28	No	No	
FH-032308-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/23/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	9.79	No	No	

Submittal Summary - Remediation Phase Week 47 (03/17/08 to 03/23/08)

Ohio Lumex Daily Mercury Readings

all readings are in ng/m³

Target air quality level: 300 ng/m³

USEPA site specific mercury trigger level: 3000 ng/m³

Exceedances: None

Exceedances: None

3 Site Tours Conducted per Work Shift

DATE: 3/17/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	8	9	9	10	9	9	9	10	10	10	9	9	9.25	
	1200-1205	Tour 2	9	10	10	10	10	11	12	11	11	12	11	10		10.58
	1500-1505	Tour 3	11	12	11	11	13	11	10	11	12	12	11	11		
5th FLOOR SETBACK	0910-0915	Tour 1	9	9	10	9	10	10	10	11	10	9	10	9	9.67	
	1210-1215	Tour 2	12	11	11	10	11	12	12	13	11	11	12	10		11.33
	1510-1515	Tour 3	11	12	12	11	11	13	13	14	11	11	12	11		
ROOF PERIMETER	0925-0930	Tour 1	10	9	9	9	10	11	11	10	9	10	9	9	9.67	
	1225-1230	Tour 2	12	11	11	10	11	10	11	12	11	11	12	11		11.08
	1525-1530	Tour 3	11	12	11	13	12	11	11	11	11	11	12	11		

DATE: 3/18/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	9	8	8	9	10	10	9	10	10	11	10	10	9.50	
	1200-1205	Tour 2	10	10	11	10	11	10	9	10	11	12	11	11		10.50
	1500-1505	Tour 3	10	11	11	12	11	11	12	13	12	11	11	11		
5th FLOOR SETBACK	0910-0915	Tour 1	10	10	9	10	11	11	10	9	9	8	10	10	9.75	
	1210-1215	Tour 2	10	10	11	10	10	11	11	11	12	11	11	12		10.83
	1510-1515	Tour 3	10	13	13	10	12	12	10	10	10	12	11	12		
ROOF PERIMETER	0925-0930	Tour 1	10	11	11	12	11	12	11	11	10	10	10	9	10.67	
	1225-1230	Tour 2	10	10	11	11	12	13	12	12	11	11	10	11		11.17
	1525-1530	Tour 3	11	11	12	11	11	10	10	11	12	11	11	11		

DATE: 3/19/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	11	11	10	12	10	10	10	11	10	12	13	11	10.92	
	1200-1205	Tour 2	10	10	11	10	10	11	9	9	11	12	11	11		10.42
	1500-1505	Tour 3	11	12	11	12	12	13	12	10	10	10	11	11		
5th FLOOR SETBACK	0910-0915	Tour 1	10	10	11	12	11	12	13	13	13	12	13	11	11.75	
	1210-1215	Tour 2	11	10	10	10	11	11	11	13	13	11	13	12		11.33
	1510-1515	Tour 3	12	12	12	13	13	11	10	10	11	10	10	11		
ROOF PERIMETER	0925-0930	Tour 1	10	10	12	10	10	9	10	12	12	11	11	10	10.58	
	1225-1230	Tour 2	11	12	13	12	11	11	11	10	10	10	9	10		10.83
	1525-1530	Tour 3	9	9	12	11	10	11	10	12	12	12	12	12		

DATE: 3/20/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	11	10	11	11	12	11	11	10	10	10	10	11	10.67	
	1200-1205	Tour 2	11	10	11	12	12	13	11	11	13	11	11	11		11.50
	1500-1505	Tour 3	12	12	12	13	12	12	11	11	12	13	12	11		
5th FLOOR SETBACK	0910-0915	Tour 1	11	12	10	10	11	11	11	12	11	11	10	11	10.92	
	1210-1215	Tour 2	11	11	10	10	10	10	12	12	13	12	11	11		11.08
	1510-1515	Tour 3	12	12	11	13	13	13	11	13	14	13	13	12		
ROOF PERIMETER	0925-0930	Tour 1	12	11	11	10	10	10	9	10	9	9	10	10	10.08	
	1225-1230	Tour 2	12	11	11	11	11	12	13	11	11	11	12	11		11.42
	1525-1530	Tour 3	12	12	11	12	13	12	13	13	12	12	13	11		

DATE: 3/21/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	9	9	9	10	10	9	9	11	11	9	8	8	9.33	
	1200-1205	Tour 2	8	8	10	10	9	9	9	9	10	10	9	9		9.17
	1500-1505	Tour 3	10	10	9	9	9	8	8	8	8	9	10	10		
5th FLOOR SETBACK	0910-0915	Tour 1	8	10	10	11	10	10	9	9	9	9	10	8	9.42	
	1210-1215	Tour 2	9	9	9	9	9	10	10	11	11	11	8	9		9.58
	1510-1515	Tour 3	11	11	11	10	9	10	10	10	10	8	8	9		
ROOF PERIMETER	0925-0930	Tour 1	8	6	9	9	8	8	8	8	11	11	8	9	8.58	
	1225-1230	Tour 2	9	10	10	9	9	9	11	11	8	8	10	9		9.42
	1525-1530	Tour 3	8	8	11	8	8	10	10	9	9	11	9	10		

DATE: 3/22/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	10	11	11	12	11	11	11	10	11	12	12	11	11.08	
	1200-1205	Tour 2	11	11	12	13	11	11	11	10	10	11	10	11		11.00
	1500-1505	Tour 3	11	9	9	10	10	11	11	11	11	10	11	11		
5th FLOOR SETBACK	0910-0915	Tour 1	10	9	9	10	10	9	10	10	10	11	11	10	9.92	
	1210-1215	Tour 2	10	9	9	10	11	11	11	12	11	10	10	10		10.33
	1510-1515	Tour 3	10	10	11	11	11	12	11	11	12	12	11	12		
ROOF PERIMETER	0925-0930	Tour 1	11	11	12	11	10	10	10	10	11	11	12	11	10.83	
	1225-1230	Tour 2	12	11	10	10	9	10	9	9	10	10	11	11		10.17
	1525-1530	Tour 3	12	11	11	11	10	11	10	10	10	9	9	10		

DATE: 3/23/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:													
PERIMETER OF BUILDING	0900-0905	Tour 1	11	11	12	11	11	10	9	10	9	10	11	11	10.50	
	1200-1205	Tour 2	11	10	10	10	11	10	9	9	9	9	10	10		9.83
	1500-1505	Tour 3	11	11	12	12	13	11	11	11	12	11	11	11		
5th FLOOR SETBACK	0910-0915	Tour 1	10	10	10	10	11	10	11	11	12	10	11	11	10.58	
	1210-1215	Tour 2	10	11	11	10	10	9	10	9	10	10	9	9		9.83
	1510-1515	Tour 3	11	11	12	11	11	9	9	10	9	9	9	9		
ROOF PERIMETER	0925-0930	Tour 1	10	10	10	11	12	11	11	12	10	10	9	10	10.50	
	1225-1230	Tour 2	11	11	12	11	13	12	11	12	11	11	10	10		11.25
	1525-1530	Tour 3	10	10	13	13	11	12	12	11	12	11	12	11		

Submittal Summary - Remediation Phase Week 47 (03/17/08 to 03/23/08)

Lab Name	Field Sample ID	Sample Location	Date Collected	Project Phase	Sample Volume (mL)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Antimony Concentration (µg/m ³)	Barium Concentration (µg/m ³)	Beryllium Concentration (µg/m ³)	Cadmium Concentration (µg/m ³)	Chromium (Total) Concentration (µg/m ³)	Copper Concentration (µg/m ³)	Lead Concentration (µg/m ³)	Manganese Concentration (µg/m ³)	Nickel Concentration (µg/m ³)	Zinc Concentration (µg/m ³)	Unit	Flag	Qualifier	Date Reported	Exceeds Target Air Quality Level?	Exceeds EPA Site Specific Trigger Level?	Comments					
Target Air Quality Levels										5,000	5,000	20	50	2,000	500	1,000	500	200	16,000												
EPA Site Specific Trigger Levels										14,000	14,000	200	10,000	10,000	10,000	10,000	10,000	10,000	10,000												
STL-SAC	PH-031708-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/17/2008	Remediation	5.756	GR0190210001	3/19/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/24/2008	No	No					
STL-SAC	PH-031708-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/17/2008	Remediation	5.756	GR0190210002	3/19/2008	3/21/2008	6020	-34.7	-1740	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/24/2008	No	No				
STL-SAC	PH-031708-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/17/2008	Remediation	5.772	GR0190210003	3/19/2008	3/21/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/24/2008	No	No				
STL-SAC	PH-031708-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/17/2008	Remediation	5.772	GR0190210004	3/19/2008	3/21/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/24/2008	No	No				
STL-SAC	PH-031708-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/17/2008	Remediation	5.772	GR0190210005	3/19/2008	3/21/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/24/2008	No	No				
STL-SAC	PH-031708-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/17/2008	Remediation	5.772	GR0190210006	3/19/2008	3/21/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/24/2008	No	No				
STL-SAC	PH-031708-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/17/2008	Remediation	5.772	GR0190210007	3/19/2008	3/21/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/24/2008	No	No				
STL-SAC	PH-031708-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/17/2008	Remediation	5.776	GR0190210008	3/19/2008	3/21/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/24/2008	No	No				
STL-SAC	PH-031808-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/18/2008	Remediation	5.764	GR0200165001	3/20/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031808-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/18/2008	Remediation	5.768	GR0200165002	3/20/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031808-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/18/2008	Remediation	5.768	GR0200165003	3/20/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031808-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/18/2008	Remediation	5.756	GR0200165004	3/20/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031808-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/18/2008	Remediation	5.756	GR0200165005	3/20/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031808-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/18/2008	Remediation	5.756	GR0200165006	3/20/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031808-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/18/2008	Remediation	5.764	GR0200165007	3/20/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031808-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/18/2008	Remediation	5.764	GR0200165008	3/20/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031808-67	DUPLICATE (STATION #1)	3/18/2008	Remediation	5.764	GR0200165010	3/20/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/25/2008	No	No				
STL-SAC	PH-031908-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/19/2008	Remediation	5.756	GR0210199001	3/21/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-031908-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/19/2008	Remediation	5.756	GR0210199002	3/21/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-031908-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/19/2008	Remediation	5.756	GR0210199003	3/21/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-031908-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/19/2008	Remediation	5.764	GR0210199004	3/21/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-031908-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/19/2008	Remediation	5.756	GR0210199005	3/21/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-031908-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/19/2008	Remediation	5.764	GR0210199006	3/21/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-031908-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/19/2008	Remediation	5.756	GR0210199007	3/21/2008	3/21/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-031908-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/19/2008	Remediation	5.764	GR0210199008	3/21/2008	3/21/2008	6020	-34.7	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032008-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/20/2008	Remediation	5.76	GR0250180001	3/25/2008	3/27/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032008-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/20/2008	Remediation	5.744	GR0250180002	3/25/2008	3/27/2008	6020	-34.8	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032008-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/20/2008	Remediation	5.74	GR0250180003	3/25/2008	3/27/2008	6020	-34.8	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032008-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	3/20/2008	Remediation	5.748	GR0250180004	3/25/2008	3/27/2008	6020	-34.8	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032008-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	3/20/2008	Remediation	5.756	GR0250180005	3/25/2008	3/27/2008	6020	-34.7	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032008-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	3/20/2008	Remediation	5.748	GR0250180006	3/25/2008	3/27/2008	6020	-34.8	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032008-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	3/20/2008	Remediation	5.744	GR0250180007	3/25/2008	3/27/2008	6020	-34.8	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032008-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	3/20/2008	Remediation	5.748	GR0250180008	3/25/2008	3/27/2008	6020	-34.8	-1740	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	-17.4	ng/m ³			3/26/2008	No	No				
STL-SAC	PH-032108-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	3/21/2008	Remediation	5.772	GR0250182001	3/25/2008	3/27/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/28/2008	No	No				
STL-SAC	PH-032108-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	3/21/2008	Remediation	5.772	GR0250182002	3/25/2008	3/27/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/28/2008	No	No				
STL-SAC	PH-032108-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	3/21/2008	Remediation	5.776	GR0250182003	3/25/2008	3/27/2008	6020	-34.6	-1730	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	-17.3	ng/m ³			3/28/2008	No	No				
STL-SAC	PH-032108-																														

Submittal Summary - Remediation Phase Week 47 (03/17/08 to 03/23/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Silica-Quartz Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											10				
EPA Site Specific Trigger Levels											10				
EMSL	FH-031708-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	03/17/2008	Remediation	2.878	040806357-0001	03/19/2008	03/20/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/21/2008	No	No	
EMSL	FH-031708-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	03/17/2008	Remediation	2.884	040806357-0002	03/19/2008	03/20/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/21/2008	No	No	
EMSL	FH-031708-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	03/17/2008	Remediation	2.886	040806357-0003	03/19/2008	03/20/2008	NIOSH 7500 XRD	Silica-Quartz	3	03/21/2008	No	No	
EMSL	FH-031708-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	03/17/2008	Remediation	2.886	040806357-0004	03/19/2008	03/20/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/21/2008	No	No	
EMSL	FH-031708-33	#5 - 5TH FL SETBACK ROOF N. SIDE	03/17/2008	Remediation	2.888	040806357-0005	03/19/2008	03/20/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/21/2008	No	No	
EMSL	FH-031708-34	#6 - 5TH FL SETBACK ROOF SW SIDE	03/17/2008	Remediation	2.888	040806357-0006	03/19/2008	03/20/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/21/2008	No	No	
EMSL	FH-031708-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	03/17/2008	Remediation	2.886	040806357-0007	03/19/2008	03/20/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/21/2008	No	No	
EMSL	FH-031708-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	03/17/2008	Remediation	2.886	040806357-0008	03/19/2008	03/20/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/21/2008	No	No	
EMSL	FH-031808-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	03/18/2008	Remediation	2.882	040806472-0001	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	6	03/24/2008	No	No	
EMSL	FH-031808-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	03/18/2008	Remediation	2.884	040806472-0002	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031808-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	03/18/2008	Remediation	2.884	040806472-0003	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	6	03/24/2008	No	No	
EMSL	FH-031808-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	03/18/2008	Remediation	2.878	040806472-0004	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	7	03/24/2008	No	No	
EMSL	FH-031808-33	#5 - 5TH FL SETBACK ROOF N. SIDE	03/18/2008	Remediation	2.878	040806472-0005	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	4	03/24/2008	No	No	
EMSL	FH-031808-34	#6 - 5TH FL SETBACK ROOF SW SIDE	03/18/2008	Remediation	2.878	040806472-0006	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031808-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	03/18/2008	Remediation	2.882	040806472-0007	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	5	03/24/2008	No	No	
EMSL	FH-031808-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	03/18/2008	Remediation	2.882	040806472-0008	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	4	03/24/2008	No	No	
EMSL	FH-031808-68	DUPLICATE (STATION #1)	03/18/2008	Remediation	2.882	040806472-0010	03/20/2008	03/21/2008	NIOSH 7500 XRD	Silica-Quartz	4	03/24/2008	No	No	
EMSL	FH-031908-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	03/19/2008	Remediation	2.878	040806612-0001	03/21/2008	03/22/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031908-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	03/19/2008	Remediation	2.878	040806612-0002	03/21/2008	03/22/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031908-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	03/19/2008	Remediation	2.878	040806612-0003	03/21/2008	03/22/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031908-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	03/19/2008	Remediation	2.882	040806612-0004	03/21/2008	03/22/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031908-33	#5 - 5TH FL SETBACK ROOF N. SIDE	03/19/2008	Remediation	2.882	040806612-0005	03/21/2008	03/22/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031908-34	#6 - 5TH FL SETBACK ROOF SW SIDE	03/19/2008	Remediation	2.882	040806612-0006	03/21/2008	03/22/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031908-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	03/19/2008	Remediation	2.880	040806612-0007	03/21/2008	03/22/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-031908-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	03/19/2008	Remediation	2.878	040806612-0008	03/21/2008	03/22/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/24/2008	No	No	
EMSL	FH-032008-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	03/20/2008	Remediation	2.880	040806718-0001	03/22/2008	03/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/25/2008	No	No	
EMSL	FH-032008-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	03/20/2008	Remediation	2.872	040806718-0002	03/22/2008	03/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/25/2008	No	No	
EMSL	FH-032008-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	03/20/2008	Remediation	2.870	040806718-0003	03/22/2008	03/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/25/2008	No	No	
EMSL	FH-032008-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	03/20/2008	Remediation	2.874	040806718-0004	03/22/2008	03/25/2008	NIOSH 7500 XRD	Silica-Quartz	<7	03/25/2008	No	No	See Note 1
EMSL	FH-032008-33	#5 - 5TH FL SETBACK ROOF N. SIDE	03/20/2008	Remediation	2.878	040806718-0005	03/22/2008	03/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/25/2008	No	No	
EMSL	FH-032008-34	#6 - 5TH FL SETBACK ROOF SW SIDE	03/20/2008	Remediation	2.874	040806718-0006	03/22/2008	03/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/25/2008	No	No	
EMSL	FH-032008-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	03/20/2008	Remediation	2.872	040806718-0007	03/22/2008	03/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/25/2008	No	No	
EMSL	FH-032008-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	03/20/2008	Remediation	2.874	040806718-0008	03/22/2008	03/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/25/2008	No	No	
EMSL	FH-032108-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	03/21/2008	Remediation	2.886	040806863-0001	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	2	03/28/2008	No	No	
EMSL	FH-032108-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	03/21/2008	Remediation	2.886	040806863-0002	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/28/2008	No	No	
EMSL	FH-032108-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	03/21/2008	Remediation	2.888	040806863-0003	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	6	03/28/2008	No	No	
EMSL	FH-032108-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	03/21/2008	Remediation	2.886	040806863-0004	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/28/2008	No	No	
EMSL	FH-032108-33	#5 - 5TH FL SETBACK ROOF N. SIDE	03/21/2008	Remediation	2.886	040806863-0005	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<7	03/28/2008	No	No	See Note 1
EMSL	FH-032108-34	#6 - 5TH FL SETBACK ROOF SW SIDE	03/21/2008	Remediation	2.886	040806863-0006	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/28/2008	No	No	
EMSL	FH-032108-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	03/21/2008	Remediation	2.886	040806863-0007	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/28/2008	No	No	
EMSL	FH-032108-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	03/21/2008	Remediation	2.888	040806863-0008	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/28/2008	No	No	
EMSL	FH-032208-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	03/22/2008	Remediation	2.878	040806854-0001	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/27/2008	No	No	
EMSL	FH-032208-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	03/22/2008	Remediation	2.880	040806854-0002	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/27/2008	No	No	
EMSL	FH-032208-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	03/22/2008	Remediation	2.882	040806854-0003	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/27/2008	No	No	
EMSL	FH-032208-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	03/22/2008	Remediation	2.882	040806854-0004	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/27/2008	No	No	
EMSL	FH-032208-33	#5 - 5TH FL SETBACK ROOF N. SIDE	03/22/2008	Remediation	2.882	040806854-0005	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/27/2008	No	No	
EMSL	FH-032208-34	#6 - 5TH FL SETBACK ROOF SW SIDE	03/22/2008	Remediation	2.886	040806854-0006	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/27/2008	No	No	
EMSL	FH-032208-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	03/22/2008	Remediation	2.884	040806854-0007	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/27/2008	No	No	
EMSL	FH-032208-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	03/22/2008	Remediation	2.884	040806854-0008	03/25/2008	03/27/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/27/2008	No	No	
EMSL	FH-032308-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	03/23/2008	Remediation	2.884	040806855-0001	03/25/2008	03/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/26/2008	No	No	
EMSL	FH-032308-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	03/23/2008	Remediation	2.820	040806855-0002	03/25/2008	03/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/26/2008	No	No	
EMSL	FH-032308-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	03/23/2008	Remediation	2.880	040806855-0003	03/25/2008	03/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/26/2008	No	No	
EMSL	FH-032308-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	03/23/2008	Remediation	2.884	040806855-0004	03/25/2008	03/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/26/2008	No	No	
EMSL	FH-032308-33	#5 - 5TH FL SETBACK ROOF N. SIDE	03/23/2008	Remediation	2.882	040806855-0005	03/25/2008	03/26/2008	NIOSH 7500 XRD	Silica-Quartz	2	03/26/2008	No	No	
EMSL	FH-032308-34	#6 - 5TH FL SETBACK ROOF SW SIDE	03/23/2008	Remediation	2.884	040806855-0006	03/25/2008	03/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/26/2008	No	No	
EMSL	FH-032308-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	03/23/2008	Remediation	2.880	040806855-0007	03/25/2008	03/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	03/26/2008	No	No	
EMSL	FH-032308-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	03/23/2008	Remediation	2.882	040806855-0008	03/25/2008	03/26/2008	NIOSH 7500 XRD	Silica-Quartz	2	03/26/2008	No	No	

Note 1: Secondary quartz peak used for sample due to suspected primary peak interference.

Submittal Summary - Remediation Phase Week 47 (03/17/08 to 03/23/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.00025				
EPA Site Specific Trigger Levels											0.025				
STL-SAC	FH-031908-43	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210244006	03/21/2008	03/29/2008	TO-9	Toxicity Equivalent Quotient (TEQ)	0.000046	04/03/2008	No	No	

Submittal Summary - Remediation Phase Week 47 (03/17/08 to 03/23/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-031908-52	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210249006	03/21/2008	03/27/2008	8270C SIM	BAP-equivalent	<0.007	04/03/2008	No	No	

Submittal Summary - Remediation Phase Week 47 (03/17/08 to 03/23/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-031908-61	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210254006	03/21/2008	03/28/2008	TO-4	Aroclor 1016	<0.0021	04/03/2008	No	No	
STL-SAC	FH-031908-61	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210254006	03/21/2008	03/28/2008	TO-4	Aroclor 1221	<0.0021	04/03/2008	No	No	
STL-SAC	FH-031908-61	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210254006	03/21/2008	03/28/2008	TO-4	Aroclor 1232	<0.0021	04/03/2008	No	No	
STL-SAC	FH-031908-61	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210254006	03/21/2008	03/28/2008	TO-4	Aroclor 1242	<0.0021	04/03/2008	No	No	
STL-SAC	FH-031908-61	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210254006	03/21/2008	03/28/2008	TO-4	Aroclor 1248	<0.0021	04/03/2008	No	No	
STL-SAC	FH-031908-61	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210254006	03/21/2008	03/28/2008	TO-4	Aroclor 1254	<0.0021	04/03/2008	No	No	
STL-SAC	FH-031908-61	#6 - 5TH FL SETBACK ROOF SW SIDE	3/19/2008	Remediation	360	G8C210254006	03/21/2008	03/28/2008	TO-4	Aroclor 1260	<0.0021	04/03/2008	No	No	