

Submittal Summary - Remediation Phase Week 52 (04/21/08 to 04/27/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels															
EPA Site Specific Trigger Levels															
											0.0009				
EMSL	2 FH-042108-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/21/2008	2/Remediation	3.252	030811732-0001	4/22/2008	4/22/2008	PCME	ASBESTOS	<0.00083	4/23/2008	No	No	
EMSL	2 FH-042108-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/21/2008	2/Remediation	3.276	030811732-0002	4/22/2008	4/22/2008	PCME	ASBESTOS	<0.00082	4/23/2008	No	No	
EMSL	2 FH-042108-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/21/2008	2/Remediation	3.246	030811732-0003	4/22/2008	4/22/2008	PCME	ASBESTOS	<0.00083	4/23/2008	No	No	
EMSL	2 FH-042108-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/21/2008	2/Remediation	3.258	030811732-0004	4/22/2008	4/22/2008	PCME	ASBESTOS	<0.00083	4/23/2008	No	No	
EMSL	2 FH-042108-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/21/2008	2/Remediation	3.246	030811732-0005	4/22/2008	4/22/2008	PCME	ASBESTOS	<0.00083	4/23/2008	No	No	
EMSL	2 FH-042108-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/21/2008	2/Remediation	3.252	030811732-0006	4/22/2008	4/22/2008	PCME	ASBESTOS	<0.00083	4/23/2008	No	No	
EMSL	2 FH-042108-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/21/2008	2/Remediation	3.258	030811732-0007	4/22/2008	4/22/2008	PCME	ASBESTOS	<0.00083	4/23/2008	No	No	
EMSL	2 FH-042108-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/21/2008	2/Remediation	3.246	030811732-0008	4/22/2008	4/22/2008	PCME	ASBESTOS	<0.00083	4/23/2008	No	No	
EMSL	2 FH-042208-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/22/2008	2/Remediation	3.240	030811908-0001	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042208-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/22/2008	2/Remediation	3.240	030811908-0002	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042208-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/22/2008	2/Remediation	3.240	030811908-0003	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042208-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/22/2008	2/Remediation	3.240	030811908-0004	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042208-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/22/2008	2/Remediation	3.240	030811908-0005	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042208-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/22/2008	2/Remediation	3.240	030811908-0006	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042208-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/22/2008	2/Remediation	3.240	030811908-0007	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042208-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/22/2008	2/Remediation	3.240	030811908-0008	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042208-65	DUPLICATE (STATION #1)	4/22/2008	2/Remediation	3.240	030811908-0009	4/23/2008	4/23/2008	PCME	ASBESTOS	<0.00083	4/24/2008	No	No	
EMSL	2 FH-042308-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/23/2008	2/Remediation	3.246	030812066-0001	4/24/2008	4/24/2008	PCME	ASBESTOS	<0.00083	4/25/2008	No	No	
EMSL	2 FH-042308-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/23/2008	2/Remediation	3.228	030812066-0002	4/24/2008	4/24/2008	PCME	ASBESTOS	<0.00083	4/25/2008	No	No	
EMSL	2 FH-042308-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/23/2008	2/Remediation	3.240	030812066-0003	4/24/2008	4/24/2008	PCME	ASBESTOS	<0.00083	4/25/2008	No	No	
EMSL	2 FH-042308-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/23/2008	2/Remediation	3.246	030812066-0004	4/24/2008	4/24/2008	PCME	ASBESTOS	<0.00083	4/25/2008	No	No	
EMSL	2 FH-042308-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/23/2008	2/Remediation	3.246	030812066-0005	4/24/2008	4/24/2008	PCME	ASBESTOS	<0.00083	4/25/2008	No	No	
EMSL	2 FH-042308-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/23/2008	2/Remediation	3.240	030812066-0006	4/24/2008	4/24/2008	PCME	ASBESTOS	<0.00083	4/25/2008	No	No	
EMSL	2 FH-042308-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/23/2008	2/Remediation	3.234	030812066-0007	4/24/2008	4/24/2008	PCME	ASBESTOS	<0.00083	4/25/2008	No	No	
EMSL	2 FH-042308-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/23/2008	2/Remediation	3.246	030812066-0008	4/24/2008	4/24/2008	PCME	ASBESTOS	<0.00083	4/25/2008	No	No	
EMSL	2 FH-042408-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/24/2008	2/Remediation	3.228	030812263-0001	4/25/2008	4/25/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042408-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/24/2008	2/Remediation	3.216	030812263-0002	4/25/2008	4/25/2008	PCME	ASBESTOS	<0.00084	4/29/2008	No	No	
EMSL	2 FH-042408-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/24/2008	2/Remediation	3.222	030812263-0003	4/25/2008	4/25/2008	PCME	ASBESTOS	<0.00084	4/29/2008	No	No	
EMSL	2 FH-042408-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/24/2008	2/Remediation	3.234	030812263-0004	4/25/2008	4/25/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042408-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/24/2008	2/Remediation	3.234	030812263-0005	4/25/2008	4/25/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042408-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/24/2008	2/Remediation	3.234	030812263-0006	4/25/2008	4/25/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042408-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/24/2008	2/Remediation	3.228	030812263-0007	4/25/2008	4/25/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042408-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/24/2008	2/Remediation	3.228	030812263-0008	4/25/2008	4/25/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042508-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/25/2008	2/Remediation	3.240	030812452-0001	4/26/2008	4/26/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042508-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/25/2008	2/Remediation	3.240	030812452-0002	4/26/2008	4/26/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042508-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/25/2008	2/Remediation	3.240	030812452-0003	4/26/2008	4/26/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042508-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/25/2008	2/Remediation	3.240	030812452-0004	4/26/2008	4/26/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042508-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/25/2008	2/Remediation	3.240	030812452-0005	4/26/2008	4/26/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042508-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/25/2008	2/Remediation	3.240	030812452-0006	4/26/2008	4/26/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042508-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/25/2008	2/Remediation	3.240	030812452-0007	4/26/2008	4/26/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	
EMSL	2 FH-042508-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/25/2008	2/Remediation	3.240	030812452-0008	4/26/2008	4/26/2008	PCME	ASBESTOS	<0.00083	4/29/2008	No	No	

Submittal Summary - Remediation Phase Week 52 (04/21/08 to 04/27/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos AHERA Concentration (S/mm ²)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											N/A				
EPA Site Specific Trigger Levels											70				
EMSL	2 FH-042108-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/21/2008	2/Remediation	3.252	030811732-0001	4/22/2008	4/22/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/23/2008	No	No	
EMSL	2 FH-042108-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/21/2008	2/Remediation	3.276	030811732-0002	4/22/2008	4/22/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/23/2008	No	No	
EMSL	2 FH-042108-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/21/2008	2/Remediation	3.246	030811732-0003	4/22/2008	4/22/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/23/2008	No	No	
EMSL	2 FH-042108-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/21/2008	2/Remediation	3.258	030811732-0004	4/22/2008	4/22/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/23/2008	No	No	
EMSL	2 FH-042108-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/21/2008	2/Remediation	3.246	030811732-0005	4/22/2008	4/22/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/23/2008	No	No	
EMSL	2 FH-042108-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/21/2008	2/Remediation	3.252	030811732-0006	4/22/2008	4/22/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/23/2008	No	No	
EMSL	2 FH-042108-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/21/2008	2/Remediation	3.258	030811732-0007	4/22/2008	4/22/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/23/2008	No	No	
EMSL	2 FH-042108-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/21/2008	2/Remediation	3.246	030811732-0008	4/22/2008	4/22/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/23/2008	No	No	
EMSL	2 FH-042208-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/22/2008	2/Remediation	3.240	030811908-0001	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042208-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/22/2008	2/Remediation	3.240	030811908-0002	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042208-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/22/2008	2/Remediation	3.240	030811908-0003	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042208-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/22/2008	2/Remediation	3.240	030811908-0004	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042208-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/22/2008	2/Remediation	3.240	030811908-0005	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042208-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/22/2008	2/Remediation	3.240	030811908-0006	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042208-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/22/2008	2/Remediation	3.240	030811908-0007	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042208-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/22/2008	2/Remediation	3.240	030811908-0008	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042208-65	DUPLICATE (STATION #1)	4/22/2008	2/Remediation	3.240	030811908-0009	4/23/2008	4/23/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/24/2008	No	No	
EMSL	2 FH-042308-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/23/2008	2/Remediation	3.246	030812066-0001	4/24/2008	4/24/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/25/2008	No	No	
EMSL	2 FH-042308-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/23/2008	2/Remediation	3.228	030812066-0002	4/24/2008	4/24/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/25/2008	No	No	
EMSL	2 FH-042308-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/23/2008	2/Remediation	3.240	030812066-0003	4/24/2008	4/24/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/25/2008	No	No	
EMSL	2 FH-042308-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/23/2008	2/Remediation	3.246	030812066-0004	4/24/2008	4/24/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/25/2008	No	No	
EMSL	2 FH-042308-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/23/2008	2/Remediation	3.246	030812066-0005	4/24/2008	4/24/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/25/2008	No	No	
EMSL	2 FH-042308-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/23/2008	2/Remediation	3.240	030812066-0006	4/24/2008	4/24/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/25/2008	No	No	
EMSL	2 FH-042308-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/23/2008	2/Remediation	3.234	030812066-0007	4/24/2008	4/24/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/25/2008	No	No	
EMSL	2 FH-042308-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/23/2008	2/Remediation	3.246	030812066-0008	4/24/2008	4/24/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/25/2008	No	No	
EMSL	2 FH-042408-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/24/2008	2/Remediation	3.228	030812263-0001	4/25/2008	4/25/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042408-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/24/2008	2/Remediation	3.216	030812263-0002	4/25/2008	4/25/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042408-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/24/2008	2/Remediation	3.222	030812263-0003	4/25/2008	4/25/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042408-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/24/2008	2/Remediation	3.234	030812263-0004	4/25/2008	4/25/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042408-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/24/2008	2/Remediation	3.234	030812263-0005	4/25/2008	4/25/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042408-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/24/2008	2/Remediation	3.234	030812263-0006	4/25/2008	4/25/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042408-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/24/2008	2/Remediation	3.228	030812263-0007	4/25/2008	4/25/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042408-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/24/2008	2/Remediation	3.228	030812263-0008	4/25/2008	4/25/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042508-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/25/2008	2/Remediation	3.240	030812452-0001	4/26/2008	4/26/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042508-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/25/2008	2/Remediation	3.240	030812452-0002	4/26/2008	4/26/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042508-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/25/2008	2/Remediation	3.240	030812452-0003	4/26/2008	4/26/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042508-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/25/2008	2/Remediation	3.240	030812452-0004	4/26/2008	4/26/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042508-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/25/2008	2/Remediation	3.240	030812452-0005	4/26/2008	4/26/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042508-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/25/2008	2/Remediation	3.240	030812452-0006	4/26/2008	4/26/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042508-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/25/2008	2/Remediation	3.240	030812452-0007	4/26/2008	4/26/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	
EMSL	2 FH-042508-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/25/2008	2/Remediation	3.240	030812452-0008	4/26/2008	4/26/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/29/2008	No	No	

Submittal Summary - Remediation Phase Week 52 (04/21/08 to 04/27/08)

Ohio Lumex Daily Mercury Readings
all readings are in ng/m³

Target air quality level: 300 ng/m³

USEPA site specific mercury trigger level: 3000 ng/m³

Exceedances: None
Exceedances: None

3 Site Tours Conducted per Work Shift

DATE: 4/21/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	10 10 9 11 12 11 9 7 10 11 11 10 10.83
	1200-1205	Tour 2	11 12 8 11 11 10 9 7 12 11 13 10 10.43
	1500-1505	Tour 3	9 10 11 12 13 12 11 9 13 13 13 11 11.42
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	10 9 12 12 8 9 10 13 13 12 11 11 10.83
	1210-1215	Tour 2	15 14 12 11 9 10 13 14 12 10 11 13 12.80
	1510-1515	Tour 3	10 10 12 11 15 13 8 12 12 12 10 11 11.33
ROOF PERIMETER	0925-0930	Tour 1	13 13 10 13 12 8 11 11 10 11 9 10 10.92
	1225-1230	Tour 2	15 15 10 9 11 12 13 10 9 15 11 12 11.83
	1525-1530	Tour 3	10 11 15 16 15 11 8 15 12 11 9 12 12.08

DATE: 4/21/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	13 13 14 14 14 12 13 13 13 12 11 12 12.83
	2000-2005	Tour 2	12 12 12 13 13 12 11 11 11 11 13 12 11.92
	2300-2305	Tour 3	11 11 11 12 10 12 12 13 11 13 11 11 11.50
5th FLOOR SETBACK ROOF PERIMETER	1710-1715	Tour 1	12 12 12 14 14 13 13 13 14 14 11 13 12.92
	2010-2015	Tour 2	12 11 12 13 13 13 13 13 12 12 11 11 12.08
	2310-2315	Tour 3	10 10 11 11 11 10 12 12 11 11 10 10 10.75
ROOF PERIMETER	1725-1730	Tour 1	11 13 13 11 11 12 16 16 14 12 12 13 12.83
	2025-2030	Tour 2	12 12 12 11 11 13 12 8 8 10 11 11 11.08
	0225-0300	Tour 3	12 11 11 13 12 12 12 11 11 10 10 11 11.33

DATE: 4/22/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	12 10 9 11 12 11 10 9 12 11 10 8 10.42
	1200-1205	Tour 2	13 13 13 11 10 9 8 10 8 13 12 13 11.08
	1500-1505	Tour 3	11 11 10 10 9 10 10 9 11 8 11 10 10.00
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	13 13 13 12 10 13 11 9 10 9 10 13 11.33
	1210-1215	Tour 2	12 11 12 10 12 9 10 12 11 10 9 13 10.92
	1510-1515	Tour 3	15 14 13 14 12 11 11 10 14 15 12 11 12.67
ROOF PERIMETER	0925-0930	Tour 1	9 9 9 13 10 12 11 12 13 13 13 12 11.33
	1225-1230	Tour 2	10 10 12 12 10 13 13 10 15 15 14 13 12.25
	1525-1530	Tour 3	15 15 15 13 10 14 12 11 9 15 14 11 12.83

DATE: 4/22/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	14 14 14 13 14 13 13 13 16 15 15 16 14.17
	2000-2005	Tour 2	10 11 11 12 11 12 12 10 11 11 11 11 11.08
	2300-2305	Tour 3	10 10 11 10 10 11 11 8 8 9 10 9 9.75
5th FLOOR SETBACK ROOF PERIMETER	1710-1715	Tour 1	13 14 14 13 15 15 15 14 14 13 14 15 14.08
	2010-2015	Tour 2	12 11 12 12 12 13 11 11 11 11 10 11 11.42
	2310-2315	Tour 3	9 10 9 9 9 11 11 10 11 11 11 11 10.17
ROOF PERIMETER	1725-1730	Tour 1	14 14 15 15 15 14 14 13 14 13 15 13 14.08
	2025-2030	Tour 2	11 11 11 10 10 12 12 15 11 11 10 11 11.25
	0225-0300	Tour 3	10 10 10 8 8 11 11 10 9 10 10 10 9.75

DATE: 4/23/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	10 10 9 10 8 10 11 10 9 9 10 11 9.75
	1200-1205	Tour 2	12 11 10 7 12 12 11 12 11 10 9 10 10.58
	1500-1505	Tour 3	13 11 10 6 10 11 12 10 9 8 10 11 10.00
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	8 12 11 10 10 10 9 10 11 10 12 11 10.33
	1210-1215	Tour 2	11 11 13 12 11 11 11 11 8 13 12 10 11.17
	1510-1515	Tour 3	9 10 10 10 11 13 11 10 8 10 11 12 10.42
ROOF PERIMETER	0925-0930	Tour 1	9 9 10 11 12 15 9 16 11 13 13 13 11.75
	1225-1230	Tour 2	11 11 15 14 13 12 11 10 9 10 11 9 11.33
	1525-1530	Tour 3	15 15 15 14 13 15 8 12 9 13 10 10 12.42

DATE: 4/23/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	15 15 14 15 17 16 16 16 15 14 16 15 15.25
	2000-2005	Tour 2	15 14 15 15 15 14 14 13 13 15 15 15 14.42
	2300-2305	Tour 3	14 13 15 15 15 14 14 16 16 13 13 14 14.33
5th FLOOR SETBACK ROOF PERIMETER	1710-1715	Tour 1	13 14 14 14 15 15 15 14 16 15 15 16 14.67
	2010-2015	Tour 2	15 15 17 15 16 16 16 15 13 13 15 15 15.08
	2310-2315	Tour 3	14 14 14 15 14 14 16 15 15 14 14 14 14.42
ROOF PERIMETER	1725-1730	Tour 1	15 14 14 15 16 15 15 16 16 15 14 15 15.00
	2025-2030	Tour 2	14 14 14 16 16 15 15 16 13 13 13 13 14.33
	0225-0300	Tour 3	14 13 14 14 14 14 16 16 14 14 13 14 14.17

DATE: 4/24/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	10 9 10 10 11 8 11 11 11 12 10 9 10.17
	1200-1205	Tour 2	11 11 11 12 8 11 12 10 9 10 11 12 10.67
	1500-1505	Tour 3	11 12 12 12 9 12 9 12 10 11 11 11 11.00
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	12 12 13 7 10 13 12 13 11 10 11 11 11.25
	1210-1215	Tour 2	10 9 10 9 8 10 11 13 13 15 11 10 10.75
	1510-1515	Tour 3	9 9 10 10 11 15 13 15 13 12 10 11 11.50
ROOF PERIMETER	0925-0930	Tour 1	15 15 15 13 11 12 15 13 11 11 12 15 13.17
	1225-1230	Tour 2	15 12 16 8 12 11 10 9 12 11 11 11.08
	1525-1530	Tour 3	11 11 11 12 15 16 17 18 8 16 13 12 13.33

DATE: 4/24/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	14 15 15 10 11 12 11 10 9 15 12 13 12.25
	2000-2005	Tour 2	14 13 13 12 10 9 10 11 12 12 14 13 11.92
	2300-2305	Tour 3	15 16 15 14 14 10 10 9 12 13 13 12 12.75
5th FLOOR SETBACK ROOF PERIMETER	1710-1715	Tour 1	13 16 16 17 16 15 13 10 13 12 11 13 13.75
	2010-2015	Tour 2	12 13 10 10 9 8 13 13 14 15 15 16 12.33
	2310-2315	Tour 3	13 13 14 15 15 16 15 13 12 11 10 9 13.00
ROOF PERIMETER	1725-1730	Tour 1	13 16 16 16 15 15 12 13 15 12 10 10 13.58
	2025-2030	Tour 2	13 14 15 16 16 17 15 13 12 11 11 11 13.92
	0225-0300	Tour 3	13 12 13 11 12 13 13 14 14 15 16 13 13.25

DATE: 4/25/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	8 8 9 10 11 8 9 12 10 10 9 8 9.33
	1200-1205	Tour 2	10 10 12 11 10 13 12 11 10 11 11 9 10.83
	1500-1505	Tour 3	10 10 9 8 8 10 13 11 10 10 11 9 9.92
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	10 10 8 10 9 11 12 10 9 11 11 9 10.00
	1210-1215	Tour 2	12 12 10 9 13 10 8 10 11 11 12 9 10.58
	1510-1515	Tour 3	13 10 12 13 9 9 9 9 10 12 13 11 10.83
ROOF PERIMETER	0925-0930	Tour 1	15 15 13 9 12 15 15 14 13 11 9 10 12.58
	1225-1230	Tour 2	14 15 14 14 13 14 15 9 15 15 16 13 13.92
	1525-1530	Tour 3	14 14 14 13 13 14 12 14 16 15 16 16 14.25

DATE: 4/25/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	15 14 15 15 15 14 13 13 13 13 14 12 13.83
	2000-2005	Tour 2	13 13 13 14 14 12 12 12 14 14 13 14 13.17
	2300-2305	Tour 3	12 12 11 12 11 11 13 13 13 11 12 10 11.75
5th FLOOR SETBACK ROOF PERIMETER	1710-1715	Tour 1	13 12 12 13 13 16 13 13 14 14 14 14 13.42
	2010-2015	Tour 2	13 13 12 12 12 12 12 14 13 14 13 13 12.75
	2310-2315	Tour 3	11 11 11 10 12 10 10 13 13 11 11 12 11.25
ROOF PERIMETER	1725-1730	Tour 1	12 12 15 15 14 14 14 14 13 15 15 13 13.83
	2025-2030	Tour 2	13 14 13 13 13 12 12 14 14 14 14 12 13 13.08
	0225-0300	Tour 3	12 11 11 11 13 13 12 12 12 10 11 11 11.58

DATE: 4/26/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	13 16 16 17 16 13 10 13 12 13 12 15 13.83
	1200-1205	Tour 2	9 10 11 11 13 12 9 10 10 12 11 14 11.00
	1500-1505	Tour 3	10 9 11 12 12 13 15 14 13 12 12 11 12.00
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	11 12 12 13 13 15 13 13 12 11 11 12 12.33
	1210-1215	Tour 2	11 13 13 14 13 15 15 16 15 13 12 11 13.42
	1510-1515	Tour 3	12 13 15 15 14 13 15 16 13 10 10 11 13.08
ROOF PERIMETER	0925-0930	Tour 1	11 12 13 13 11 11 12 13 13 14 15 14 12.67
	1225-1230	Tour 2	13 13 14 15 15 16 15 16 17 15 13 14 14.67
	1525-1530	Tour 3	13 15 15 16 16 17 16 17 16 16 10 11 15.00

DATE: 4/26/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	11 13 13 12 10 10 10 13 10 11 9 11 11.08
	1200-1205	Tour 2	12 12 11 9 9 9 10 11 11 11 12 11 10.67
	1500-1505	Tour 3	11 10 9 9 10 11 11 12 12 13 11 12 10.92
5th FLOOR SETBACK ROOF PERIMETER	0910-0915	Tour 1	10 11 10 10 12 13 13 12 11 11 10 11 11.17
	1210-1215	Tour 2	10 11 11 12 13 11 11 10 9 9 8 10 10.42
	1510-1515	Tour 3	11 11 11 11 12 13 10 10 9 9 11 12 10.83
ROOF PERIMETER	0925-0930	Tour 1	12 13 13 12 11 11 12 11 12 13 13 11 12.00
	1225-1230	Tour 2	11 12 11 13 13 9 9 11 11 13 12 11 11.33
	1525-1530	Tour 3	11 12 10 10 11 12 13 11 11 10 13 12 11.33

Submittal Summary - Remediation Phase Week 52 (04/21/08 to 04/27/08)

Lab Name	Field Sample ID	Sample Location	Date Collected	Project Phase	Sample Volume (mL)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Antimony Concentration (ng/m ³)	Barium Concentration (ng/m ³)	Beryllium Concentration (ng/m ³)	Cadmium Concentration (ng/m ³)	Chromium (Total) Concentration (ng/m ³)	Copper Concentration (ng/m ³)	Lead Concentration (ng/m ³)	Manganese Concentration (ng/m ³)	Nickel Concentration (ng/m ³)	Zinc Concentration (ng/m ³)	Unit	Flag	Qualifier	Date Reported	Exceeds Target Air Quality Level?	Exceeds EPA Site Specific Trigger Level?	Comments	
Target Air Quality Levels										5,000	5,000	20	50	2,000	500	1,000	500	200	16,000								
EPA Site Specific Trigger Levels										14,000	14,000	200	100,000	2,000	100,000	1,000	500	200	16,000								
STL-SAC	PH-042108-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/21/2008	Remediation	5.772	GBD230183001	4/23/2008	4/24/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042108-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/21/2008	Remediation	5.772	GBD230183002	4/23/2008	4/24/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042108-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/21/2008	Remediation	5.756	GBD230183003	4/23/2008	4/24/2008	6020	-34.7	-1740	-174	-86.9	-17.4	-174	-86.9	-17.4	-86.9	-17.4	-347	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042108-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/21/2008	Remediation	5.764	GBD230183004	4/23/2008	4/24/2008	6020	-34.7	-1740	-174	-86.9	-17.4	-174	-86.9	-17.4	-86.9	-17.4	-347	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042108-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/21/2008	Remediation	5.764	GBD230183005	4/23/2008	4/24/2008	6020	-34.7	-1740	-174	-86.9	-17.4	-174	-86.9	-17.4	-86.9	-17.4	-347	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042108-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/21/2008	Remediation	5.756	GBD230183006	4/23/2008	4/24/2008	6020	-34.7	-1740	-174	-86.9	-17.4	-174	-86.9	-17.4	-86.9	-17.4	-347	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042108-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/21/2008	Remediation	5.764	GBD230183007	4/23/2008	4/24/2008	6020	-34.8	-1740	-174	-86.9	-17.4	-174	-86.9	-17.4	-86.9	-17.4	-348	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042108-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/21/2008	Remediation	5.772	GBD230183008	4/23/2008	4/24/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/22/2008	Remediation	5.764	GBD240203001	4/24/2008	4/25/2008	6020	-34.7	-1730	-173	-86.7	-17.3	-173	-86.7	-17.3	-86.7	-17.3	-347	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/22/2008	Remediation	5.764	GBD240203002	4/24/2008	4/25/2008	6020	-34.7	-1730	-173	-86.7	-17.3	-173	-86.7	-17.3	-86.7	-17.3	-347	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/22/2008	Remediation	5.772	GBD240203003	4/24/2008	4/25/2008	6020	-34.6	-1720	-172	-86.6	-17.2	-172	-86.6	-17.2	-86.6	-17.2	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/22/2008	Remediation	5.776	GBD240203004	4/24/2008	4/25/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/22/2008	Remediation	5.772	GBD240203005	4/24/2008	4/25/2008	6020	-34.6	-1720	-172	-86.6	-17.2	-172	-86.6	-17.2	-86.6	-17.2	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/22/2008	Remediation	5.776	GBD240203006	4/24/2008	4/25/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/22/2008	Remediation	5.776	GBD240203007	4/24/2008	4/25/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/22/2008	Remediation	5.768	GBD240203008	4/24/2008	4/25/2008	6020	-34.7	-1720	-172	-86.7	-17.2	-172	-86.7	-17.2	-86.7	-17.2	-347	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042208-67	DUPLICATE (STATION #1)	4/22/2008	Remediation	5.768	GBD240203010	4/24/2008	4/25/2008	6020	-34.7	-1730	-173	-86.7	-17.3	-173	-86.7	-17.3	-86.7	-17.3	-347	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042308-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/23/2008	Remediation	5.776	GBD250183001	4/25/2008	4/25/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042308-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/23/2008	Remediation	5.768	GBD250183002	4/25/2008	4/25/2008	6020	-34.6	-1720	-172	-86.6	-17.2	-172	-86.6	-17.2	-86.6	-17.2	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042308-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/23/2008	Remediation	5.784	GBD250183003	4/25/2008	4/25/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042308-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/23/2008	Remediation	5.78	GBD250183004	4/25/2008	4/25/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042308-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/23/2008	Remediation	5.776	GBD250183005	4/25/2008	4/25/2008	6020	-34.6	-1720	-172	-86.6	-17.2	-172	-86.6	-17.2	-86.6	-17.2	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042308-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/23/2008	Remediation	5.78	GBD250183006	4/25/2008	4/25/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042308-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/23/2008	Remediation	5.78	GBD250183007	4/25/2008	4/25/2008	6020	-34.6	-1720	-172	-86.6	-17.2	-172	-86.6	-17.2	-86.6	-17.2	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042308-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/23/2008	Remediation	5.776	GBD250183008	4/25/2008	4/25/2008	6020	-34.6	-1730	-173	-86.6	-17.3	-173	-86.6	-17.3	-86.6	-17.3	-346	ng/m ³		4/29/2008	No	No		
STL-SAC	PH-042408-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/24/2008	Remediation	5.74	GBD280147001	4/28/2008	4/30/2008	6020	-34.8	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-348	ng/m ³		4/30/2008	No	No		
STL-SAC	PH-042408-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/24/2008	Remediation	5.752	GBD280147002	4/28/2008	4/30/2008	6020	-34.8	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-348	ng/m ³		4/30/2008	No	No		
STL-SAC	PH-042408-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/24/2008	Remediation	5.74	GBD280147003	4/28/2008	4/30/2008	6020	-34.8	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-348	ng/m ³		4/30/2008	No	No		
STL-SAC	PH-042408-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/24/2008	Remediation	5.744	GBD280147004	4/28/2008	4/30/2008	6020	-34.8	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-348	ng/m ³		4/30/2008	No	No		
STL-SAC	PH-042408-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/24/2008	Remediation	5.74	GBD280147005	4/28/2008	4/30/2008	6020	-34.8	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-348	ng/m ³		4/30/2008	No	No		
STL-SAC	PH-042408-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/24/2008	Remediation	5.74	GBD280147006	4/28/2008	4/30/2008	6020	-34.8	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-348	ng/m ³		4/30/2008	No	No		
STL-SAC	PH-042408-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/24/2008	Remediation	5.752	GBD280147007	4/28/2008	4/30/2008	6020	-34.8	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-348	ng/m ³		4/30/2008	No	No		
STL-SAC	PH-042408-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/24/2008	Remediation	5.74	GBD280147008	4/28/2008	4/30/2008	6020	-34.8	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-348	ng/m ³		4/30/2008	No	No		
STL-SAC	PH-042508-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/25/2008	Remediation	5.732	GBD290152001	4/29/2008	5/1/2008	6020	-34.9	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-349	ng/m ³		5/2/2008	No	No		
STL-SAC	PH-042508-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/25/2008	Remediation	5.752	GBD290152002	4/29/2008	5/1/2008	6020	-34.9	-1740	-174	-87.1	-17.4	-174	-87.1	-17.4	-87.1	-17.4	-349	ng/m ³		5/2/2008	No	No		
STL-SAC	PH-042508-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/25/2008	Remediation	5.744	GBD290152003	4/29/2008	5/1/2008	6020	-34.8	-1740	-174	-87.0	-17.4	-174	-87.0	-17.4	-87.0	-17.4	-348	ng/m ³		5/2/2008	No	No		
STL-SAC	PH-042508-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/25/2008	Remediation	5.74	GBD290152004	4/29/2008	5/1/2008	6020	-34.8	-1740	-174	-87.0	-17.4	-174	-87.0	-17.4	-87.0	-17.4	-348	ng/m ³		5/2/2008	No	No		
STL-SAC	PH-042508-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/25/2008	Remediation	5.744	GBD290152005	4/29/2008	5/1/2008	6020	-34.8	-1740	-174	-87.0	-17.4	-174	-87.0	-17.4	-87.0	-17.4	-348	ng/m ³		5/2/2008	No	No		
STL-SAC	PH-042508-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/25/2008	Remediation	5.748	GBD290152006	4/29/2008																				

Submittal Summary - Remediation Phase Week 52 (04/21/08 to 04/27/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Silica-Quartz Concentration (ug/m ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels												10			
EPA Site Specific Trigger Levels												10			
EMSL	FH-042108-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	04/21/2008	Remediation	2.886	040809525-0001	04/23/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042108-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	04/21/2008	Remediation	2.874	040809525-0002	04/23/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042108-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/21/2008	Remediation	2.878	040809525-0003	04/23/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	13	04/26/2008	Yes	Yes	See Note 1
EMSL	FH-042108-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	04/21/2008	Remediation	2.878	040809525-0004	04/23/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042108-33	#5 - 5TH FL SETBACK ROOF N. SIDE	04/21/2008	Remediation	2.882	040809525-0005	04/23/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	8	04/26/2008	No	No	
EMSL	FH-042108-34	#6 - 5TH FL SETBACK ROOF SW SIDE	04/21/2008	Remediation	2.878	040809525-0006	04/23/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	3	04/26/2008	No	No	
EMSL	FH-042108-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	04/21/2008	Remediation	2.876	040809525-0007	04/23/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042108-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	04/21/2008	Remediation	2.886	040809525-0008	04/23/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042208-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	04/22/2008	Remediation	2.884	040809639-0001	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042208-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	04/22/2008	Remediation	2.882	040809639-0002	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	2	04/26/2008	No	No	
EMSL	FH-042208-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/22/2008	Remediation	2.886	040809639-0003	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	8	04/26/2008	No	No	
EMSL	FH-042208-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	04/22/2008	Remediation	2.888	040809639-0004	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042208-33	#5 - 5TH FL SETBACK ROOF N. SIDE	04/22/2008	Remediation	2.886	040809639-0005	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	2	04/26/2008	No	No	
EMSL	FH-042208-34	#6 - 5TH FL SETBACK ROOF SW SIDE	04/22/2008	Remediation	2.888	040809639-0006	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	3	04/26/2008	No	No	
EMSL	FH-042208-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	04/22/2008	Remediation	2.888	040809639-0007	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042208-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	04/22/2008	Remediation	2.884	040809639-0008	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042208-68	DUPLICATE (STATION #1)	04/22/2008	Remediation	2.884	040809639-0010	04/24/2008	04/25/2008	NIOSH 7500 XRD	Silica-Quartz	2	04/26/2008	No	No	
EMSL	FH-042308-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	04/23/2008	Remediation	2.884	040809789-0001	04/25/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	6	04/26/2008	No	No	
EMSL	FH-042308-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	04/23/2008	Remediation	2.884	040809789-0002	04/25/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	3	04/26/2008	No	No	
EMSL	FH-042308-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/23/2008	Remediation	2.892	040809789-0003	04/25/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042308-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	04/23/2008	Remediation	2.890	040809789-0004	04/25/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042308-33	#5 - 5TH FL SETBACK ROOF N. SIDE	04/23/2008	Remediation	2.888	040809789-0005	04/25/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	10.04	04/26/2008	Yes	Yes	See Note 2
EMSL	FH-042308-34	#6 - 5TH FL SETBACK ROOF SW SIDE	04/23/2008	Remediation	2.890	040809789-0006	04/25/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	2	04/26/2008	No	No	
EMSL	FH-042308-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	04/23/2008	Remediation	2.890	040809789-0007	04/25/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	2	04/26/2008	No	No	
EMSL	FH-042308-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	04/23/2008	Remediation	2.888	040809789-0008	04/25/2008	04/26/2008	NIOSH 7500 XRD	Silica-Quartz	<2	04/26/2008	No	No	
EMSL	FH-042408-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	04/24/2008	Remediation	2.872	040809902-0001	04/26/2008	04/29/2008	NIOSH 7500 XRD	Silica-Quartz	8	05/01/2008	No	No	
EMSL	FH-042408-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	04/24/2008	Remediation	2.876	040809902-0002	04/26/2008	04/29/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042408-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/24/2008	Remediation	2.870	040809902-0003	04/26/2008	04/29/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042408-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	04/24/2008	Remediation	2.870	040809902-0004	04/26/2008	04/29/2008	NIOSH 7500 XRD	Silica-Quartz	3	05/01/2008	No	No	
EMSL	FH-042408-33	#5 - 5TH FL SETBACK ROOF N. SIDE	04/24/2008	Remediation	2.870	040809902-0005	04/26/2008	04/29/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042408-34	#6 - 5TH FL SETBACK ROOF SW SIDE	04/24/2008	Remediation	2.870	040809902-0006	04/26/2008	04/29/2008	NIOSH 7500 XRD	Silica-Quartz	6	05/01/2008	No	No	
EMSL	FH-042408-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	04/24/2008	Remediation	2.876	040809902-0007	04/26/2008	04/29/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042408-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	04/24/2008	Remediation	2.870	040809902-0008	04/26/2008	04/29/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042508-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	04/25/2008	Remediation	2.866	040809958-0001	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	2	05/01/2008	No	No	
EMSL	FH-042508-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	04/25/2008	Remediation	2.876	040809958-0002	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042508-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	2.872	040809958-0003	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042508-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	04/25/2008	Remediation	2.870	040809958-0004	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	3	05/01/2008	No	No	
EMSL	FH-042508-33	#5 - 5TH FL SETBACK ROOF N. SIDE	04/25/2008	Remediation	2.872	040809958-0005	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<7	05/01/2008	No	No	See Note 3
EMSL	FH-042508-34	#6 - 5TH FL SETBACK ROOF SW SIDE	04/25/2008	Remediation	2.874	040809958-0006	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<7	05/01/2008	No	No	See Note 3
EMSL	FH-042508-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	04/25/2008	Remediation	2.872	040809958-0007	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<7	05/01/2008	No	No	See Note 3
EMSL	FH-042508-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	04/25/2008	Remediation	2.868	040809958-0008	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<7	05/01/2008	No	No	See Note 3
EMSL	FH-042608-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	04/26/2008	Remediation	2.872	040809959-0001	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042608-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	04/26/2008	Remediation	2.890	040809959-0002	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	3	05/01/2008	No	No	
EMSL	FH-042608-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/26/2008	Remediation	2.886	040809959-0003	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042608-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	04/26/2008	Remediation	2.886	040809959-0004	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<7	05/01/2008	No	No	See Note 2
EMSL	FH-042608-33	#5 - 5TH FL SETBACK ROOF N. SIDE	04/26/2008	Remediation	2.872	040809959-0005	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<7	05/01/2008	No	No	See Note 2
EMSL	FH-042608-34	#6 - 5TH FL SETBACK ROOF SW SIDE	04/26/2008	Remediation	2.880	040809959-0006	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/01/2008	No	No	
EMSL	FH-042608-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	04/26/2008	Remediation	2.886	040809959-0007	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	3	05/01/2008	No	No	
EMSL	FH-042608-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	04/26/2008	Remediation	2.874	040809959-0008	04/26/2008	04/30/2008	NIOSH 7500 XRD	Silica-Quartz	2	05/01/2008	No	No	
EMSL	FH-042708-29	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	04/27/2008	Remediation	2.878	040810036-0001	04/29/2008	05/02/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/05/2008	No	No	
EMSL	FH-042708-30	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	04/27/2008	Remediation	2.870	040810036-0002	04/29/2008	05/02/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/05/2008	No	No	
EMSL	FH-042708-31	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/27/2008	Remediation	2.870	040810036-0003	04/29/2008	05/02/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/05/2008	No	No	
EMSL	FH-042708-32	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	04/27/2008	Remediation	2.868	040810036-0004	04/29/2008	05/02/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/05/2008	No	No	
EMSL	FH-042708-33	#5 - 5TH FL SETBACK ROOF N. SIDE	04/27/2008	Remediation	2.872	040810036-0005	04/29/2008	05/02/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/05/2008	No	No	
EMSL	FH-042708-34	#6 - 5TH FL SETBACK ROOF SW SIDE	04/27/2008	Remediation	2.866	040810036-0006	04/29/2008	05/02/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/05/2008	No	No	
EMSL	FH-042708-35	#7 - 5TH FL SCAFFOLD AT SE CORNER	04/27/2008	Remediation	2.870	040810036-0007	04/29/2008	05/02/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/05/2008	No	No	
EMSL	FH-042708-36	#8 - 5TH FL SCAFFOLD AT NE CORNER	04/27/2008	Remediation	2.874	040810036-0008	04/29/2008	05/02/2008	NIOSH 7500 XRD	Silica-Quartz	<2	05/05/2008	No	No	

Note 1: Exceedance of the USEPA Site Specific Trigger Level for silica at Station #3 (Sidewalk Bridge Level SE Corner) occurred on Monday, April 21, 2008. Fugitive emissions likely attribute to one or more off site properties directly impacted silica concentrations. After review of all of the information including meteorological data, PM 10 data, site activities logs and off site visual observations, it has been determined that the silica exceedance measured at Station #3 on April 21, 2008 was not attributable to work activities at 30 West Broadway. Exceedance reported to USEPA.

Note 2: Exceedance of the USEPA Site Specific Trigger Level for silica at Station #5 (5th FL Setback Roof

Submittal Summary - Remediation Phase Week 52 (04/21/08 to 04/27/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.00025				
EPA Site Specific Trigger Levels											0.025				
STL-SAC	FH-042508-40	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280212003	04/30/2008	05/11/2008	TO-9	Toxicity Equivalent Quotient (TEQ)	0.000018	05/13/2008	No	No	

Submittal Summary - Remediation Phase Week 52 (04/21/08 to 04/27/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-042508-49	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280213003	04/30/2008	05/08/2008	8270C SIM	BAP-equivalent	<0.007	05/13/2008	No	No	

Submittal Summary - Remediation Phase Week 52 (04/21/08 to 04/27/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-042508-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280210003	04/30/2008	05/06/2008	TO-4	Aroclor 1016	<0.0021	05/14/2008	No	No	
STL-SAC	FH-042508-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280210003	04/30/2008	05/06/2008	TO-4	Aroclor 1221	<0.0021	05/14/2008	No	No	
STL-SAC	FH-042508-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280210003	04/30/2008	05/06/2008	TO-4	Aroclor 1232	<0.0021	05/14/2008	No	No	
STL-SAC	FH-042508-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280210003	04/30/2008	05/06/2008	TO-4	Aroclor 1242	<0.0021	05/14/2008	No	No	
STL-SAC	FH-042508-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280210003	04/30/2008	05/06/2008	TO-4	Aroclor 1248	<0.0021	05/14/2008	No	No	
STL-SAC	FH-042508-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280210003	04/30/2008	05/06/2008	TO-4	Aroclor 1254	<0.0021	05/14/2008	No	No	
STL-SAC	FH-042508-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	04/25/2008	Remediation	360	G8D280210003	04/30/2008	05/06/2008	TO-4	Aroclor 1260	<0.0021	05/14/2008	No	No	