

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels															
EPA Site Specific Trigger Levels															
											0.0009				
											N/A				
EMSL	FH-042808-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/28/2008	1/Remediation	2.892	030812726-0001	4/28/2008	4/28/2008	PCME	ASBESTOS	<0.00085	4/29/2008	No	No	
EMSL	FH-042808-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/28/2008	1/Remediation	2.862	030812726-0002	4/28/2008	4/28/2008	PCME	ASBESTOS	<0.00086	4/29/2008	No	No	
EMSL	FH-042808-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/28/2008	1/Remediation	2.874	030812726-0003	4/28/2008	4/28/2008	PCME	ASBESTOS	<0.00086	4/29/2008	No	No	
EMSL	FH-042808-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/28/2008	1/Remediation	2.874	030812726-0004	4/28/2008	4/28/2008	PCME	ASBESTOS	<0.00086	4/29/2008	No	No	
EMSL	FH-042808-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/28/2008	1/Remediation	2.892	030812726-0005	4/28/2008	4/28/2008	PCME	ASBESTOS	<0.00085	4/29/2008	No	No	
EMSL	FH-042808-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/28/2008	1/Remediation	2.880	030812726-0006	4/28/2008	4/28/2008	PCME	ASBESTOS	<0.00086	4/29/2008	No	No	
EMSL	FH-042808-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/28/2008	1/Remediation	2.862	030812726-0007	4/28/2008	4/28/2008	PCME	ASBESTOS	<0.00086	4/29/2008	No	No	
EMSL	FH-042808-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/28/2008	1/Remediation	2.892	030812726-0008	4/28/2008	4/28/2008	PCME	ASBESTOS	<0.00085	4/29/2008	No	No	
EMSL	FH-042908-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/29/2008	1/Remediation	2.838	030812845-0001	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00087	4/30/2008	No	No	
EMSL	FH-042908-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/29/2008	1/Remediation	2.874	030812845-0002	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00086	4/30/2008	No	No	
EMSL	FH-042908-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/29/2008	1/Remediation	2.874	030812845-0003	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00086	4/30/2008	No	No	
EMSL	FH-042908-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/29/2008	1/Remediation	2.868	030812845-0004	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00086	4/30/2008	No	No	
EMSL	FH-042908-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/29/2008	1/Remediation	2.856	030812845-0005	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00086	4/30/2008	No	No	
EMSL	FH-042908-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/29/2008	1/Remediation	2.862	030812845-0006	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00086	4/30/2008	No	No	
EMSL	FH-042908-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/29/2008	1/Remediation	2.874	030812845-0007	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00086	4/30/2008	No	No	
EMSL	FH-042908-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/29/2008	1/Remediation	2.856	030812845-0008	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00086	4/30/2008	No	No	
EMSL	FH-042908-65	DUPLICATE (STATION #1)	4/29/2008	1/Remediation	2.838	030812845-0009	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00087	4/30/2008	No	No	
EMSL	FH-043008-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2008	1/Remediation	2.862	030813034-0001	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00086	5/1/2008	No	No	
EMSL	FH-043008-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/30/2008	1/Remediation	2.880	030813034-0002	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00086	5/1/2008	No	No	
EMSL	FH-043008-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/30/2008	1/Remediation	2.862	030813034-0003	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00086	5/1/2008	No	No	
EMSL	FH-043008-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/30/2008	1/Remediation	2.856	030813034-0004	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00086	5/1/2008	No	No	
EMSL	FH-043008-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/30/2008	1/Remediation	2.856	030813034-0005	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00086	5/1/2008	No	No	
EMSL	FH-043008-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/30/2008	1/Remediation	2.856	030813034-0006	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00086	5/1/2008	No	No	
EMSL	FH-043008-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/30/2008	1/Remediation	2.874	030813034-0007	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00086	5/1/2008	No	No	
EMSL	FH-043008-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/30/2008	1/Remediation	2.856	030813034-0008	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00086	5/1/2008	No	No	
EMSL	FH-050108-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2008	1/Remediation	2.946	030813186-0001	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00084	5/2/2008	No	No	
EMSL	FH-050108-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2008	1/Remediation	2.946	030813186-0002	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00084	5/2/2008	No	No	
EMSL	FH-050108-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	1/Remediation	2.946	030813186-0003	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00084	5/2/2008	No	No	
EMSL	FH-050108-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2008	1/Remediation	2.952	030813186-0004	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00084	5/2/2008	No	No	
EMSL	FH-050108-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2008	1/Remediation	2.952	030813186-0005	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00084	5/2/2008	No	No	
EMSL	FH-050108-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2008	1/Remediation	2.952	030813186-0006	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00084	5/2/2008	No	No	
EMSL	FH-050108-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/1/2008	1/Remediation	2.946	030813186-0007	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00084	5/2/2008	No	No	
EMSL	FH-050108-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/1/2008	1/Remediation	2.952	030813186-0008	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00084	5/2/2008	No	No	
EMSL	FH-050208-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2008	1/Remediation	2.910	030813309-0001	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050208-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2008	1/Remediation	2.892	030813309-0002	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050208-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/2/2008	1/Remediation	2.892	030813309-0003	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050208-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/2/2008	1/Remediation	2.892	030813309-0004	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050208-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/2/2008	1/Remediation	2.898	030813309-0005	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050208-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/2/2008	1/Remediation	2.898	030813309-0006	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050208-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/2/2008	1/Remediation	2.892	030813309-0007	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050208-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/2/2008	1/Remediation	2.904	030813309-0008	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050308-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/3/2008	1/Remediation	2.880	030813422-0001	5/3/2008	5/4/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050308-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/3/2008	1/Remediation	2.880	030813422-0002	5/3/2008	5/4/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050308-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/3/2008	1/Remediation	2.880	030813422-0003	5/3/2008	5/4/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050308-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/3/2008	1/Remediation	2.880	030813422-0004	5/3/2008	5/4/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050308-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/3/2008	1/Remediation	2.880	030813422-0005	5/3/2008	5/4/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050308-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/3/2008	1/Remediation	2.880	030813422-0006	5/3/2008	5/4/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050308-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/3/2008	1/Remediation	2.880	030813422-0007	5/3/2008	5/4/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050308-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/3/2008	1/Remediation	2.880	030813422-0008	5/3/2008	5/4/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050408-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/4/2008	1/Remediation	2.898	030813572-0001	5/4/2008	5/5/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	
EMSL	FH-050408-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/4/2008	1/Remediation	2.880	030813572-0002	5/4/2008	5/5/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050408-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/4/2008	1/Remediation	2.880	030813572-0003	5/4/2008	5/5/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050408-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/4/2008	1/Remediation	2.886	030813572-0004	5/4/2008	5/5/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050408-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/4/2008	1/Remediation	2.886	030813572-0005	5/4/2008	5/5/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050408-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/4/2008	1/Remediation	2.886	030813572-0006	5/4/2008	5/5/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050408-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/4/2008	1/Remediation	2.880	030813572-0007	5/4/2008	5/5/2008	PCME	ASBESTOS	<0.00086	5/7/2008	No	No	
EMSL	FH-050408-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/4/2008	1/Remediation	2.892	030813572-0008	5/4/2008	5/5/2008	PCME	ASBESTOS	<0.00085	5/7/2008	No	No	

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels															
EPA Site Specific Trigger Levels															
											0.0009				
EMSL	2 FH-042808-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/28/2008	2/Remediation	3.258	030812775-0001	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00083	4/30/2008	No	No	
EMSL	2 FH-042808-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/28/2008	2/Remediation	3.240	030812775-0002	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00083	4/30/2008	No	No	
EMSL	2 FH-042808-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/28/2008	2/Remediation	3.240	030812775-0003	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00083	4/30/2008	No	No	
EMSL	2 FH-042808-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/28/2008	2/Remediation	3.240	030812775-0004	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00083	4/30/2008	No	No	
EMSL	2 FH-042808-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/28/2008	2/Remediation	3.246	030812775-0005	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00083	4/30/2008	No	No	
EMSL	2 FH-042808-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/28/2008	2/Remediation	3.240	030812775-0006	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00083	4/30/2008	No	No	
EMSL	2 FH-042808-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/28/2008	2/Remediation	3.240	030812775-0007	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00083	4/30/2008	No	No	
EMSL	2 FH-042808-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/28/2008	2/Remediation	3.252	030812775-0008	4/29/2008	4/30/2008	PCME	ASBESTOS	<0.00083	4/30/2008	No	No	
EMSL	2 FH-042908-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/29/2008	2/Remediation	3.246	030812941-0001	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00076	5/1/2008	No	No	
EMSL	2 FH-042908-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/29/2008	2/Remediation	3.222	030812941-0002	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00077	5/1/2008	No	No	
EMSL	2 FH-042908-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/29/2008	2/Remediation	3.222	030812941-0003	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00077	5/1/2008	No	No	
EMSL	2 FH-042908-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/29/2008	2/Remediation	3.222	030812941-0004	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00077	5/1/2008	No	No	
EMSL	2 FH-042908-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/29/2008	2/Remediation	3.228	030812941-0005	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00076	5/1/2008	No	No	
EMSL	2 FH-042908-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/29/2008	2/Remediation	3.234	030812941-0006	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00076	5/1/2008	No	No	
EMSL	2 FH-042908-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/29/2008	2/Remediation	3.222	030812941-0007	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00077	5/1/2008	No	No	
EMSL	2 FH-042908-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/29/2008	2/Remediation	3.246	030812941-0008	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00076	5/1/2008	No	No	
EMSL	2 FH-042908-65	DUPLICATE (STATION #1)	4/29/2008	2/Remediation	3.246	030812941-0009	4/30/2008	5/1/2008	PCME	ASBESTOS	<0.00076	5/1/2008	No	No	
EMSL	2 FH-043008-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2008	2/Remediation	3.240	030813101-0001	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00083	5/2/2008	No	No	
EMSL	2 FH-043008-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2008	2/Remediation	3.234	030813101-0002	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00083	5/2/2008	No	No	
EMSL	2 FH-043008-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	2/Remediation	3.240	030813101-0003	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00083	5/2/2008	No	No	
EMSL	2 FH-043008-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2008	2/Remediation	3.240	030813101-0004	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00083	5/2/2008	No	No	
EMSL	2 FH-043008-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2008	2/Remediation	3.240	030813101-0005	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00083	5/2/2008	No	No	
EMSL	2 FH-043008-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2008	2/Remediation	3.234	030813101-0006	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00083	5/2/2008	No	No	
EMSL	2 FH-043008-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/1/2008	2/Remediation	3.234	030813101-0007	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00083	5/2/2008	No	No	
EMSL	2 FH-043008-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/1/2008	2/Remediation	3.240	030813101-0008	5/1/2008	5/2/2008	PCME	ASBESTOS	<0.00083	5/2/2008	No	No	
EMSL	2 FH-050108-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2008	2/Remediation	3.240	030813244-0001	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00083	5/7/2008	No	No	
EMSL	2 FH-050108-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2008	2/Remediation	3.246	030813244-0002	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00083	5/7/2008	No	No	
EMSL	2 FH-050108-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	2/Remediation	3.240	030813244-0003	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00083	5/7/2008	No	No	
EMSL	2 FH-050108-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2008	2/Remediation	3.234	030813244-0004	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00083	5/7/2008	No	No	
EMSL	2 FH-050108-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2008	2/Remediation	3.240	030813244-0005	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00083	5/7/2008	No	No	
EMSL	2 FH-050108-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2008	2/Remediation	3.234	030813244-0006	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00083	5/7/2008	No	No	
EMSL	2 FH-050108-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/1/2008	2/Remediation	3.240	030813244-0007	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00083	5/7/2008	No	No	
EMSL	2 FH-050108-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/1/2008	2/Remediation	3.240	030813244-0008	5/2/2008	5/3/2008	PCME	ASBESTOS	<0.00083	5/7/2008	No	No	
EMSL	2 FH-050208-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2008	2/Remediation	3.252	030813389-0001	5/3/2008	5/3/2008	PCME	ASBESTOS	<0.00076	5/7/2008	No	No	
EMSL	2 FH-050208-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2008	2/Remediation	3.240	030813389-0002	5/3/2008	5/3/2008	PCME	ASBESTOS	<0.00076	5/7/2008	No	No	
EMSL	2 FH-050208-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/2/2008	2/Remediation	3.240	030813389-0003	5/3/2008	5/3/2008	PCME	ASBESTOS	<0.00076	5/7/2008	No	No	
EMSL	2 FH-050208-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/2/2008	2/Remediation	3.246	030813389-0004	5/3/2008	5/3/2008	PCME	ASBESTOS	<0.00076	5/7/2008	No	No	
EMSL	2 FH-050208-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/2/2008	2/Remediation	3.246	030813389-0005	5/3/2008	5/3/2008	PCME	ASBESTOS	<0.00076	5/7/2008	No	No	
EMSL	2 FH-050208-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/2/2008	2/Remediation	3.240	030813389-0006	5/3/2008	5/3/2008	PCME	ASBESTOS	<0.00076	5/7/2008	No	No	
EMSL	2 FH-050208-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/2/2008	2/Remediation	3.240	030813389-0007	5/3/2008	5/3/2008	PCME	ASBESTOS	<0.00076	5/7/2008	No	No	
EMSL	2 FH-050208-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/2/2008	2/Remediation	3.246	030813389-0008	5/3/2008	5/3/2008	PCME	ASBESTOS	<0.00076	5/7/2008	No	No	

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos AHERA Concentration (S/mm ²)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											N/A				
EPA Site Specific Trigger Levels											70				
EMSL	2 FH-042808-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/28/2008	2/Remediation	3.258	030812775-0001	4/29/2008	4/30/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/30/2008	No	No	
EMSL	2 FH-042808-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/28/2008	2/Remediation	3.240	030812775-0002	4/29/2008	4/30/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/30/2008	No	No	
EMSL	2 FH-042808-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/28/2008	2/Remediation	3.240	030812775-0003	4/29/2008	4/30/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/30/2008	No	No	
EMSL	2 FH-042808-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/28/2008	2/Remediation	3.240	030812775-0004	4/29/2008	4/30/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/30/2008	No	No	
EMSL	2 FH-042808-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/28/2008	2/Remediation	3.246	030812775-0005	4/29/2008	4/30/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/30/2008	No	No	
EMSL	2 FH-042808-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/28/2008	2/Remediation	3.240	030812775-0006	4/29/2008	4/30/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/30/2008	No	No	
EMSL	2 FH-042808-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/28/2008	2/Remediation	3.240	030812775-0007	4/29/2008	4/30/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/30/2008	No	No	
EMSL	2 FH-042808-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/28/2008	2/Remediation	3.252	030812775-0008	4/29/2008	4/30/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	4/30/2008	No	No	
EMSL	2 FH-042908-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/29/2008	2/Remediation	3.246	030812941-0001	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-042908-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/29/2008	2/Remediation	3.222	030812941-0002	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-042908-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/29/2008	2/Remediation	3.222	030812941-0003	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-042908-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/29/2008	2/Remediation	3.222	030812941-0004	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-042908-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/29/2008	2/Remediation	3.228	030812941-0005	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-042908-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/29/2008	2/Remediation	3.234	030812941-0006	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-042908-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/29/2008	2/Remediation	3.222	030812941-0007	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-042908-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/29/2008	2/Remediation	3.246	030812941-0008	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-042908-05	DUPLICATE (STATION #1)	4/29/2008	2/Remediation	3.246	030812941-0009	4/30/2008	5/1/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/1/2008	No	No	
EMSL	2 FH-043008-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2008	2/Remediation	3.240	030813101-0001	5/1/2008	5/2/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/2/2008	No	No	
EMSL	2 FH-043008-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/30/2008	2/Remediation	3.234	030813101-0002	5/1/2008	5/2/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/2/2008	No	No	
EMSL	2 FH-043008-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/30/2008	2/Remediation	3.240	030813101-0003	5/1/2008	5/2/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/2/2008	No	No	
EMSL	2 FH-043008-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/30/2008	2/Remediation	3.240	030813101-0004	5/1/2008	5/2/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/2/2008	No	No	
EMSL	2 FH-043008-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/30/2008	2/Remediation	3.240	030813101-0005	5/1/2008	5/2/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/2/2008	No	No	
EMSL	2 FH-043008-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/30/2008	2/Remediation	3.234	030813101-0006	5/1/2008	5/2/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/2/2008	No	No	
EMSL	2 FH-043008-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/30/2008	2/Remediation	3.234	030813101-0007	5/1/2008	5/2/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/2/2008	No	No	
EMSL	2 FH-043008-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/30/2008	2/Remediation	3.240	030813101-0008	5/1/2008	5/2/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/2/2008	No	No	
EMSL	2 FH-050108-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2008	2/Remediation	3.240	030813244-0001	5/2/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/7/2008	No	No	
EMSL	2 FH-050108-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2008	2/Remediation	3.246	030813244-0002	5/2/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/7/2008	No	No	
EMSL	2 FH-050108-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	2/Remediation	3.240	030813244-0003	5/2/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/7/2008	No	No	
EMSL	2 FH-050108-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2008	2/Remediation	3.234	030813244-0004	5/2/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/7/2008	No	No	
EMSL	2 FH-050108-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2008	2/Remediation	3.240	030813244-0005	5/2/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/7/2008	No	No	
EMSL	2 FH-050108-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2008	2/Remediation	3.234	030813244-0006	5/2/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/7/2008	No	No	
EMSL	2 FH-050108-07	#7 - 5TH FLOOR SCAFFOLD ROOF SE CORNER	5/1/2008	2/Remediation	3.240	030813244-0007	5/2/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/7/2008	No	No	
EMSL	2 FH-050108-08	#8 - 5TH FLOOR SCAFFOLD ROOF NE CORNER	5/1/2008	2/Remediation	3.240	030813244-0008	5/2/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/7/2008	No	No	
EMSL	2 FH-05020801	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2008	2/Remediation	3.252	030813389-0001	5/3/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/7/2008	No	No	
EMSL	2 FH-05020802	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2008	2/Remediation	3.240	030813389-0002	5/3/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/7/2008	No	No	
EMSL	2 FH-05020803	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/2/2008	2/Remediation	3.240	030813389-0003	5/3/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/7/2008	No	No	
EMSL	2 FH-05020804	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/2/2008	2/Remediation	3.246	030813389-0004	5/3/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/7/2008	No	No	
EMSL	2 FH-05020805	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/2/2008	2/Remediation	3.246	030813389-0005	5/3/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/7/2008	No	No	
EMSL	2 FH-05020806	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/2/2008	2/Remediation	3.240	030813389-0006	5/3/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/7/2008	No	No	
EMSL	2 FH-05020807	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/2/2008	2/Remediation	3.240	030813389-0007	5/3/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/7/2008	No	No	
EMSL	2 FH-05020808	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/2/2008	2/Remediation	3.246	030813389-0008	5/3/2008	5/3/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/7/2008	No	No	

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m ³)	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							150			
							150			
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
FH-042808-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/28/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	6.83	No	No	
FH-042808-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/28/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	66.81	No	No	
FH-042808-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/28/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.56	No	No	
FH-042808-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/28/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.38	No	No	
FH-042808-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/28/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.24	No	No	
FH-042808-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/28/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	45.78	No	No	
FH-042808-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/28/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.08	No	No	
FH-042808-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/28/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	11.40	No	No	
FH-042808-TEOM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/28/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	17.58	No	No	
FH-042908-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/29/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.07	No	No	
FH-042908-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/29/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.63	No	No	
FH-042908-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/29/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	11.45	No	No	
FH-042908-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/29/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.26	No	No	
FH-042908-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/29/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	9.62	No	No	
FH-042908-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/29/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.19	No	No	
FH-042908-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/29/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.34	No	No	
FH-042908-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/29/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	10.14	No	No	
FH-042908-TEOM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/29/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	13.90	No	No	
FH-043008-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.81	No	No	
FH-043008-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/30/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.42	No	No	
FH-043008-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/30/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.24	No	No	
FH-043008-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/30/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.65	No	No	
FH-043008-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/30/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.47	No	No	
FH-043008-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/30/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	13.31	No	No	
FH-043008-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/30/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.80	No	No	
FH-043008-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/30/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.40	No	No	
FH-043008-TEOM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	24.88	No	No	
FH-050108-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.91	No	No	
FH-050108-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.34	No	No	
FH-050108-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.15	No	No	
FH-050108-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.84	No	No	
FH-050108-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.01	No	No	
FH-050108-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.88	No	No	
FH-050108-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/1/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.97	No	No	
FH-050108-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/1/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.80	No	No	
FH-050108-TEOM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	30.01	No	No	
FH-050208-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	11.95	No	No	
FH-050208-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	44.40	No	No	
FH-050208-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/2/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	32.97	No	No	
FH-050208-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/2/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	47.23	No	No	
FH-050208-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/2/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	42.74	No	No	
FH-050208-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/2/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	39.22	No	No	
FH-050208-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/2/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.45	No	No	
FH-050208-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/2/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.31	No	No	
FH-050208-TEOM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	44.48	No	No	
FH-050308-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/3/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.21	No	No	
FH-050308-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/3/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	46.24	No	No	
FH-050308-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/3/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.85	No	No	
FH-050308-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/3/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	40.94	No	No	
FH-050308-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/3/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	49.36	No	No	
FH-050308-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/3/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	36.39	No	No	
FH-050308-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/3/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.13	No	No	
FH-050308-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/3/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.17	No	No	
FH-050308-TEOM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/3/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	30.83	No	No	
FH-050408-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/4/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.42	No	No	
FH-050408-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/4/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	37.50	No	No	
FH-050408-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/4/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	40.88	No	No	
FH-050408-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/4/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.94	No	No	
FH-050408-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/4/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	37.04	No	No	
FH-050408-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/4/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	45.56	No	No	
FH-050408-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/4/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	34.66	No	No	
FH-050408-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/4/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.53	No	No	
FH-050408-TEOM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/4/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	22.59	No	No	

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Ohio Lumex Daily Mercury Readings
all readings are in ng/m³

Target air quality level: 300 ng/m³

USEPA site specific mercury trigger level: 3000 ng/m³

Exceedances: None
Exceedances: None

3 Site Tours Conducted per Work Shift

DATE: 4/28/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905	Tour 1	13	11	11	12	13	13	12	9	9	10	11	10	11.77
	1200-1205	Tour 2	12	11	13	8	9	10	10	9	11	11	11	10	10.43
	1500-1505	Tour 3	10	10	9	9	10	11	11	13	14	11	12	11	10.92
5th FLOOR	0910-0915	Tour 1	11	13	13	12	11	11	11	10	9	8	9	10	10.67
	1210-1215	Tour 2	11	12	12	13	13	12	11	11	12	13	13	12	12.88
	1510-1515	Tour 3	10	11	12	12	13	13	11	11	12	13	13	12	11.92
ROOF PERIMETER	0925-0930	Tour 1	11	12	13	14	13	13	12	11	11	10	13	11	12.00
	1225-1230	Tour 2	11	10	10	9	8	9	10	11	12	13	13	14	10.83
	1525-1530	Tour 3	11	11	10	9	8	9	10	9	11	11	12	12	10.90

DATE: 4/29/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	1700-1705	Tour 1	12	11	11	11	12	12	13	12	12	11	13	12	11.83
	2000-2005	Tour 2	11	11	11	10	10	12	11	11	10	9	9	11	10.50
	0000-0005	Tour 3	10	10	9	10	10	11	11	11	10	10	11	10	10.25
5th FLOOR	1710-1715	Tour 1	11	11	10	10	11	11	11	10	13	12	12	11	11.25
	2010-2015	Tour 2	11	11	12	11	10	11	10	10	12	12	9	11	11.11
	0010-0015	Tour 3	10	10	11	11	11	10	10	11	9	9	10	10	10.17
ROOF PERIMETER	1725-1730	Tour 1	10	10	10	11	12	11	11	12	10	10	11	11	10.75
	2025-2030	Tour 2	10	9	9	11	10	10	11	11	10	11	10	11	10.25
	0025-0030	Tour 3	9	10	9	9	11	11	10	10	11	9	9	10	9.83

DATE: 4/29/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905	Tour 1	10	9	9	9	10	11	12	11	8	10	8	9	9.87
	1200-1205	Tour 2	12	12	11	10	8	9	10	12	11	10	8	10	10.25
	1500-1505	Tour 3	13	11	9	8	7	10	9	10	13	12	10	9	10.08
5th FLOOR	0910-0915	Tour 1	12	12	11	8	15	13	8	10	9	9	10	9	10.50
	1210-1215	Tour 2	12	10	9	8	7	10	12	11	13	10	11	9	10.17
	1510-1515	Tour 3	10	10	10	10	11	12	15	9	15	13	11	13	11.50
ROOF PERIMETER	0925-0930	Tour 1	12	12	13	10	12	11	9	11	10	15	13	9	11.42
	1225-1230	Tour 2	10	10	10	11	13	10	8	15	10	11	12	12	11.00
	1525-1530	Tour 3	10	12	12	16	11	12	8	16	10	11	12	14	12.00

DATE: 4/29/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	1700-1705	Tour 1	12	11	12	12	11	11	10	11	10	10	11	12	11.00
	2000-2005	Tour 2	10	11	11	11	10	10	9	10	10	10	11	10	10.25
	0000-0005	Tour 3	10	10	10	9	9	10	10	11	10	11	11	10	10.00
5th FLOOR	1710-1715	Tour 1	11	11	11	12	12	11	12	12	12	10	10	11	11.25
	2010-2015	Tour 2	10	11	10	10	11	10	9	10	10	10	11	11	10.25
	0010-0015	Tour 3	9	9	8	10	10	10	9	9	10	10	10	10	9.50
ROOF PERIMETER	1725-1730	Tour 1	10	12	10	10	10	11	11	11	11	11	10	11	10.67
	2025-2030	Tour 2	10	10	12	11	11	11	9	9	10	10	10	10	10.25
	0025-0030	Tour 3	10	9	10	10	9	9	9	8	8	10	9	9	9.17

DATE: 4/30/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905	Tour 1	10	10	9	10	9	7	11	12	10	9	7	11	9.58
	1200-1205	Tour 2	11	11	8	10	10	10	7	9	11	10	12	11	10.00
	1500-1505	Tour 3	10	10	12	10	12	12	11	10	11	12	11	10	10.92
5th FLOOR	0910-0915	Tour 1	12	13	12	12	11	15	8	12	11	10	9	10	11.25
	1210-1215	Tour 2	11	10	8	15	13	12	11	10	11	14	15	13	11.92
	1510-1515	Tour 3	8	10	10	16	13	12	11	8	13	13	13	11	11.50
ROOF PERIMETER	0925-0930	Tour 1	10	10	11	12	11	12	10	9	13	13	9	10	10.83
	1225-1230	Tour 2	15	15	13	13	15	14	11	9	15	13	14	12	13.43
	1525-1530	Tour 3	19	10	9	10	11	12	15	16	16	16	17	15	13.08

DATE: 4/30/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	1700-1705	Tour 1	9	9	8	10	10	8	11	11	11	10	10	9	9.83
	2000-2005	Tour 2	10	8	8	10	9	9	11	11	10	9	10	10	9.50
	0000-0005	Tour 3	10	10	10	9	9	10	11	9	9	10	10	10	9.75
5th FLOOR	1710-1715	Tour 1	10	9	10	10	10	9	9	9	10	11	11	11	9.92
	2010-2015	Tour 2	9	8	8	8	9	10	9	10	10	9	9	9	9.00
	0010-0015	Tour 3	9	10	9	9	10	10	10	9	9	10	9	10	9.50
ROOF PERIMETER	1725-1730	Tour 1	10	10	10	9	9	10	11	11	9	10	10	9	9.83
	2025-2030	Tour 2	9	10	9	10	10	9	9	9	9	9	10	10	9.50
	0025-0030	Tour 3	10	10	10	9	9	9	11	10	10	9	9	10	9.87

DATE: 5/1/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905	Tour 1	10	10	9	10	12	9	13	13	11	10	12	9	10.67
	1200-1205	Tour 2	12	12	11	12	10	8	10	6	12	11	9	9	10.17
	1500-1505	Tour 3	13	13	11	10	13	14	8	13	12	11	10	8	11.33
5th FLOOR	0910-0915	Tour 1	15	15	13	14	15	11	8	15	13	12	13	15	13.25
	1210-1215	Tour 2	13	13	13	11	8	9	10	13	12	8	11	11	11.00
	1510-1515	Tour 3	15	15	8	10	11	11	8	9	10	12	15	13	11.58
ROOF PERIMETER	0925-0930	Tour 1	12	8	8	8	16	10	11	9	10	11	12	9	10.33
	1225-1230	Tour 2	8	8	10	15	11	11	12	12	11	10	13	13	11.17
	1525-1530	Tour 3	10	10	9	13	15	13	11	12	10	11	8	16	11.50

DATE: 5/1/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	1700-1705	Tour 1	11	10	11	11	10	11	10	10	10	10	11	10	10.42
	2000-2005	Tour 2	9	9	10	10	10	11	11	10	10	11	10	11	10.17
	0000-0005	Tour 3	10	10	11	10	10	11	10	9	9	11	10	10	10.08
5th FLOOR	1710-1715	Tour 1	10	10	10	9	9	10	9	10	11	11	10	10	9.92
	2010-2015	Tour 2	9	11	10	11	11	11	10	11	9	9	10	11	10.25
	0010-0015	Tour 3	10	10	11	10	11	11	11	11	10	10	9	11	10.42
ROOF PERIMETER	1725-1730	Tour 1	9	10	9	9	9	11	10	10	10	10	11	9	9.75
	2025-2030	Tour 2	10	11	10	11	11	11	11	8	10	10	10	10	10.25
	0025-0030	Tour 3	10	9	8	10	10	11	10	11	11	8	9	10	9.82

DATE: 5/2/2008

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	0900-0905	Tour 1	10	10	11	12	10	11	9	11	10	10	9	10	10.25
	1200-1205	Tour 2	11	12	11	11	12	8	13	12	10	12	11	10	11.08
	1500-1505	Tour 3	9	9	15	15	11	12	11	11	12	10	10	11	11.33
5th FLOOR	0910-0915	Tour 1	9	9	11	13	10	9	14	12	12	12	10	11	11.00
	1210-1215	Tour 2	11	11	13	13	13	8	13	11	12	10	11	11	11.58
	1510-1515	Tour 3	13	14	13	8	15	11	10	12	11	10	11	13	11.75
ROOF PERIMETER	0925-0930	Tour 1	11	11	12	11	10	9	11	13	11	10	9	22	11.67
	1225-1230	Tour 2	12	12	13	15	8	16	16	11	10	12	13	11	12.42
	1525-1530	Tour 3	12	12	11	16	16	16	14	14	14	14	14	10	13.58

DATE: 5/2/2008 2nd SHIFT

AREA:	TIME:	Tour #:	TOUR AVERAGE:												
PERIMETER OF BUILDING	1700-1705	Tour 1	12	12	11	12	12	12	13	11	11	11	10	12	11.58
	2000-2005														

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Lab Name	Field Sample ID	Sample Location	Date Collected	Project Phase	Sample Volume (mL)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Antimony Concentration (ug/m ³)	Barium Concentration (ug/m ³)	Beryllium Concentration (ug/m ³)	Cadmium Concentration (ug/m ³)	Chromium (Total) Concentration (ug/m ³)	Copper Concentration (ug/m ³)	Lead Concentration (ug/m ³)	Manganese Concentration (ug/m ³)	Nickel Concentration (ug/m ³)	Zinc Concentration (ug/m ³)	Unit	Flag	Qualifier	Date Reported	Exceeds Target Air Quality Level?	Exceeds EPA Site Specific Trigger Level?	Comments						
Target Air Quality Levels										5,000	5,000	20	50	2,000	500	1,000	500	200	16,000													
EPA Site Specific Trigger Levels										14,000	14,000	200	100,000	2,000	500	1,000	500	200	16,000													
STL-SAC	FH-042808-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/28/2008	Remediation	5.792	G8030028001	4/30/2008	5/2/2008	6020	<-34.5	<-173	<-173	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-345	ng/m ³			5/5/2008	No	No							
STL-SAC	FH-042808-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/28/2008	Remediation	5.792	G8030028002	4/30/2008	5/2/2008	6020	<-34.8	<-1740	<-17.4	<-86.3	<-17.4	<-174	<-86.3	<-17.4	<-86.3	<-348	ng/m ³			5/5/2008	No	No							
STL-SAC	FH-042808-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/28/2008	Remediation	5.768	G8030028003	4/30/2008	5/2/2008	6020	<-34.7	<-1730	<-17.3	<-86.7	<-17.3	<-173	<-86.7	<-17.3	<-86.7	<-347	ng/m ³			5/5/2008	No	No							
STL-SAC	FH-042808-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/28/2008	Remediation	5.772	G8030028004	4/30/2008	5/2/2008	6020	<-34.6	<-1730	<-17.3	<-86.6	<-17.3	<-173	<-86.6	<-17.3	<-86.6	<-346	ng/m ³			5/5/2008	No	No							
STL-SAC	FH-042808-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/28/2008	Remediation	5.764	G8030028005	4/30/2008	5/2/2008	6020	<-34.5	<-1730	<-17.3	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-345	ng/m ³			5/5/2008	No	No							
STL-SAC	FH-042808-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/28/2008	Remediation	5.784	G8030028006	4/30/2008	5/2/2008	6020	<-34.6	<-1730	<-17.3	<-86.4	<-17.3	<-173	<-86.4	<-17.3	<-86.4	<-346	ng/m ³			5/5/2008	No	No							
STL-SAC	FH-042808-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/28/2008	Remediation	5.764	G8030028007	4/30/2008	5/2/2008	6020	<-34.7	<-1730	<-17.3	<-86.7	<-17.3	<-173	<-86.7	<-17.3	<-86.7	<-347	ng/m ³			5/5/2008	No	No							
STL-SAC	FH-042808-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/28/2008	Remediation	5.784	G8030028008	4/30/2008	5/2/2008	6020	<-34.5	<-1730	<-17.3	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-345	ng/m ³			5/5/2008	No	No							
STL-SAC	FH-042908-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/29/2008	Remediation	5.89	G8E10206001	5/1/2008	5/2/2008	6020	<-34.0	<-1700	<-17.0	<-87.0	<-17.0	<-170	<-87.0	<-17.0	<-87.0	<-340	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-042908-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/29/2008	Remediation	5.792	G8E10206002	5/1/2008	5/2/2008	6020	<-34.8	<-1740	<-17.4	<-86.9	<-17.4	<-174	<-86.9	<-17.4	<-86.9	<-348	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-042908-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/29/2008	Remediation	5.76	G8E10206003	5/1/2008	5/2/2008	6020	<-34.7	<-1740	<-17.4	<-86.8	<-17.4	<-174	<-86.8	<-17.4	<-86.8	<-347	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-042908-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/29/2008	Remediation	5.764	G8E10206004	5/1/2008	5/2/2008	6020	<-34.7	<-1730	<-17.3	<-86.7	<-17.3	<-173	<-86.7	<-17.3	<-86.7	<-347	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-042908-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/29/2008	Remediation	5.768	G8E10206005	5/1/2008	5/2/2008	6020	<-34.6	<-1730	<-17.3	<-86.7	<-17.3	<-173	<-86.7	<-17.3	<-86.7	<-346	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-042908-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/29/2008	Remediation	5.764	G8E10206006	5/1/2008	5/2/2008	6020	<-34.7	<-1730	<-17.3	<-86.7	<-17.3	<-173	<-86.7	<-17.3	<-86.7	<-347	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-042908-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/29/2008	Remediation	5.768	G8E10206007	5/1/2008	5/2/2008	6020	<-34.7	<-1730	<-17.3	<-86.7	<-17.3	<-173	<-86.7	<-17.3	<-86.7	<-347	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-042908-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/29/2008	Remediation	5.776	G8E10206008	5/1/2008	5/2/2008	6020	<-34.6	<-1730	<-17.3	<-86.6	<-17.3	<-173	<-86.6	<-17.3	<-86.6	<-346	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-042908-67	DUPLICATE (STATION #1)	4/29/2008	Remediation	5.776	G8E10206010	5/1/2008	5/2/2008	6020	<-34.6	<-1730	<-17.3	<-86.6	<-17.3	<-173	<-86.6	<-17.3	<-86.6	<-346	ng/m ³			5/6/2008	No	No							
STL-SAC	FH-043008-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	4/30/2008	Remediation	5.792	G8E02189001	5/2/2008	5/5/2008	6020	<-34.8	<-1740	<-17.4	<-86.9	<-17.4	<-174	<-86.9	<-17.4	<-86.9	<-348	ng/m ³			5/7/2008	No	No							
STL-SAC	FH-043008-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	4/30/2008	Remediation	5.76	G8E02189002	5/2/2008	5/5/2008	6020	<-34.7	<-1740	<-17.4	<-86.8	<-17.4	<-174	<-86.8	<-17.4	<-86.8	<-347	ng/m ³			5/7/2008	No	No							
STL-SAC	FH-043008-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	4/30/2008	Remediation	5.76	G8E02189003	5/2/2008	5/5/2008	6020	<-34.7	<-1740	<-17.4	<-86.8	<-17.4	<-174	<-86.8	<-17.4	<-86.8	<-347	ng/m ³			5/7/2008	No	No							
STL-SAC	FH-043008-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	4/30/2008	Remediation	5.76	G8E02189004	5/2/2008	5/5/2008	6020	<-34.7	<-1740	<-17.4	<-86.8	<-17.4	<-174	<-86.8	<-17.4	<-86.8	<-347	ng/m ³			5/7/2008	No	No							
STL-SAC	FH-043008-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	4/30/2008	Remediation	5.766	G8E02189005	5/2/2008	5/5/2008	6020	<-34.7	<-1740	<-17.4	<-86.8	<-17.4	<-174	<-86.8	<-17.4	<-86.8	<-347	ng/m ³			5/7/2008	No	No							
STL-SAC	FH-043008-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	4/30/2008	Remediation	5.76	G8E02189006	5/2/2008	5/5/2008	6020	<-34.7	<-1740	<-17.4	<-86.8	<-17.4	<-174	<-86.8	<-17.4	<-86.8	<-347	ng/m ³			5/7/2008	No	No							
STL-SAC	FH-043008-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	4/30/2008	Remediation	5.764	G8E02189007	5/2/2008	5/5/2008	6020	<-34.7	<-1740	<-17.4	<-86.8	<-17.4	<-174	<-86.8	<-17.4	<-86.8	<-347	ng/m ³			5/7/2008	No	No							
STL-SAC	FH-043008-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	4/30/2008	Remediation	5.748	G8E02189008	5/2/2008	5/5/2008	6020	<-34.8	<-1740	<-17.4	<-87.0	<-17.4	<-174	<-87.0	<-17.4	<-87.0	<-348	ng/m ³			5/7/2008	No	No							
STL-SAC	FH-050108-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/1/2008	Remediation	5.788	G8E05179001	5/5/2008	5/6/2008	6020	<-34.6	<-1730	<-17.3	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-346	ng/m ³			5/8/2008	No	No							
STL-SAC	FH-050108-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/1/2008	Remediation	5.792	G8E05179002	5/5/2008	5/6/2008	6020	<-34.5	<-1730	<-17.3	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-345	ng/m ³			5/8/2008	No	No							
STL-SAC	FH-050108-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	5.792	G8E05179003	5/5/2008	5/6/2008	6020	<-34.5	<-1730	<-17.3	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-345	ng/m ³			5/8/2008	No	No							
STL-SAC	FH-050108-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/1/2008	Remediation	5.792	G8E05179004	5/5/2008	5/6/2008	6020	<-34.5	<-1730	<-17.3	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-345	ng/m ³			5/8/2008	No	No							
STL-SAC	FH-050108-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/1/2008	Remediation	5.796	G8E05179005	5/5/2008	5/6/2008	6020	<-34.5	<-1720	<-17.2	<-86.3	<-17.2	<-172	<-86.3	<-17.2	<-86.3	<-345	ng/m ³			5/8/2008	No	No							
STL-SAC	FH-050108-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/1/2008	Remediation	5.792	G8E05179006	5/5/2008	5/6/2008	6020	<-34.5	<-1730	<-17.3	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-345	ng/m ³			5/8/2008	No	No							
STL-SAC	FH-050108-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/1/2008	Remediation	5.792	G8E05179007	5/5/2008	5/6/2008	6020	<-34.5	<-1730	<-17.3	<-86.3	<-17.3	<-173	<-86.3	<-17.3	<-86.3	<-345	ng/m ³			5/8/2008	No	No							
STL-SAC	FH-050108-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/1/2008	Remediation	5.796	G8E05179008	5/5/2008	5/6/2008	6020	<-34.5	<-1720	<-17.2	<-86.3	<-17.2	<-172	<-86.3	<-17.2	<-86.3	<-345	ng/m ³			5/8/2008	No	No							
STL-SAC	FH-050208-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/2/2008	Remediation	5.72	G8E06160001	5/6/2008	5/6/2008	6020	<-35.0	<-1750	<-17.5	<-87.5	<-17.5	<-175	<-87.5	<-17.5	<-87.5	<-350	ng/m ³			5/9/2008	No	No							
STL-SAC	FH-050208-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/2/2008	Remediation	5.72	G8E06160002	5/6/2008	5/6/2008	6020	<-35.0	<-1750	<-17.5	<-87.5	<-17.5	<-175	<-87.5	<-17.5	<-87.5	<-350	ng/m ³			5/9/2008	No	No							
STL-SAC	FH-050208-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/2/2008	Remediation	5.716	G8E06160003	5/6/2008	5/7/2008	6020	<-35.0	<-1750	<-17.5	<-87.5	<-17.5	<-175	<-87.5	<-17.5	<-87.5	<-350	ng/m ³			5/9/2008	No	No							
STL-SAC	FH-050208-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/2/2008	Remediation	5.72	G8E06160004	5/6/2008	5/7/2008	6020	<-35.0	<-1750	<-17.5	<-87.5	<-17.5	<-175	<-87.5	<-17.5	<-87.5														

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m ³)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.00025				
EPA Site Specific Trigger Levels											0.025				
STL-SAC	FH-050108-40	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030181003	05/03/2008	05/23/2008	TO-9	Toxicity Equivalent Quotient (TEQ)	0.0000176	05/27/2008	No	No	

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-050108-49	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030182003	05/03/2008	05/16/2008	8270C SIM	BAP-equivalent	<0.007	05/19/2008	No	No	

Submittal Summary - Remediation Phase Week 53 (04/28/08 to 05/04/08)

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m ³)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.12				
EPA Site Specific Trigger Levels											12				
STL-SAC	FH-050108-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030180003	5/3/2008	5/16/2008	TO-4	Aroclor 1016	<0.0021	5/19/2008	No	No	
STL-SAC	FH-050108-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030180003	5/3/2008	5/16/2008	TO-4	Aroclor 1221	<0.0021	5/19/2008	No	No	
STL-SAC	FH-050108-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030180003	5/3/2008	5/16/2008	TO-4	Aroclor 1232	<0.0021	5/19/2008	No	No	
STL-SAC	FH-050108-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030180003	5/3/2008	5/16/2008	TO-4	Aroclor 1242	<0.0021	5/19/2008	No	No	
STL-SAC	FH-050108-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030180003	5/3/2008	5/16/2008	TO-4	Aroclor 1248	<0.0021	5/19/2008	No	No	
STL-SAC	FH-050108-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030180003	5/3/2008	5/16/2008	TO-4	Aroclor 1254	<0.0021	5/19/2008	No	No	
STL-SAC	FH-050108-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/1/2008	Remediation	360	G8E030180003	5/3/2008	5/16/2008	TO-4	Aroclor 1260	<0.0021	5/19/2008	No	No	