



**Submittal Summary - Remediation Phase Week 55 (05/12/08 to 05/18/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos PCME Concentration (f/cm <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>															
<b>EPA Site Specific Trigger Levels</b>															
											<b>0.0009</b>				
EMSL	2 FH-051208-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/12/2008	2/Remediation	3.246	030814523-0001	5/13/2008	5/13/2008	PCME	ASBESTOS	<0.00083	5/13/2008	No	No	
EMSL	2 FH-051208-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2008	2/Remediation	3.228	030814523-0002	5/13/2008	5/13/2008	PCME	ASBESTOS	<0.00083	5/13/2008	No	No	
EMSL	2 FH-051208-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/12/2008	2/Remediation	3.228	030814523-0003	5/13/2008	5/13/2008	PCME	ASBESTOS	<0.00083	5/13/2008	No	No	
EMSL	2 FH-051208-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/12/2008	2/Remediation	3.228	030814523-0004	5/13/2008	5/13/2008	PCME	ASBESTOS	<0.00083	5/13/2008	No	No	
EMSL	2 FH-051208-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/12/2008	2/Remediation	3.240	030814523-0005	5/13/2008	5/13/2008	PCME	ASBESTOS	<0.00083	5/13/2008	No	No	
EMSL	2 FH-051208-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/12/2008	2/Remediation	3.228	030814523-0006	5/13/2008	5/13/2008	PCME	ASBESTOS	<0.00083	5/13/2008	No	No	
EMSL	2 FH-051208-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/12/2008	2/Remediation	3.228	030814523-0007	5/13/2008	5/13/2008	PCME	ASBESTOS	<0.00083	5/13/2008	No	No	
EMSL	2 FH-051208-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/12/2008	2/Remediation	3.246	030814523-0008	5/13/2008	5/13/2008	PCME	ASBESTOS	<0.00083	5/13/2008	No	No	
EMSL	2 FH-051308-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/13/2008	2/Remediation	3.240	030814664-0001	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00083	5/15/2008	No	No	
EMSL	2 FH-051308-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2008	2/Remediation	3.222	030814664-0002	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00084	5/15/2008	No	No	
EMSL	2 FH-051308-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	2/Remediation	3.222	030814664-0003	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00084	5/15/2008	No	No	
EMSL	2 FH-051308-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/13/2008	2/Remediation	3.222	030814664-0004	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00084	5/15/2008	No	No	
EMSL	2 FH-051308-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/13/2008	2/Remediation	3.234	030814664-0005	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00083	5/15/2008	No	No	
EMSL	2 FH-051308-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/13/2008	2/Remediation	3.222	030814664-0006	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00084	5/15/2008	No	No	
EMSL	2 FH-051308-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/13/2008	2/Remediation	3.222	030814664-0007	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00084	5/15/2008	No	No	
EMSL	2 FH-051308-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/13/2008	2/Remediation	3.234	030814664-0008	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00083	5/15/2008	No	No	
EMSL	2 FH-051308-65	DUPLICATE (STATION # 1)	5/13/2008	2/Remediation	3.240	030814664-0009	5/14/2008	5/14/2008	PCME	ASBESTOS	<0.00083	5/15/2008	No	No	
EMSL	2 FH-051408-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/14/2008	2/Remediation	3.234	030814799-0001	5/15/2008	5/16/2008	PCME	ASBESTOS	<0.00076	5/16/2008	No	No	
EMSL	2 FH-051408-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2008	2/Remediation	3.234	030814799-0002	5/15/2008	5/16/2008	PCME	ASBESTOS	<0.00076	5/16/2008	No	No	
EMSL	2 FH-051408-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/14/2008	2/Remediation	3.234	030814799-0003	5/15/2008	5/16/2008	PCME	ASBESTOS	<0.00076	5/16/2008	No	No	
EMSL	2 FH-051408-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/14/2008	2/Remediation	3.234	030814799-0004	5/15/2008	5/16/2008	PCME	ASBESTOS	<0.00076	5/16/2008	No	No	
EMSL	2 FH-051408-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/14/2008	2/Remediation	3.240	030814799-0005	5/15/2008	5/16/2008	PCME	ASBESTOS	<0.00076	5/16/2008	No	No	
EMSL	2 FH-051408-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/14/2008	2/Remediation	3.234	030814799-0006	5/15/2008	5/16/2008	PCME	ASBESTOS	<0.00076	5/16/2008	No	No	
EMSL	2 FH-051408-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/14/2008	2/Remediation	3.234	030814799-0007	5/15/2008	5/16/2008	PCME	ASBESTOS	<0.00076	5/16/2008	No	No	
EMSL	2 FH-051408-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/14/2008	2/Remediation	3.234	030814799-0008	5/15/2008	5/16/2008	PCME	ASBESTOS	<0.00076	5/16/2008	No	No	
EMSL	2 FH-051508-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/15/2008	2/Remediation	3.252	030814919-0001	5/16/2008	5/16/2008	PCME	ASBESTOS	<0.00083	5/20/2008	No	No	
EMSL	2 FH-051508-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2008	2/Remediation	3.240	030814919-0002	5/16/2008	5/16/2008	PCME	ASBESTOS	<0.00083	5/20/2008	No	No	
EMSL	2 FH-051508-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/15/2008	2/Remediation	3.240	030814919-0003	5/16/2008	5/16/2008	PCME	ASBESTOS	<0.00083	5/20/2008	No	No	
EMSL	2 FH-051508-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/15/2008	2/Remediation	3.240	030814919-0004	5/16/2008	5/16/2008	PCME	ASBESTOS	<0.00083	5/20/2008	No	No	
EMSL	2 FH-051508-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/15/2008	2/Remediation	3.246	030814919-0005	5/16/2008	5/16/2008	PCME	ASBESTOS	<0.00083	5/20/2008	No	No	
EMSL	2 FH-051508-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/15/2008	2/Remediation	3.240	030814919-0006	5/16/2008	5/16/2008	PCME	ASBESTOS	<0.00083	5/20/2008	No	No	
EMSL	2 FH-051508-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/15/2008	2/Remediation	3.240	030814919-0007	5/16/2008	5/16/2008	PCME	ASBESTOS	<0.00083	5/20/2008	No	No	
EMSL	2 FH-051508-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/15/2008	2/Remediation	3.246	030814919-0008	5/16/2008	5/16/2008	PCME	ASBESTOS	<0.00083	5/20/2008	No	No	
EMSL	2 FH-051608-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/16/2008	2/Remediation	3.252	030815033-0001	5/17/2008	5/17/2008	PCME	ASBESTOS	<0.00076	5/20/2008	No	No	
EMSL	2 FH-051608-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2008	2/Remediation	3.228	030815033-0002	5/17/2008	5/17/2008	PCME	ASBESTOS	<0.00076	5/20/2008	No	No	
EMSL	2 FH-051608-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/16/2008	2/Remediation	3.228	030815033-0003	5/17/2008	5/17/2008	PCME	ASBESTOS	<0.00076	5/20/2008	No	No	
EMSL	2 FH-051608-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/16/2008	2/Remediation	3.222	030815033-0004	5/17/2008	5/17/2008	PCME	ASBESTOS	<0.00077	5/20/2008	No	No	
EMSL	2 FH-051608-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/16/2008	2/Remediation	3.246	030815033-0005	5/17/2008	5/17/2008	PCME	ASBESTOS	<0.00076	5/20/2008	No	No	
EMSL	2 FH-051608-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/16/2008	2/Remediation	3.228	030815033-0006	5/17/2008	5/17/2008	PCME	ASBESTOS	<0.00076	5/20/2008	No	No	
EMSL	2 FH-051608-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/16/2008	2/Remediation	3.228	030815033-0007	5/17/2008	5/17/2008	PCME	ASBESTOS	<0.00076	5/20/2008	No	No	
EMSL	2 FH-051608-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/16/2008	2/Remediation	3.240	030815033-0008	5/17/2008	5/17/2008	PCME	ASBESTOS	<0.00076	5/20/2008	No	No	



**Submittal Summary - Remediation Phase Week 55 (05/12/08 to 05/18/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Work Shift/Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Asbestos AHERA Concentration (S/mm <sup>2</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											N/A				
EPA Site Specific Trigger Levels											70				
EMSL	2 FH-051208-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/12/2008	2/Remediation	3.246	030814523-0001	5/13/2008	5/13/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/13/2008	No	No	
EMSL	2 FH-051208-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2008	2/Remediation	3.228	030814523-0002	5/13/2008	5/13/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/13/2008	No	No	
EMSL	2 FH-051208-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/12/2008	2/Remediation	3.228	030814523-0003	5/13/2008	5/13/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/13/2008	No	No	
EMSL	2 FH-051208-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/12/2008	2/Remediation	3.228	030814523-0004	5/13/2008	5/13/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/13/2008	No	No	
EMSL	2 FH-051208-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/12/2008	2/Remediation	3.240	030814523-0005	5/13/2008	5/13/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/13/2008	No	No	
EMSL	2 FH-051208-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/12/2008	2/Remediation	3.228	030814523-0006	5/13/2008	5/13/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/13/2008	No	No	
EMSL	2 FH-051208-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/12/2008	2/Remediation	3.228	030814523-0007	5/13/2008	5/13/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/13/2008	No	No	
EMSL	2 FH-051208-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/12/2008	2/Remediation	3.246	030814523-0008	5/13/2008	5/13/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/13/2008	No	No	
EMSL	2 FH-051308-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/13/2008	2/Remediation	3.240	030814664-0001	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051308-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2008	2/Remediation	3.222	030814664-0002	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051308-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	2/Remediation	3.222	030814664-0003	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051308-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/13/2008	2/Remediation	3.222	030814664-0004	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051308-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/13/2008	2/Remediation	3.234	030814664-0005	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051308-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/13/2008	2/Remediation	3.222	030814664-0006	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051308-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/13/2008	2/Remediation	3.222	030814664-0007	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051308-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/13/2008	2/Remediation	3.234	030814664-0008	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051308-65	DUPLICATE (STATION # 1)	5/13/2008	2/Remediation	3.240	030814664-0009	5/14/2008	5/14/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/15/2008	No	No	
EMSL	2 FH-051408-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/14/2008	2/Remediation	3.234	030814799-0001	5/15/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/16/2008	No	No	
EMSL	2 FH-051408-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2008	2/Remediation	3.234	030814799-0002	5/15/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/16/2008	No	No	
EMSL	2 FH-051408-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/14/2008	2/Remediation	3.234	030814799-0003	5/15/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/16/2008	No	No	
EMSL	2 FH-051408-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/14/2008	2/Remediation	3.234	030814799-0004	5/15/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/16/2008	No	No	
EMSL	2 FH-051408-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/14/2008	2/Remediation	3.240	030814799-0005	5/15/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/16/2008	No	No	
EMSL	2 FH-051408-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/14/2008	2/Remediation	3.234	030814799-0006	5/15/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/16/2008	No	No	
EMSL	2 FH-051408-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/14/2008	2/Remediation	3.234	030814799-0007	5/15/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/16/2008	No	No	
EMSL	2 FH-051408-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/14/2008	2/Remediation	3.234	030814799-0008	5/15/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/16/2008	No	No	
EMSL	2 FH-051508-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/15/2008	2/Remediation	3.252	030814919-0001	5/16/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/20/2008	No	No	
EMSL	2 FH-051508-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2008	2/Remediation	3.240	030814919-0002	5/16/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/20/2008	No	No	
EMSL	2 FH-051508-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/15/2008	2/Remediation	3.240	030814919-0003	5/16/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/20/2008	No	No	
EMSL	2 FH-051508-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/15/2008	2/Remediation	3.240	030814919-0004	5/16/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/20/2008	No	No	
EMSL	2 FH-051508-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/15/2008	2/Remediation	3.246	030814919-0005	5/16/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/20/2008	No	No	
EMSL	2 FH-051508-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/15/2008	2/Remediation	3.240	030814919-0006	5/16/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/20/2008	No	No	
EMSL	2 FH-051508-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/15/2008	2/Remediation	3.240	030814919-0007	5/16/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/20/2008	No	No	
EMSL	2 FH-051508-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/15/2008	2/Remediation	3.246	030814919-0008	5/16/2008	5/16/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<15.00	5/20/2008	No	No	
EMSL	2 FH-051608-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/16/2008	2/Remediation	3.252	030815033-0001	5/17/2008	5/17/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/20/2008	No	No	
EMSL	2 FH-051608-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2008	2/Remediation	3.228	030815033-0002	5/17/2008	5/17/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/20/2008	No	No	
EMSL	2 FH-051608-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/16/2008	2/Remediation	3.228	030815033-0003	5/17/2008	5/17/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/20/2008	No	No	
EMSL	2 FH-051608-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/16/2008	2/Remediation	3.222	030815033-0004	5/17/2008	5/17/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/20/2008	No	No	
EMSL	2 FH-051608-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/16/2008	2/Remediation	3.246	030815033-0005	5/17/2008	5/17/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/20/2008	No	No	
EMSL	2 FH-051608-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/16/2008	2/Remediation	3.228	030815033-0006	5/17/2008	5/17/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/20/2008	No	No	
EMSL	2 FH-051608-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/16/2008	2/Remediation	3.228	030815033-0007	5/17/2008	5/17/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/20/2008	No	No	
EMSL	2 FH-051608-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/16/2008	2/Remediation	3.240	030815033-0008	5/17/2008	5/17/2008	TEM EPA 40 CFR PART 763 (AHERA)	ASBESTOS	<13.00	5/20/2008	No	No	



**Submittal Summary - Remediation Phase Week 55 (05/12/08 to 05/18/08)**

Airtek Field Sample No.	Sampling Location	Real-time Readings Date	Collection time (minutes)	Analyte	Analytical Method	Instrument	Particulate PM 10 (ug/m <sup>3</sup> )	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
							150			
							150			
							150			
FH-051208-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/12/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.35	No	No	
FH-051208-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	31.99	No	No	
FH-051208-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/12/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.42	No	No	
FH-051208-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/12/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.08	No	No	See Note 1
FH-051208-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/12/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.02	No	No	
FH-051208-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/12/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	35.51	No	No	
FH-051208-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/12/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	24.60	No	No	
FH-051208-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/12/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.79	No	No	
FH-051208-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	13.29	No	No	
FH-051308-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/13/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	5.60	No	No	
FH-051308-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	10.81	No	No	
FH-051308-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	32.07	No	No	
FH-051308-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/13/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.51	No	No	
FH-051308-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/13/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	16.20	No	No	
FH-051308-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/13/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.92	No	No	
FH-051308-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/13/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.09	No	No	
FH-051308-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/13/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	9.85	No	No	
FH-051308-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	13.47	No	No	
FH-051408-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/14/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.98	No	No	
FH-051408-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.60	No	No	
FH-051408-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/14/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	36.78	No	No	
FH-051408-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/14/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	29.95	No	No	
FH-051408-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/14/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.16	No	No	
FH-051408-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/14/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.38	No	No	
FH-051408-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/14/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	30.46	No	No	
FH-051408-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/14/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.46	No	No	
FH-051408-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	24.71	No	No	
FH-051508-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/15/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	28.78	No	No	
FH-051508-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	40.66	No	No	
FH-051508-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/15/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	42.97	No	No	
FH-051508-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/15/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	37.78	No	No	
FH-051508-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/15/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.13	No	No	
FH-051508-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/15/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.40	No	No	
FH-051508-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/15/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	37.97	No	No	
FH-051508-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/15/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	27.26	No	No	
FH-051508-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	30.32	No	No	
FH-051608-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/16/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	8.19	No	No	
FH-051608-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	62.55	No	No	
FH-051608-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/16/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	36.42	No	No	
FH-051608-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/16/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	21.68	No	No	
FH-051608-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/16/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.51	No	No	
FH-051608-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/16/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	38.92	No	No	
FH-051608-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/16/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.92	No	No	
FH-051608-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/16/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	12.33	No	No	
FH-051608-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	9.53	No	No	
FH-051708-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.83	No	No	
FH-051708-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	18.35	No	No	
FH-051708-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	38.21	No	No	
FH-051708-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	26.85	No	No	
FH-051708-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.59	No	No	
FH-051708-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	28.07	No	No	
FH-051708-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.85	No	No	
FH-051708-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/17/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	15.77	No	No	
FH-051708-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/17/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	17.35	No	No	
FH-051808-EBAM10-01	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	14.62	No	No	
FH-051808-EBAM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	25.78	No	No	
FH-051808-EBAM10-03	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	20.13	No	No	
FH-051808-EBAM10-04	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	22.47	No	No	
FH-051808-EBAM10-05	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	19.25	No	No	
FH-051808-EBAM10-06	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	24.97	No	No	
FH-051808-EBAM10-07	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	23.75	No	No	
FH-051808-EBAM10-08	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/18/2008	1440	Particulate 10	Direct Real-time Readings	MetOne EBAM PM 10	17.74	No	No	
FH-051808-TEOM10-02	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/18/2008	1440	Particulate 10	Direct Real-time Readings	TEOM PM 10	13.08	No	No	

Note 1: Partial data due to broken pump. Equipment has been replaced.



**Submittal Summary - Remediation Phase Week 55 (05/12/08 to 05/18/08)**

Ohio Lumex Daily Mercury Readings  
all readings are in ng/m<sup>3</sup>

Target air quality level: 300 ng/m<sup>3</sup>

USEPA site specific mercury trigger level: 3000 ng/m<sup>3</sup>

Exceedances: None  
Exceedances: None

3 Site Tours Conducted per Work Shift

**DATE: 5/12/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	9 9 10 11 10 9 12 8 10 11 8 10 9.75
	1200-1205	Tour 2	11 11 12 13 11 11 9 10 10 8 9 11 10.25
	1500-1505	Tour 3	10 12 12 8 12 10 11 10 13 13 10 12 11.08
5th FLOOR	0910-0915	Tour 1	13 14 11 13 14 14 14 12 8 10 12 11 12.17
	1210-1215	Tour 2	13 13 14 13 13 14 14 14 13 12 13 11 13.08
	1510-1515	Tour 3	14 15 13 11 10 11 13 15 15 15 14 14 13.33
ROOF	0925-0930	Tour 1	15 16 15 10 16 15 11 12 15 12 15 13 13.75
PERIMETER	1225-1230	Tour 2	16 16 16 10 16 15 11 14 9 11 12 14 13.25
PERIMETER	1525-1530	Tour 3	16 17 17 10 17 12 16 17 17 17 13 10 14.92

**DATE: 5/12/2008 2nd SHIFT**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	9 9 9 8 8 9 8 7 8 9 8 8 8.33
	2000-2005	Tour 2	8 8 8 9 7 7 8 8 9 8 8 8 8.00
	0300-0305	Tour 3	10 11 10 10 10 11 11 10 10 10 11 9 10.25
5th FLOOR	1710-1715	Tour 1	8 8 9 8 8 8 8 9 9 9 8 8 9 8.42
	2010-2015	Tour 2	8 8 8 8 7 7 8 9 8 9 8 8 8 8.00
	0010-0015	Tour 3	10 11 10 11 11 11 11 10 9 11 10 10 10.42
ROOF	1725-1730	Tour 1	9 9 9 8 8 8 9 7 8 8 8 9 8 8.33
PERIMETER	2025-2030	Tour 2	7 7 8 8 7 9 9 9 8 8 9 8 8.08
PERIMETER	0025-0030	Tour 3	9 9 9 10 10 11 11 10 10 10 11 11 10.08

**DATE: 5/13/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	10 8 10 11 12 11 10 8 11 11 7 9 9.83
	1200-1205	Tour 2	8 8 10 11 10 12 11 8 9 10 10 9 10 9.75
	1500-1505	Tour 3	9 9 9 10 9 13 11 11 13 12 13 12 10.92
5th FLOOR	0910-0915	Tour 1	11 13 11 11 10 15 8 14 12 12 10 9 11.33
	1210-1215	Tour 2	13 13 13 12 10 10 9 11 10 10 12 10 11.08
	1510-1515	Tour 3	10 10 11 12 14 14 13 14 15 11 14 10 12.33
ROOF	0925-0930	Tour 1	16 8 12 12 12 13 14 15 11 14 13 11 12.58
PERIMETER	1225-1230	Tour 2	15 15 16 18 15 14 15 8 16 11 12 13 13.53
PERIMETER	1525-1530	Tour 3	16 13 15 11 14 14 14 14 8 16 18 10 13.42

**DATE: 5/13/2008 2nd SHIFT**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	11 11 12 11 10 11 11 11 11 12 11 11 11.08
	2000-2005	Tour 2	10 10 9 10 11 11 10 10 10 10 9 10 10.00
	0300-0305	Tour 3	10 10 10 10 9 9 9 11 11 10 10 10 9.92
5th FLOOR	1710-1715	Tour 1	11 10 11 10 10 10 11 11 11 11 11 11 10.67
	2010-2015	Tour 2	9 9 9 9 10 10 10 11 11 10 10 9 9.75
	0010-0015	Tour 3	10 10 11 9 11 9 9 10 10 10 10 10 10 9.92
ROOF	1725-1730	Tour 1	10 11 10 10 10 10 10 11 11 11 11 11 10.50
PERIMETER	2025-2030	Tour 2	10 9 10 10 9 10 10 10 10 9 9 11 9.75
PERIMETER	0025-0030	Tour 3	9 9 8 8 10 9 9 10 10 10 8 9 9.08

**DATE: 5/14/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	10 10 9 8 12 13 11 12 9 10 11 12 10.58
	1200-1205	Tour 2	13 13 12 13 13 8 12 10 13 11 13 8 11.58
	1500-1505	Tour 3	13 15 15 15 17 18 18 15 15 13 11 12 14.75
5th FLOOR	0910-0915	Tour 1	10 11 11 12 10 12 11 8 10 13 10 9 10.58
	1210-1215	Tour 2	13 13 13 13 10 11 12 13 13 12 14 13 12.58
	1510-1515	Tour 3	15 15 15 15 15 11 8 12 13 15 12 15 13.42
ROOF	0925-0930	Tour 1	13 13 17 12 13 15 11 13 15 11 15 15 13.58
PERIMETER	1225-1230	Tour 2	15 15 16 18 15 14 15 13 11 13 15 16 14.92
PERIMETER	1525-1530	Tour 3	15 15 14 13 11 11 16 17 18 19 18 17 15.33

**DATE: 5/14/2008 2nd SHIFT**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	11 11 11 11 12 12 11 12 12 10 10 11 11.17
	2000-2005	Tour 2	10 11 10 11 11 12 12 11 11 10 11 10 10.83
	0300-0305	Tour 3	10 9 10 10 11 11 10 10 9 9 9 10 9.83
5th FLOOR	1710-1715	Tour 1	10 11 11 10 12 11 11 11 12 12 11 11 11.08
	2010-2015	Tour 2	11 11 11 10 10 11 10 10 11 9 10 10 10.33
	0010-0015	Tour 3	9 9 10 9 10 10 10 11 11 10 10 10 9.92
ROOF	1725-1730	Tour 1	11 11 10 10 12 11 12 11 11 11 10 11 10.92
PERIMETER	2025-2030	Tour 2	10 12 11 12 12 10 10 11 11 12 11 11 11.00
PERIMETER	0025-0030	Tour 3	10 10 10 10 8 10 9 9 9 10 9 10 9.50

**DATE: 5/15/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	9 9 10 8 11 10 11 10 9 9 9 10 9.50
	1200-1205	Tour 2	10 10 11 9 8 7 10 11 11 10 9 10 9.67
	1500-1505	Tour 3	8 8 9 10 11 11 12 10 8 7 9 9 9 9.33
5th FLOOR	0910-0915	Tour 1	10 10 11 8 8 9 10 11 11 10 9 10 9.83
	1210-1215	Tour 2	11 11 11 11 12 10 9 10 11 10 8 9 10.25
	1510-1515	Tour 3	9 9 10 11 12 11 10 11 13 12 11 8 10.58
ROOF	0925-0930	Tour 1	11 11 10 12 11 12 10 14 13 13 16 12 12.08
PERIMETER	1225-1230	Tour 2	14 13 9 12 12 12 10 9 10 11 12 11 11.33
PERIMETER	1525-1530	Tour 3	13 13 12 14 8 10 11 12 11 13 10 9 11.33

**DATE: 5/15/2008 2nd SHIFT**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	12 11 12 11 11 11 14 12 11 12 11 11 11.58
	2000-2005	Tour 2	11 11 11 10 10 12 13 11 12 11 11 11 11.25
	0300-0305	Tour 3	10 12 11 11 11 10 10 10 11 11 10 12 10.75
5th FLOOR	1710-1715	Tour 1	11 11 11 10 10 11 11 12 11 13 11 11 11.08
	2010-2015	Tour 2	11 10 11 11 10 10 12 11 10 10 10 10 10.58
	0010-0015	Tour 3	10 10 10 11 11 12 10 10 10 10 11 10 10.42
ROOF	1725-1730	Tour 1	10 10 11 11 12 11 11 11 12 11 10 10 10.83
PERIMETER	2025-2030	Tour 2	11 11 11 9 11 12 12 10 10 11 11 10 10.75
PERIMETER	0025-0030	Tour 3	10 10 11 10 10 11 11 12 11 10 12 10 10.67

**DATE: 5/16/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	12 11 11 8 8 10 11 11 11 12 13 11 10.83
	1200-1205	Tour 2	10 10 10 11 11 9 9 11 12 11 11 11 11 10.50
	1500-1505	Tour 3	11 11 12 13 10 10 10 11 11 10 9 10 10.67
5th FLOOR	0910-0915	Tour 1	13 13 11 11 10 10 9 11 11 12 13 11 11.25
	1210-1215	Tour 2	13 13 12 11 11 10 11 11 12 13 10 11 11.50
	1510-1515	Tour 3	10 10 11 12 12 13 10 10 9 10 11 11 10.75
ROOF	0925-0930	Tour 1	13 10 10 10 9 8 9 10 9 11 11 12 10.17
PERIMETER	1225-1230	Tour 2	13 10 10 11 11 11 11 11 9 11 10 10 10.67
PERIMETER	1525-1530	Tour 3	11 11 12 11 10 11 9 11 9 11 9 9 10.33

**DATE: 5/16/2008 2nd SHIFT**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	1700-1705	Tour 1	12 11 12 12 13 12 12 13 13 11 11 11 11.92
	2000-2005	Tour 2	13 13 13 10 10 12 12 11 13 13 12 11 12.08
	0300-0305	Tour 3	11 11 10 11 13 12 11 12 12 11 10 11 11.25
5th FLOOR	1710-1715	Tour 1	11 11 11 11 10 12 12 11 13 13 13 11 11.58
	2010-2015	Tour 2	12 11 12 12 10 10 11 13 11 12 11 12 11.42
	0010-0015	Tour 3	11 11 10 13 12 12 12 12 11 10 11 10 11.25
ROOF	1725-1730	Tour 1	10 10 10 11 11 10 12 10 11 10 10 10 10.42
PERIMETER	2025-2030	Tour 2	11 10 11 11 10 12 12 11 13 13 13 11 11.58
PERIMETER	0025-0030	Tour 3	11 12 11 12 12 12 11 11 10 11 11 11 11.58

**DATE: 5/17/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	11 12 12 11 11 11 13 12 12 12 13 12 11.83
	1200-1205	Tour 2	12 12 14 14 13 13 13 14 14 12 13 13 13.08
	1500-1505	Tour 3	13 13 13 13 14 14 13 14 17 13 12 13 13.58
5th FLOOR	0910-0915	Tour 1	11 11 11 10 10 11 12 11 12 11 11 11 11.00
	1210-1215	Tour 2	12 12 12 11 11 10 12 11 12 13 12 12 11.67
	1510-1515	Tour 3	12 13 13 12 14 12 12 12 13 13 13 13 12.67
ROOF	0925-0930	Tour 1	10 10 11 10 12 11 11 10 10 10 11 10 10.50
PERIMETER	1225-1230	Tour 2	12 11 11 11 13 11 12 12 12 11 12 11 11.58
PERIMETER	1525-1530	Tour 3	12 12 12 15 13 13 15 14 13 14 14 14 13.42

**DATE: 5/18/2008**

AREA:	TIME:	Tour #:	TOUR AVERAGE:
PERIMETER OF BUILDING	0900-0905	Tour 1	12 13 12 11 11 12 12 12 13 11 11 11 11.75
	1200-1205	Tour 2	13 13 13 12 14 13 13 14 14 11 14 14 13.17
	1500-1505	Tour 3	13 12 12 12 12 13 14 13 14 13 13 14 13 12.92
5th FLOOR	0910-0915	Tour 1	11 11 11 11 10 10 12 10 10 11 11 11 10.75
	1210-1215	Tour 2	13 13 12 12 12 12 13 13 14 14 14 13 12.92
	1510-1515	Tour 3	14 11 13 13 13 13 12 13 15 14 14 13 13.17
ROOF	0925-0930	Tour 1	10 11 10 11 11 12 11 11 11 10 10 10 10.67
PERIMETER	1225-1230	Tour 2	13 13 12 12 11 12 11 13 12 12 12 11 12.08
PERIMETER	1525-1530	Tour 3	15 15 14 13 15 13 13 14 14 14 16 15 14.17

Submittal Summary - Remediation Phase Week 55 (05/12/08 to 05/18/08)

Lab Name	Field Sample ID	Sample Location	Date Collected	Project Phase	Sample Volume (m3)	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Antimony Concentration (ug/m <sup>3</sup> )	Barium Concentration (ug/m <sup>3</sup> )	Beryllium Concentration (ug/m <sup>3</sup> )	Cadmium Concentration (ug/m <sup>3</sup> )	Chromium (Total) Concentration (ug/m <sup>3</sup> )	Copper Concentration (ug/m <sup>3</sup> )	Lead Concentration (ug/m <sup>3</sup> )	Manganese Concentration (ug/m <sup>3</sup> )	Nickel Concentration (ug/m <sup>3</sup> )	Zinc Concentration (ug/m <sup>3</sup> )	Unit	Flag	Qualifier	Date Reported	Exceeds Target Air Quality Level?	Exceeds EPA Site Specific Trigger Level?	Comments					
Target Air Quality Levels										5,000	5,000	20	50	100	100,000	1,000	500	200	16,000												
EPA Site Specific Trigger Levels										14,000	14,000	200	100	100,000	1,000	500	200	16,000													
STL-SAC	PH-051208-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/12/2008	Remediation	5.768	GRE 140183001	5/14/2008	5/19/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/16/2008	No	No					
STL-SAC	PH-051208-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/12/2008	Remediation	5.768	GRE 140183002	5/14/2008	5/19/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/16/2008	No	No					
STL-SAC	PH-051208-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/12/2008	Remediation	5.764	GRE 140183003	5/14/2008	5/19/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/16/2008	No	No					
STL-SAC	PH-051208-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/12/2008	Remediation	5.768	GRE 140183004	5/14/2008	5/19/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/16/2008	No	No					
STL-SAC	PH-051208-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/12/2008	Remediation	5.768	GRE 140183005	5/14/2008	5/19/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/16/2008	No	No					
STL-SAC	PH-051208-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/12/2008	Remediation	5.764	GRE 140183006	5/14/2008	5/19/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/16/2008	No	No					
STL-SAC	PH-051208-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/12/2008	Remediation	5.76	GRE 140183007	5/14/2008	5/19/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/16/2008	No	No					
STL-SAC	PH-051208-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/12/2008	Remediation	5.768	GRE 140183008	5/14/2008	5/19/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/16/2008	No	No					
STL-SAC	PH-051308-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/13/2008	Remediation	5.768	GRE 150185001	5/15/2008	5/16/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051308-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/13/2008	Remediation	5.756	GRE 150185002	5/15/2008	5/16/2008	6020	-34.7	-1730	-174	-86.7	-174	-86.9	-174	-86.9	-174	-86.9	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051308-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	5.764	GRE 150185003	5/15/2008	5/16/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051308-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/13/2008	Remediation	5.764	GRE 150185004	5/15/2008	5/16/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051308-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/13/2008	Remediation	5.768	GRE 150185005	5/15/2008	5/16/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051308-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/13/2008	Remediation	5.764	GRE 150185006	5/15/2008	5/16/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051308-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/13/2008	Remediation	5.764	GRE 150185007	5/15/2008	5/16/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051308-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/13/2008	Remediation	5.768	GRE 150185008	5/15/2008	5/16/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051308-67	DUPLICATE (STATION #1)	5/13/2008	Remediation	5.768	GRE 150185010	5/15/2008	5/16/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051408-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/14/2008	Remediation	5.76	GRE 190141001	5/19/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051408-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/14/2008	Remediation	5.756	GRE 190141002	5/19/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051408-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/14/2008	Remediation	5.756	GRE 190141003	5/19/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051408-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/14/2008	Remediation	5.76	GRE 190141004	5/19/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051408-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/14/2008	Remediation	5.76	GRE 190141005	5/19/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051408-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/14/2008	Remediation	5.756	GRE 190141006	5/19/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051408-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/14/2008	Remediation	5.756	GRE 190141007	5/19/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051408-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/14/2008	Remediation	5.756	GRE 190141008	5/19/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051508-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/15/2008	Remediation	5.72	GRE 170191001	5/17/2008	5/20/2008	6020	-35.0	-1750	-175	-87.0	-175	-87.0	-175	-87.0	-175	-87.0	-350	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051508-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/15/2008	Remediation	5.768	GRE 170191002	5/17/2008	5/20/2008	6020	-34.7	-1730	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051508-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/15/2008	Remediation	5.744	GRE 170191003	5/17/2008	5/20/2008	6020	-34.8	-1740	-174	-86.9	-174	-86.9	-174	-86.9	-174	-86.9	-348	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051508-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/15/2008	Remediation	5.744	GRE 170191004	5/17/2008	5/20/2008	6020	-34.8	-1740	-174	-86.9	-174	-86.9	-174	-86.9	-174	-86.9	-348	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051508-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/15/2008	Remediation	5.728	GRE 170191005	5/17/2008	5/20/2008	6020	-34.9	-1740	-174	-87.0	-174	-87.0	-174	-87.0	-174	-87.0	-349	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051508-25	#6 - 5TH FLOOR SETBACK ROOF SW SIDE	5/15/2008	Remediation	5.74	GRE 170191006	5/17/2008	5/20/2008	6020	-34.8	-1740	-174	-86.9	-174	-86.9	-174	-86.9	-174	-86.9	-348	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051508-26	#7 - 5TH FLOOR SCAFFOLD AT SE CORNER	5/15/2008	Remediation	5.76	GRE 170191007	5/17/2008	5/20/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051508-27	#8 - 5TH FLOOR SCAFFOLD AT NE CORNER	5/15/2008	Remediation	5.724	GRE 170191008	5/17/2008	5/20/2008	6020	-34.9	-1750	-175	-87.0	-175	-87.0	-175	-87.0	-175	-87.0	-349	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051608-20	#1 - SIDEWALK BRIDGE LEVEL NW CORNER	5/16/2008	Remediation	5.764	GRE200192001	5/20/2008	5/21/2008	6020	-34.8	-1740	-173	-86.7	-173	-86.7	-173	-86.7	-173	-86.7	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051608-21	#2 - SIDEWALK BRIDGE LEVEL SW CORNER	5/16/2008	Remediation	5.752	GRE200192002	5/20/2008	5/21/2008	6020	-34.8	-1740	-174	-86.9	-174	-86.9	-174	-86.9	-174	-86.9	-348	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051608-22	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/16/2008	Remediation	5.756	GRE200192003	5/20/2008	5/21/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051608-23	#4 - SIDEWALK BRIDGE LEVEL NE CORNER	5/16/2008	Remediation	5.756	GRE200192004	5/20/2008	5/21/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>			5/22/2008	No	No					
STL-SAC	PH-051608-24	#5 - 5TH FLOOR SETBACK ROOF N SIDE	5/16/2008	Remediation	5.76	GRE200192005	5/20/2008	5/21/2008	6020	-34.7	-1740	-174	-86.8	-174	-86.8	-174	-86.8	-174	-86.8	-347	ng/m <sup>3</sup>										



**Submittal Summary - Remediation Phase Week 55 (05/12/08 to 05/18/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	Dioxin/Furans Concentration (ng/m <sup>3</sup> )	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.00025				
EPA Site Specific Trigger Levels											0.025				
STL-SAC	FH-051308-40	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150316003	05/15/2008	05/23/2008	TO-9	Toxicity Equivalent Quotient (TEQ)	0.0000143	05/27/2008	No	No	

**Submittal Summary - Remediation Phase Week 55 (05/12/08 to 05/18/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PAHs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels											0.034				
EPA Site Specific Trigger Levels											3.4				
STL-SAC	FH-051308-49	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150309003	05/15/2008	05/19/2008	8270C SIM	BAP-equivalent	<0.007	05/28/2008	No	No	

**Submittal Summary - Remediation Phase Week 55 (05/12/08 to 05/18/08)**

Lab Name	Airtek Field Sample No.	Sample Location	Collection Start Date	Project Phase	Sample Volume (m <sup>3</sup> )	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name	PCBs Concentration (ug/m3)	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
<b>Target Air Quality Levels</b>											<b>0.12</b>				
<b>EPA Site Specific Trigger Levels</b>											<b>12</b>				
STL-SAC	FH-051308-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150314003	05/15/2008	05/24/2008	TO-4	Aroclor 1016	<0.0021	05/28/2008	No	No	
STL-SAC	FH-051308-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150314003	05/15/2008	05/24/2008	TO-4	Aroclor 1221	<0.0021	05/28/2008	No	No	
STL-SAC	FH-051308-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150314003	05/15/2008	05/24/2008	TO-4	Aroclor 1232	<0.0021	05/28/2008	No	No	
STL-SAC	FH-051308-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150314003	05/15/2008	05/24/2008	TO-4	Aroclor 1242	<0.0021	05/28/2008	No	No	
STL-SAC	FH-051308-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150314003	05/15/2008	05/24/2008	TO-4	Aroclor 1248	<0.0021	05/28/2008	No	No	
STL-SAC	FH-051308-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150314003	05/15/2008	05/24/2008	TO-4	Aroclor 1254	<0.0021	05/28/2008	No	No	
STL-SAC	FH-051308-58	#3 - SIDEWALK BRIDGE LEVEL SE CORNER	5/13/2008	Remediation	360	G8E150314003	05/15/2008	05/24/2008	TO-4	Aroclor 1260	<0.0021	05/28/2008	No	No	